



A Complete Lockout Tagout Solution

Lockout Tagout Catalog

Lockout Tagout

Lockout tagout: A critical safety regulation

Lockout tagout is an important safety component that is critical to safeguarding workers around the machinery and equipment they operate, service and maintain. This important safety practice involves de-energizing electrical circuits, closing valves, neutralizing extreme temperatures and securing moving parts so hazardous energy isn't re-introduced while equipment is being serviced.

An effective lockout tagout program is most successful when it includes the complete safety picture — locks, tags and devices — as well as proper lockout procedures, program documentation, employee training, periodic inspections or other procedural elements.

Benefits of a lockout tagout program

- **Saving lives:** Preventing an estimated 250,000 incidents, 50,000 injuries and 120 fatalities annually
- **Cutting costs:** Significantly decreasing lost employee time and insurance costs
- **Improving productivity:** Reducing equipment downtime



Regulatory requirements

OSHA 29CFR 1910.147 — Control of Hazardous Energy

General industry workers performing servicing and/or maintenance on machines or equipment and who are exposed to the unexpected energization, startup or release of hazardous energy.

OSHA 29CFR 1910.333 — Electrical Safety

Safety-related work practices shall be employed to prevent electric shock or other injuries resulting from either direct or indirect electrical contacts, when work is performed near or on equipment or circuits which are or may be energized.

ANSI Z244.1 (2016) — Lockout Tagout and Alternative Methods

A voluntary national consensus standard that represents several industry hazardous energy control best practices and also promotes greater flexibility through the use of alternative methods based on risk assessments and application of the hazard control hierarchy.

Lockout tagout is the fifth most cited OSHA violation, with 2,944 violations during fiscal year 2018

Top violations involve:

- 1910.147(c)(4)(i) Requirements for general procedures
- 1910.147(c)(1) Program requirements
- 1910.147(c)(6)(i) Inspecting procedures
- 1910.147(c)(7)(i) Training requirements
- 1910.147(d) Notifying affected employees

Table of contents

Procedures and training4	Energy source tags28	Safety cover lockouts.....48
Padlocks8	Cable lockouts30	Plug lockouts50
Hasps.....19	Valve lockouts.....32	Lockout kits52
Group lock boxes20	Electrical lockouts36	Lockout stations64
Lockout tags24	Gas and air lockouts47	

Six Essential Elements of Lockout Tagout



1. Program and policy

A written lockout document establishes and explains the elements of your program. It's important to take into account not only OSHA's guidelines, but also custom requirements for your employees that ensure they can understand and apply the program to their workday.



2. Machine- or task-specific procedures

Lockout procedures should be formally documented and should easily identify the equipment covered. They should also detail the specific steps necessary for shutting down, isolating, blocking and securing equipment to control hazardous energy, and include steps for the placement, removal and transfer of lockout tagout devices.



3. Identifying and marking energy isolation points

Locate and identify all energy control points, including valves, switches, breakers and plugs, with permanently placed and standardized labels or tags.



4. Training and periodic inspections and audits

Train authorized, affected and other employees, communicate processes and conduct periodic inspections. Training should include OSHA requirements and specific program elements, such as your machine-specific procedures.



5. Provide proper lockout devices

Provide employees with the necessary devices to keep them safe. There are many products on the market, and selecting the most appropriate solution for your application is the key to lockout effectiveness. It's important to document and use devices that best fit each lockout point.




6. Sustainability

Annually review, revise and update your program and procedures to create a safety culture that proactively addresses lockout tagout. This allows your company to focus on maintaining a world-class program, instead of starting from scratch each year and reacting only when something goes wrong.

Go beyond compliance with the *Expanded Guide to Lockout Tagout*

Download the guide-book to learn more about the 6 essential elements of lockout tagout!

 [Download at BradyID.com/lockouttagout](https://www.BradyID.com/lockouttagout)



Lockout Tagout Procedures

Lockout Tagout Procedures

There are a variety of components in a visual lockout tagout procedure that will help ensure your employees will get home safe. Use this helpful guide to determine what elements are required for compliance, and best practices to complete an even safer lockout procedure.

OSHA Regulation

29 CFR 1910.147 (c)(4)

Machine-specific lockout tagout procedures are required for equipment having more than one energy source, as well as for much equipment having a single energy source.

Lockout/Tagout Posted Procedure

ID#: 5879	Facility: Brady Good Hope - Production	Location: Boiler Room
Created: 7/6/2018	Description: Boiler #1	
Revised: 7/6/2018		

4

Lockout Points

Note: This machine is capable of generating extremely high temperatures. Allow it to return to room temperature before proceeding Confined Space. Authorized personnel only. Permits are required before entering. Follow all Confined Space procedures. Piping systems can store energy hydraulically. Ensure pressures are isolated and/or have been relieved before proceeding.

MCC 3 Column 3 Bucket A

EAST VIEW

NORTH VIEW

Step #	Action	Info	Verification
1	<p>Electrical</p> <p>The E-1 Disconnect is located on the East side of the machine on the MCC panel Column 3 bucket A. Turn Disconnect to the off position and lock out.</p>	Use a Lock and hasp device.	Attempt to restart at control panel.
2	<p>Gas</p> <p>The G-1 Ball Valve is located on the East side of the machine. Turn Valve to the off position and lock out.</p>	Use a Ball valve lockout device.	Verify pressure has bled off.
3	<p>Water</p> <p>The W-1 Butterfly Valve Lockout is located on the East side of the machine. Turn the valve to the closed position and lock out.</p>	Use a Lock and hasp device.	Verify pressure has bled off.
4	<p>Water</p> <p>The W-2 Butterfly Valve Lockout is located on the East side of the machine. Turn the valve to the closed position and lock out.</p>	Use a Lock and hasp device.	Verify pressure has bled off.

SAFETY SOFTWARE & SERVICES

- 1 Best practice:** Company logo
- 2 Best practice:** Machine-specific equipment ID number
- 3 Required:** Facility name, location, equipment name
- 4 Best practice:** Number of lockout points
- 5 Best practice:** The caution statement is where additional hazards and noteworthy information can be communicated
- 6 Best practice:** Pictures of equipment displaying location of each energy source.
- 7 Required:** While having corresponding energy source tags mounted on equipment and indicated on the lockout procedure is considered "best practice," lockout procedures are required to identify energy sources and magnitude. (OSHA1910.147(d)(1))
- 8 Required:** Action steps to isolate energy and location of isolation points. These must include procedural steps for shutting down, isolating, blocking and securing equipment to control hazardous energy. They also must include steps for the use of lockout devices and their responsibility. 1910.147(c)(4)(ii)(B-C)
- 9 Required:** Verification is required on every step of your lockout procedure. This is how your employees will know whether or not the energy source is truly isolated and at a zero energy state. 1910.147(c)(4)(ii)(D)
- 10 Required:** Purpose, scope and enforcement of lockout tagout procedure must be included on Physical procedure. 1910.147(c)(4)(ii)
- 11 Required:** A sequential procedure for shutdown, locking/tagging and testing must be included on the lockout procedure. 1910.147 App A
- 12 Required:** A sequential procedure to restore equipment to service must be included on the lockout procedure. 1910.147 App A

Lockout Tagout Procedure

Purpose: To protect authorized employees against unexpected or unplanned activation of equipment or energy while servicing equipment.

Scope: **10** Utilize this procedure for all scheduled PM shutdowns, any maintenance task that requires you to place your body in harm's way of the equipment, or if you have to leave the area while the equipment is in service.

Enforcement: Failure to properly follow lockout-tagout procedure will result in corrective action.

11 SHUTDOWN, LOCK, TAG & TEST SEQUENCE	
#	STEP DESCRIPTION
1	Notify Employees Notify all affected employees that servicing or maintenance is required on a machine or equipment, and that the machine or equipment must be shut down and locked out to perform the servicing or maintenance.
2	Review Lockout Procedure The authorized employee shall refer to the company procedure to identify the type and magnitude of the energy that the machine or equipment utilizes, shall understand the hazards of the energy, and shall know the methods to control the energy.
3	Perform Machine Stop If the machine or equipment is operating, shut it down by the normal stopping procedure (presses the stop button, cover switch, stop valve, etc.). Reference machine operating procedure for normal shutdown.
4	Isolate Energy Follow graphical lockout-tagout procedure from top to bottom to de-activate the energy (isolating device(s)) so that the machine or equipment is isolated from the energy source(s). NOTE: It may be necessary to depress the non-rotatable energy source before isolating the isolatable energy source(s). (i.e. lower the machine or lower position before locking out.)
5	Lockout Energy Lockout and tagout the energy isolating device(s) with assigned lock(s) and tag(s).
6	 dissipate Energy Stored or residual energy (such as that in capacitors, springs, elevated machine members, rotating flywheels, hydraulic systems as well as air, gas, steam, or water pressure, etc.) must be dissipated or restrained by methods such as grounding, repositioning, blocking, bleeding down, etc.
7	Attempt Restart Ensure that the equipment is disconnected from the energy sources by first checking that no personnel are exposed, then verify the isolation of the equipment by operating the push button or other normal operating controls or by wiring to make certain the equipment will not operate. Caution: Return operating controls to neutral or "off" position after verifying the isolation of the equipment.

12 RESTORE TO SERVICE SEQUENCE	
#	STEP DESCRIPTION
1	Check Machine Check the machine or equipment and the immediate area around the machine to ensure that nonessential items have been removed and that the machine or equipment components are operationally intact.
2	Check Area Check the work area to ensure that all employees have been safely positioned or removed from the area.
3	Verify Machine Verify that the controls are in neutral.
4	Remove Lockout Remove the locks, tags and lockout devices and re-energize the machine or equipment, in reverse order, to reverse all of the steps from the visual lockout-tagout procedure found on the previous page. Note: The removal of some forms of blocking may require re-energization of the machine before safe removal.
5	Notify Employees Notify affected employees that the servicing or maintenance is completed and the machine or equipment is ready for use.

Lockout Tagout Procedures

Lockout Tagout Services through Brady Safety Services



With a continually changing workforce, and frequent enhancements to processes and technology, there is a need in the industry to efficiently develop and train new workers to keep operations running smoothly. Having a sustainable lockout tagout program in place allows you to bridge the knowledge gap and improve safety throughout your facility.

Lockout Services include:

- Lockout tagout machine inventory
- Visual lockout procedure writing
- Lockout tagout procedure audit
- Lockout tagout training, including general/affected, authorized and train-the-trainer programs
- Alternative method procedures / minor servicing
- Job safety analysis
- Lockout tagout program development
- Lockout tagout gap analysis
- Time- and material-based services

▶ For more information, visit BradyID.com/Services



Create Your Own Procedures

LINK360® Software

Brady's LINK360® cloud based software offers procedure creation, procedure maintenance, audit reminders and more in order to manage, store and sustain machine safety and procedural information. It includes three centers that address common areas of focus when operating your equipment safely: Lockout Tagout, Confined Space and Reliability / Maintenance.

With Link360 software, you can:

- Create and update procedures and permits
- Facilitate reviews, comments and approvals
- Setup regularly scheduled audit processes and reminders
- Time-stamping and record keeping
- Print lockout tags containing equipment-specific information

The LINK360 advantage:

- Cloud-based software allows for program scalability and access from mobile and tablet devices
- User-defined permission for viewing, editing and approving helps ensure the correct people are doing the correct activities
- Pre-defined templates and standardized procedures for multi-site standardization
- Workflow and responsibility assignments for sites, areas and equipment improves employee accountability around machine safety and productivity
- Audit alerts, notification and detailed reporting help companies keep information up to date



▶ Request a demo at BradyID.com/Services



Brady Workstation Lockout Writer App Desktop app for simple lockout procedures

Save time and keep employees safe with the Brady Workstation Lockout Writer app. This intuitive tool allows you to create, store and print simple lockout procedures, associated tags and energy source labels quickly and easily.

▶ Download a 30-day trial at Workstation.BradlyID.com

Lockout Tagout Procedures

Lockout Tagout Procedure Accessories




Fluorescent Protective Envelopes

- Clear envelopes with fluorescent edging, great for color-coding lockout procedures and other shop information
- Durable 8 gauge vinyl construction withstands harsh environments
- Ideal for indoor or outdoor use

Catalog #	Color	Size	Qty.
56941	Fluorescent Green	9 in. x 9 in.	25
56945	Fluorescent Green	9 in. x 12 in.	25
56942	Fluorescent Orange	9 in. x 9 in.	25
56946	Fluorescent Orange	9 in. x 12 in.	25
56944	Fluorescent Yellow	9 in. x 9 in.	25
56948	Fluorescent Yellow	9 in. x 12 in.	25



Magnetic Backed Open-End



Adhesive Backed Open-End

Adhesive and Magnetic Backed Envelopes

- Made of non-glare clear vinyl material
- Protects tags and cards on machinery, valves, switches, controls, and more
- Size: 8.5 in. x 11 in.

Catalog #	Color	Qty.
50961	Adhesive Backed Envelopes	10
50962	Magnetic Backed Envelopes	10



Lockout Procedure Station

- Silk-screened backboard made from durable polystyrene
- Includes pre-drilled holes and hardware for wall mounting
- 1.5 in. 3-ring binder
- Size: 20 in. x 14 in. x 4.5 in.

Catalog #	Description
LOSP22	Lockout Procedure Station With Binder and 25 Forms
99289	Lockout Procedure Station With Binder Only
LOSB1	Lockout Procedure Binder Only
LOSF5	Lockout Procedure Forms (25/pk)



Lockout Clip Board

- Heavy-duty, clipboard conveniently carries procedures and hardware directly to the lockout location
- Clipboard can also be hung in place using attached strap
- Lockout safety tips on the back
- Procedures, locks and hasps sold separately

Catalog #	Color	Qty.
LOCB	Lockout Clip Board	1

May we also suggest:



Energy Source Tags
View page 28



Lockout Tagout Signs
View on BradyID.com



Lockout Safety Labels
View on BradyID.com

Lockout Training and Awareness Aids



Lockout Tagout Safety Training Video: Global Best Practice Training

- Comprehensive training video features targeted regulatory and compliance content
- 5 languages included: English, Spanish, French, Portuguese and Simplified Chinese
- Includes instructor's guide, employee quiz and 25 min video that:
 - Clearly defines and explains lockout tagout
 - Overviews compliance standards and regulations from countries around the world
 - Outlines an effective four-step lockout tagout program for employers
 - Covers important subtopics in-depth such as handling group lockout and shift changeovers
 - Bonus feature: 19 short installation videos on how to use some of the most common lockout devices

Catalog #	Description
132427	LOTO Global Training Video USB
833918	LOTO Global Training Video USB - European Supplies information in English, French, Dutch, German, Portuguese, Italian, Spanish, Turkish, Polish and Russian



Lockout Tagout Handbook

- 16-page training booklet with quiz instructs workers how to protect themselves from hazardous energy

Catalog #	Description	Qty.
66219	Lockout Tagout Handbook	10



Lockout Safety Training Booklet

- 16-page training booklet covers the basics of lockout tagout safety

Catalog #	Description	Qty.
2112-TEN	Lockout Safety	10
2112	Lockout Safety	25
2112SP-TEN	Lockout Safety - Spanish	10
2112SP	Lockout Safety - Spanish	25



Wallet Safety Cards

- Wallet size card contains important reminders for lockout safety

Catalog #	Description	Qty.
LOSC13	English Wallet Card	10
LOSC13 BI	English/Spanish Wallet Card	10

OSHA Training Requirements:

Authorized Employees

Those who perform servicing or maintenance must be trained to:

- Recognize hazardous energy sources and understand the energy type and magnitude
- Identify and properly operate the applicable energy-isolating devices
- Safely apply and remove lockout tagout devices
- Authorized employees must undergo an annual review to ensure they fully understand their responsibilities under the program

Affected Employees

Those who operate the machinery or work in the area where LOTO is performed must be trained to:

- Recognize when lockout tagout activities are in progress
- Understand the purpose of the energy control program and the importance of not tampering with lockout tagout devices when encountered in the workplace

Additional Requirements

- Employers must document when training took place, who attended, and the topics covered
- Employees must be retrained under the following situations:
 - Employee assigned to new job
 - Change made to energy control policies or procedures
 - Machinery installed or modified, presenting a new hazard
 - Whenever the employer has reason to believe that there are problems with the employee's understanding or use of the procedures
- Additional training is required when using tagout instead of lockout. See Section (C)(7)(ii) in the 1910.147 standard.

Lockout Padlocks


Lockout Padlocks

Although padlocks may seem like a commonplace device, the durability and reliability of your padlocks is critical to the safety of your employee. Brady provides a full line of padlocks that withstand harsh environmental conditions, rough handling and provide maximum safety.



Nylon Lockout Padlocks

Padlocks



	NEW SafeKey Nylon Lockout Padlocks				Traditional Nylon Lockout Padlocks				
	SafeKey Compact Padlocks	SafeKey Padlock with Nylon Shackle	SafeKey Padlock with Steel Shackle	SafeKey Padlock with 3 in. Shackle	Compact Nylon Padlocks	Nylon Padlock with Nylon Shackle	Nylon Padlock with Steel Shackle	Long-Body Nylon Padlock	Compact Cable Nylon Padlocks
Features	Advanced security locking mechanism, color matched keys, compact size	Advanced security locking mechanism, color matched keys, non-conductive nylon body and shackle	Advanced security locking mechanism, color matched keys, standard size	Advanced security locking mechanism, color matched keys, 3 inch shackle	Traditional pin tumbler locking mechanism, chrome / nickel plated keys, compact size	Traditional pin tumbler locking mechanism, chrome / nickel plated keys, non-conductive nylon body and shackle	Traditional pin tumbler locking mechanism, chrome / nickel plated keys, standard size	Traditional pin tumbler locking mechanism, chrome / nickel plated keys, 3 in. body to display additional identification	Traditional pin tumbler locking mechanism, chrome / nickel plated keys, compact body and flexible cable shackle
Main application	Electrical applications and small spaces	General safety and electrical applications	General safety applications	General safety applications requiring a large shackle clearance	Electrical applications and small spaces	General safety and electrical applications	General safety applications	General safety applications	Small spaces and multi-locking points in electrical applications
Non-conductive	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Non-sparking	Yes	Yes	No	No	No	Yes	No	No	No
Body (H x W)	Nylon body 1.7 in. x 1.25 in.	Nylon body 1.8 in. x 1.5 in.	Nylon body 1.8 in. x 1.5 in.	Nylon body 1.8 in. x 1.5 in.	Nylon body 1.4 in. x 1.2 in.	Nylon body 1.75 in. x 1.5 in.	Nylon body 1.75 in. x 1.5 in.	Nylon body 3 in. x 1.5 in.	Nylon body 1.4 in. x 1.2 in.
Shackle	Plastic polymer shackle Height: 1.0 in. Diameter: 0.17 in.	Plastic polymer shackle Height: 1.5 in. Diameter: 0.25 in.	Steel shackle Height: 1.5 in. Diameter: 0.25 in.	Steel shackle Height: 3.0 in. Diameter: 0.25 in.	Aluminum shackle Height: 1.0 in. Diameter: 0.19 in.	Nylon shackle Height: 3.0 in. Diameter: 0.25 in.	Steel shackle Height: 1.5 in. Diameter: 0.25 in.	Steel shackle Height: 1.5 in. Diameter: 0.25 in.	Flexible cable 7.87 in. or 15.75 in. length
Colors	9 colors	9 colors	9 colors	9 colors	9 colors	9 colors	9 colors	9 colors	9 colors
Key Retaining	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Key Codes	100,000+	100,000+	100,000+	100,000+	Up to 15,000	Up to 15,000	Up to 15,000	Up to 15,000	Up to 15,000
Keying	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*
Engraving Available	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key
Includes	1 key and labels (EN, FR, SP)	1 key and labels (EN, FR, SP)	1 key and labels (EN, FR, SP)	1 key and labels (EN, FR, SP)	1 key and labels (EN, FR, SP)	1 key and labels (EN, FR, SP)	1 key and labels (EN, FR, SP)	1 key and labels (EN, FR, SP)	1 key and labels (EN, FR, SP)

*Available as custom.

Regulations

1910.147(c)(5) OSHA Lockout Device Requirements state that lockout devices must:

- Be provided by the employer and be standardized by size, shape or color
- Be distinguishable from locks used for other purposes. Lockout locks should only be used for lockout
- Identify the individual who applied the lock (both tags and lock labels are acceptable for this purpose)
- Be capable of withstanding the usage environment and be strong enough to prevent removal except by using excessive force with special tools, such as bolt cutters
- Most importantly, whenever lockout devices are applied, they must remain under the exclusive control of the individual who attached them. No employee should be able to open a lock attached by someone else

Aluminum and Steel Lockout Padlocks



NEW SafeKey Aluminum Lockout Padlocks

Traditional Aluminum Lockout Padlocks

Traditional Steel Lockout Padlocks

	SafeKey Aluminum Padlocks	Compact Aluminum Padlocks	Aluminum Padlocks	Laminated Steel Padlocks	Key-Retaining Laminated Steel Padlocks
Features	Advanced security locking mechanism, color matched keys, superior corrosion resistance	Traditional pin tumbler locking mechanism, chrome / nickel plated keys, compact, superior corrosion resistance	Traditional pin tumbler locking mechanism, chrome / nickel plated keys, superior corrosion resistance	Traditional pin tumbler locking mechanism, chrome / nickel plated keys, superior physical and corrosion resistance	Traditional key-retaining pin tumbler locking mechanism, chrome / nickel plated keys, superior physical and corrosion resistance
Main application	Ideal for indoor and outdoor use and heavy-duty applications	Small space applications	Outdoor, industrial safety, food and beverage applications (FDA approved lubricant in cylinder)	Industrial safety and severe physical environments	Industrial safety and severe physical environments
Non-conductive	No	No	No	No	No
Non-sparking	No	No	No	No	No
Body (H x W)	Aluminum body 1.8 in. x 1.5 in.	Aluminum body 1.25 in.	Aluminum body 1.6 in.	Steel body 1.33 in.	Steel body 1.2 in.
Shackle	Steel shackle Height: 1.5 in. or 3.0 in. Diameter: 0.25 in.	Steel shackle Height: 1.0 in. Diameter: 0.25 in.	Steel shackle Height: 1 in., 1.5 in. or 3 in. Diameter: 0.25 in.	Steel shackle Height: 0.75 in. or 2 in. Diameter: 0.27 in.	Steel shackle Height: 0.75 in., 2 in. or 3 in. Diameter: 0.27 in.
Colors	9 colors	9 colors	9 colors	9 colors	9 colors
Key Retaining	No	No	No	No	Yes
Key Codes	100,000+	Up to 15,000	Up to 15,000	Up to 15,000	Up to 15,000
Keying	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*
Engraving Available	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key	Body (4 sides) and key
Includes	1 key (labels sold separately)	2 keys (labels sold separately)	2 keys (labels sold separately)	2 keys (labels sold separately)	1 key (labels sold separately)

*Available as custom.

Lockout Padlocks

new


Brady SafeKey Lockout Padlocks

With this innovatively designed padlock, you get up to 700% more unique key possibilities than a standard safety padlock, without sacrificing a secure lockout. It's all in the forward-thinking design of the locking mechanism and unique key blade that gives you more precision and control in your lockout program. With that level of precision, you're covered from your simple to highly complex lockout needs. You also get:

- Fast identification with the color-matched key
- Easy operation with extra smooth key insertion and removal — even when wearing gloves!
- Years of use with the low-friction locking mechanism that helps maintain key integrity
- Excellent durability in industrial environments



Padlocks



More really means more with SafeKey

In your lockout scenario, here's what you get with up to 700% more unique key codes:

	Other Nylon Padlocks	SafeKey Lockout Padlocks	
Keyed Different	15,000 Key Codes	100,000+ Key Codes	
1 Master Key	3,250 Key Codes	15,000+ Key Codes	
25 Master Keys	150 Key Codes	600+ Key Codes	

Padlocks

Keying options for SafeKey and traditional lockout padlocks

Standard options




Keyed Different (KD)

Each lock is opened by its own unique key. Perfect for simple lockout applications and a manageable number of energy isolation points.

Keyed Alike (KA)


Each lock in the group can be opened with the same key, reducing the number of keys needed. Ideal for employees who work on multiple machines or isolation points.

Custom options



Master Keyed (MK)

Each grouping of locks (whether keyed alike or different) can be opened with a master key. Useful for larger, complex systems when supervisory access may be required.



Grand Master Keyed (GMK)

The grand master key can open all locks grouped into two or more master keyed systems. Useful when supervisory or managerial access to all locks is needed.

Key Charting

Brady will keep a record of and "chart" all key numbers to ensure there's no unwanted key duplication on current or future orders, depending on your unique requirements.

Lockout Padlocks

new Brady SafeKey Lockout Padlocks

SafeKey Nylon Lockout Padlocks

- Key retaining feature within a lightweight nylon body is ideal for electrical and general lockout applications
- Two shackle options available; durable, steel shackle or polymer plastic shackle that is non-conductive and non-sparking
- Each padlock includes one key and lock labels in English, Spanish and French; additional keys can be ordered if needed
- Body: 1.8 in. H x 1.5 in. W x 0.75 in. D; shackle diameter: 0.25 in.

SafeKey Nylon Lockout Padlocks with 1.5 in. (38 mm) steel shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	NYL-RED-38ST-KD	NYL-RED-38ST-KD6PK	NYL-RED-38ST-KA3PK	NYL-RED-38ST-KA6PK
Green	NYL-GRN-38ST-KD	NYL-GRN-38ST-KD6PK	NYL-GRN-38ST-KA3PK	NYL-GRN-38ST-KA6PK
Orange	NYL-ORG-38ST-KD	NYL-ORG-38ST-KD6PK	NYL-ORG-38ST-KA3PK	NYL-ORG-38ST-KA6PK
Blue	NYL-BLU-38ST-KD	NYL-BLU-38ST-KD6PK	NYL-BLU-38ST-KA3PK	NYL-BLU-38ST-KA6PK
Yellow	NYL-YLW-38ST-KD	NYL-YLW-38ST-KD6PK	NYL-YLW-38ST-KA3PK	NYL-YLW-38ST-KA6PK
Brown	NYL-BRN-38ST-KD	NYL-BRN-38ST-KD6PK	NYL-BRN-38ST-KA3PK	NYL-BRN-38ST-KA6PK
White	NYL-WHT-38ST-KD	NYL-WHT-38ST-KD6PK	NYL-WHT-38ST-KA3PK	NYL-WHT-38ST-KA6PK
Purple	NYL-PRP-38ST-KD	NYL-PRP-38ST-KD6PK	NYL-PRP-38ST-KA3PK	NYL-PRP-38ST-KA6PK
Black	NYL-BLK-38ST-KD	NYL-BLK-38ST-KD6PK	NYL-BLK-38ST-KA3PK	NYL-BLK-38ST-KA6PK



SafeKey Nylon Lockout Padlocks with 1.5 in. (38 mm) nylon shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	NYL-RED-38PL-KD	NYL-RED-38PL-KD6PK	NYL-RED-38PL-KA3PK	NYL-RED-38PL-KA6PK
Green	NYL-GRN-38PL-KD	NYL-GRN-38PL-KD6PK	NYL-GRN-38PL-KA3PK	NYL-GRN-38PL-KA6PK
Orange	NYL-ORG-38PL-KD	NYL-ORG-38PL-KD6PK	NYL-ORG-38PL-KA3PK	NYL-ORG-38PL-KA6PK
Blue	NYL-BLU-38PL-KD	NYL-BLU-38PL-KD6PK	NYL-BLU-38PL-KA3PK	NYL-BLU-38PL-KA6PK
Yellow	NYL-YLW-38PL-KD	NYL-YLW-38PL-KD6PK	NYL-YLW-38PL-KA3PK	NYL-YLW-38PL-KA6PK
Brown	NYL-BRN-38PL-KD	NYL-BRN-38PL-KD6PK	NYL-BRN-38PL-KA3PK	NYL-BRN-38PL-KA6PK
White	NYL-WHT-38PL-KD	NYL-WHT-38PL-KD6PK	NYL-WHT-38PL-KA3PK	NYL-WHT-38PL-KA6PK
Purple	NYL-PRP-38PL-KD	NYL-PRP-38PL-KD6PK	NYL-PRP-38PL-KA3PK	NYL-PRP-38PL-KA6PK
Black	NYL-BLK-38PL-KD	NYL-BLK-38PL-KD6PK	NYL-BLK-38PL-KA3PK	NYL-BLK-38PL-KA6PK



SafeKey Nylon Lockout Padlocks with 3.0 in. (76 mm) steel shackle

Color	Keyed Different 1/Pack
Red	NYL-RED-76ST-KD
Green	NYL-GRN-76ST-KD
Orange	NYL-ORG-76ST-KD
Blue	NYL-BLU-76ST-KD
Yellow	NYL-YLW-76ST-KD
Brown	NYL-BRN-76ST-KD
White	NYL-WHT-76ST-KD
Purple	NYL-PRP-76ST-KD
Black	NYL-BLK-76ST-KD



Padlocks

Engraving

SafeKey padlocks can be laser-engraved on one to four surfaces to identify individuals, departments, work areas, serial numbers and company logos. Additionally, SafeKey keys can be engraved with up to 10 characters.

Design-Your-Own Padlock Online

Create a custom SafeKey padlock with exactly the options you need, including engraving, in one easy-to-use online tool. Try it today at [BradyID.com/CustomPadlocks](https://bradyid.com/CustomPadlocks)



SafeKey Padlock Labels

- Labels help send a clear message when machine is down for service or maintenance
- Keep track of your Brady SafeKey Lockout Padlocks by writing who owns that padlock on the label

Catalog #	Description	Size	Qty.
150556	English, French, Spanish	Compact 0.89 in x 1 in	6 cards
150555	English, French, Spanish	Standard 1.12 in x 1 in	6 cards
65508	Lock Label Overlamine	1 in. x 6 in.	40

new Brady SafeKey Lockout Padlocks

SafeKey Compact Nylon Lockout Padlocks

- Ideal for use in small spaces in electrical and maintenance applications
- Extremely compact and lightweight design with non-conductive and non-sparking nylon body and polymer shackle
- Each padlock includes one key and lock labels in English, Spanish and French; additional keys can be ordered if needed
- Body: 1.7 in. H x 1.25 in. W x 0.75 in. D; shackle diameter: 0.17 in.

SafeKey Compact Nylon Padlocks with 1.0 in. (25 mm) nylon shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	CPT-RED-25PL-KD	CPT-RED-25PL-KD6PK	CPT-RED-25PL-KA3PK	CPT-RED-25PL-KA6PK
Green	CPT-GRN-25PL-KD	CPT-GRN-25PL-KD6PK	CPT-GRN-25PL-KA3PK	CPT-GRN-25PL-KA6PK
Orange	CPT-ORG-25PL-KD	CPT-ORG-25PL-KD6PK	CPT-ORG-25PL-KA3PK	CPT-ORG-25PL-KA6PK
Blue	CPT-BLU-25PL-KD	CPT-BLU-25PL-KD6PK	CPT-BLU-25PL-KA3PK	CPT-BLU-25PL-KA6PK
Yellow	CPT-YLW-25PL-KD	CPT-YLW-25PL-KD6PK	CPT-YLW-25PL-KA3PK	CPT-YLW-25PL-KA6PK
Brown	CPT-BRN-25PL-KD	CPT-BRN-25PL-KD6PK	CPT-BRN-25PL-KA3PK	CPT-BRN-25PL-KA6PK
White	CPT-WHT-25PL-KD	CPT-WHT-25PL-KD6PK	CPT-WHT-25PL-KA3PK	CPT-WHT-25PL-KA6PK
Purple	CPT-PRP-25PL-KD	CPT-PRP-25PL-KD6PK	CPT-PRP-25PL-KA3PK	CPT-PRP-25PL-KA6PK
Black	CPT-BLK-25PL-KD	CPT-BLK-25PL-KD6PK	CPT-BLK-25PL-KA3PK	CPT-BLK-25PL-KA6PK



SafeKey Compact Nylon Padlock Kits

Ideal for those needing just one lock and one tag. Kit includes:

- 1 - SafeKey Compact Nylon Padlock
- 1 - Heavy-duty Polyester Tag
- 1 - Nylon Cable Tie

Color	Catalog #	Description
Red	150938	SafeKey Compact Nylon Padlock Kit




SafeKey Aluminum Lockout Padlocks

- Ideal for indoor and outdoor use and heavy-duty applications
- Aluminum padlock with steel shackle provides corrosion resistance
- Each padlock includes one key and lock labels in English, Spanish and French; additional keys can be ordered if needed
- Body: 1.8 in. H x 1.5 in. W x 0.75 in. D; shackle diameter: 0.25 in.


SafeKey Aluminum Lockout Padlocks with 1.5 in. (38 mm) steel shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	ALU-RED-38ST-KD	ALU-RED-38ST-KD6PK	ALU-RED-38ST-KA3PK	ALU-RED-38ST-KA6PK
Green	ALU-GRN-38ST-KD	ALU-GRN-38ST-KD6PK	ALU-GRN-38ST-KA3PK	ALU-GRN-38ST-KA6PK
Orange	ALU-ORG-38ST-KD	ALU-ORG-38ST-KD6PK	ALU-ORG-38ST-KA3PK	ALU-ORG-38ST-KA6PK
Blue	ALU-BLU-38ST-KD	ALU-BLU-38ST-KD6PK	ALU-BLU-38ST-KA3PK	ALU-BLU-38ST-KA6PK
Yellow	ALU-YLW-38ST-KD	ALU-YLW-38ST-KD6PK	ALU-YLW-38ST-KA3PK	ALU-YLW-38ST-KA6PK
Brown	ALU-BRN-38ST-KD	ALU-BRN-38ST-KD6PK	ALU-BRN-38ST-KA3PK	ALU-BRN-38ST-KA6PK
Silver	ALU-SLV-38ST-KD	ALU-SLV-38ST-KD6PK	ALU-SLV-38ST-KA3PK	ALU-SLV-38ST-KA6PK
Purple	ALU-PRP-38ST-KD	ALU-PRP-38ST-KD6PK	ALU-PRP-38ST-KA3PK	ALU-PRP-38ST-KA6PK
Black	ALU-BLK-38ST-KD	ALU-BLK-38ST-KD6PK	ALU-BLK-38ST-KA3PK	ALU-BLK-38ST-KA6PK



SafeKey Aluminum Lockout Padlocks with 3.0 in. (76 mm) steel shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	ALU-RED-76ST-KD	ALU-RED-76ST-KD6PK	ALU-RED-76ST-KA3PK	ALU-RED-76ST-KA6PK
Green	ALU-GRN-76ST-KD	ALU-GRN-76ST-KD6PK	ALU-GRN-76ST-KA3PK	ALU-GRN-76ST-KA6PK
Orange	ALU-ORG-76ST-KD	ALU-ORG-76ST-KD6PK	ALU-ORG-76ST-KA3PK	ALU-ORG-76ST-KA6PK
Blue	ALU-BLU-76ST-KD	ALU-BLU-76ST-KD6PK	ALU-BLU-76ST-KA3PK	ALU-BLU-76ST-KA6PK
Yellow	ALU-YLW-76ST-KD	ALU-YLW-76ST-KD6PK	ALU-YLW-76ST-KA3PK	ALU-YLW-76ST-KA6PK
Brown	ALU-BRN-76ST-KD	ALU-BRN-76ST-KD6PK	ALU-BRN-76ST-KA3PK	ALU-BRN-76ST-KA6PK
Silver	ALU-SLV-76ST-KD	ALU-SLV-76ST-KD6PK	ALU-SLV-76ST-KA3PK	ALU-SLV-76ST-KA6PK
Purple	ALU-PRP-76ST-KD	ALU-PRP-76ST-KD6PK	ALU-PRP-76ST-KA3PK	ALU-PRP-76ST-KA6PK
Black	ALU-BLK-76ST-KD	ALU-BLK-76ST-KD6PK	ALU-BLK-76ST-KA3PK	ALU-BLK-76ST-KA6PK



Lockout Padlocks

Padlocks



Actual size of Brady's Compact Nylon Lockout Padlock



Nylon Lockout Padlocks

- Comply with all OSHA requirements and are a safer alternative to metal locks for lockout applications
- Non-conductive body with unique key cylinder prevents electricity from traveling from the shackle to the key, protecting workers when key is inserted
- Superior temperature, chemical and corrosion resistance
- "Danger" and "Property of" labels provided in English, Spanish, French
- Key-retaining feature prevents key from being removed until shackle is securely closed
- Reserved paracentric keyway provides optimal security (prevents someone from getting a copy made at a local key shop)
- Locks come keyed differently or keyed alike. Custom keying and charting available
- Lock bodies can be custom laser engraved upon request
- One key is supplied with each padlock for safer key management

Compact Nylon Lockout Padlocks

- Extremely compact and lightweight
- Easily fits in small spaces making it ideal for electrical contractors, maintenance and electricians
- 5-pin cylinder can support same keying system as our current Nylon Lockout Padlock
- Fiberglass reinforced nylon body for extra impact resistance
- Service temperature: 0° to 250° F (-20° to 120° C)
- Lock body dimensions: 1.4 in. x 1.2 in. x 0.625 in. Shackle clearance: 1 in.; shackle diameter 0.2 in.
- Each padlock includes 1 key and 1 each English, Spanish and French labels

Nylon Lockout Padlocks

- Lightweight, non-conductive and non-sparking body
- Special 6-pin cylinder resists tampering
- Fiberglass reinforced nylon body and triple-coated hardened steel shackle
- Service temperature: 0° to 250° F (-20° to 120° C)
- Lock body dimensions: 1.75 in. x 1.25 in. x 0.8 in.
- Shackle clearance: 1.25 in.; shackle diameter: 0.25 in.
- Each padlock includes 1 key and 1 each English, Spanish and French labels

Compact Nylon Lockout Padlocks with 1 in. steel shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	143150	118926	118953	118954
Green	143152	118927	118955	118956
Orange	143154	118928	118957	118958
Blue	143156	118929	118959	118960
Yellow	143158	118930	118961	118962
Brown	143160	118931	118963	118964
White	143162	118932	118965	118966
Purple	143164	118933	118967	118968
Black	143166	118934	118969	118970

Nylon Lockout Padlocks with 1.25 in. steel shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	99552	51339	105886	105890
Green	99564	51345	105889	105893
Orange	99576	51347	123268	123270
Blue	99556	51344	105887	105891
Yellow	99570	51346	105888	105892
Brown	103033	101956	118947	118948
White	143123	118925	118949	118950
Purple	104919	104916	118951	118952
Black	99580	51353	123269	123271

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.



Compact Nylon Padlock Kits

Ideal for any worker needing just one lock and one tag.

- 1 - Compact Padlock
- 1 - Heavy-duty Polyester Tag
- 1 - Nylon Cable Tie

Catalog #	Lock Color	Description
123143	Red	Compact Nylon Padlock Kit
123144	Green	Compact Nylon Padlock Kit
123145	Orange	Compact Nylon Padlock Kit
123146	Blue	Compact Nylon Padlock Kit
123147	Yellow	Compact Nylon Padlock Kit
123148	Brown	Compact Nylon Padlock Kit
123149	White	Compact Nylon Padlock Kit
123150	Purple	Compact Nylon Padlock Kit
123151	Black	Compact Nylon Padlock Kit



Compact Cable Padlocks

- Compact 1.31 in. x 1.25 in. nylon body with an elongated, flexible cable as the shackle
- Flexible cable means you can angle and twist padlock or lockout multiple energy isolation points with one lock

Compact Cable Padlocks

Color	Cable Length	Keyed Different 1/Pack	Keyed Alike 6/Pack
Red	Short 7.87 in. cable	146120	146128
Red	Long 15.75 in. cable	146124	146132
Yellow	Short 7.87 in. cable	146121	146129
Yellow	Long 15.75 in. cable	146125	146133
Blue	Short 7.87 in. cable	146122	146130
Blue	Long 15.75 in. cable	146126	146134
Green	Short 7.87 in. cable	146123	146131
Green	Long 15.75 in. cable	146127	146135



Nylon Lockout Padlocks with Non-Conductive Nylon Shackle

- Lightweight, non-conductive and non-sparking body
- Special 6-pin cylinder resists tampering
- Fiberglass reinforced nylon body with non-conductive nylon shackle
- Lock body dimensions: 1.75 in. x 1.25 in. x 0.8 in.
- Shackle clearance: 1.25 in.; shackle diameter: 0.25 in.
- Each padlock includes 1 key and 1 each English, Spanish and French labels



Long Body Nylon Lockout Padlocks

- 3 in. long body has ample space for your most important identification information
- Lightweight, non-conductive and non-sparking body
- Special 6-pin cylinder resists tampering
- Fiberglass reinforced nylon body and triple-coated hardened steel shackle
- Service temperature: 0° to 250° F (-20° to 120° C)
- Lock body dimensions: 3 in. x 1.25 in. x 0.8 in.
- Shackle clearance: 1.25 in.; shackle diameter: 0.25 in.
- Each padlock includes 1 key and 1 each English/Spanish and English/French labels

Nylon Lockout Padlocks with 1.25 in. nylon shackle


Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	123324	123351	123333	123342
Green	123326	123353	123335	123344
Orange	123328	123355	123337	123346
Blue	123325	123352	123334	123343
Yellow	123327	123354	123336	123345
Brown	123330	123357	123339	123348
White	123332	123359	123341	123350
Purple	123331	123358	123340	123349
Black	123329	123356	123338	123347

Long Body Nylon Lockout Padlocks with 1.25 in. steel shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	123405	123396	123414	123423
Green	123407	123398	123416	123425
Orange	123409	123400	123418	123427
Blue	123406	123397	123415	123424
Yellow	123408	123399	123417	123426
Brown	123411	123402	123420	123429
White	123413	123404	123422	123431
Purple	123412	123403	123421	123430
Black	123410	123401	123419	123428

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.

Lockout Padlocks



Key-Retaining Laminated Steel Lockout Padlocks

- Key-retaining safety feature prevents key from being removed until shackle is closed
- Reinforced laminated steel withstands severe physical abuse while hardened steel shackle resists tampering, cutting, prying and rusting
- Body plates individually coated for superior rust protection
- 5-pin cylinder offers more unique key cuts, better tamper resistance than conventional 4-pin locks
- Colored bumpers supplied for identification (custom stamping available)
- Made from recycled material
- Each padlock includes 1 key. Custom keying and charting also available. Lock labels sold separately.
- Shackle clearance: 0.75 in., 2 in. or 3 in. Shackle diameter: 0.27 in. Lock body: 1.2 in. x 1.313 in. x 1 in.

Padlocks



Key-Retaining Steel Lockout Padlocks with 0.75 in. shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack
Red	143126	118935
Green	143128	118936
Blue	143130	118937
Yellow	143132	118938
White	143134	118939
Black	143136	118940
Brown	123272	123280
Purple	123273	123281



Key-Retaining Steel Lockout Padlocks with 2 in. shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	143144	118944	118977	118978
Green	143142	118943	118975	118976
Blue	143140	118942	118973	118974
Yellow	143148	118946	118981	118982
White	143146	118945	118979	118980
Black	143138	118941	118971	118972
Brown	123274	123282	123276	123278
Purple	123275	123283	123277	123279



Key-Retaining Steel Lockout Padlocks with 3 in. shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	123244	123236	123252	123260
Green	123245	123237	123253	123261
Blue	123246	123238	123254	123262
Yellow	123247	123239	123255	123263
White	123248	123240	123256	123264
Black	123249	123241	123257	123265
Brown	123250	123242	123258	123266
Purple	123251	123243	123259	123267

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.



Laminated Steel Lockout Padlocks

- Reinforced laminated steel withstands severe physical abuse while hardened steel shackle resists tampering
- Body plates individually coated for superior rust protection
- 5-pin cylinder offers more unique key cuts, better tamper resistance than conventional 4-pin locks
- Colored bumpers supplied for identification
- Each padlock includes 1 key. Custom keying and charting also available. Lock labels sold separately
- Shackle clearance: 0.75 in. or 2 in. Shackle diameter: 0.27 in. Lock body: 1.33 in. x 1.188 in. x 0.875 in.



Steel Lockout Padlocks with 0.75 in. shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack
Red	99500	51279
Blue	99504	51280
Green	99508	51281
Yellow	99512	51282
Orange	99516	51283
Black	99520	51284
Brown	101957	102696
Purple	104920	104917



Steel Lockout Padlocks with 2 in. shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	99524	51290	105894	105898
Blue	99528	51291	105895	105899
Green	99533	51292	105897	105901
Yellow	99539	51297	105896	105900
Orange	99543	51298	-	-
Black	99548	51299	-	-
Brown	101958	102698	-	-
Purple	104921	104918	-	-

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.



Aluminum Lockout Padlocks

- Lightest-weight aluminum lock in the market and made from recycled material
- Aluminum shackle has superior spark and corrosion resistance
- Reserved paracentric keyway provides optimal security (prevents someone from getting a copy made at a local key shop)
- Anodized aluminum finish gives better fade resistance when used outdoors
- FDA approved lubricant in cylinder
- Shackle clearance: 1 in., 1.25 in. or 3 in. Shackle diameter: 0.25 in.
- Compact body: 1.25 in. x 1.25 in. Regular body: 1.6 in. x 1.25 in. x 0.75 in.
- Compact body has a 5-pin cylinder. Regular body has 6-pin cylinder for more unique key changes and tamper resistance
- Each padlock includes 2 keys. Custom keying and charting also available. Lock labels sold separately



May we also suggest:



Custom Keying Solutions

At Brady, we can help you with your custom keying program.

Just call Brady customer service to get started!



Combination Padlock

Compact, lightweight lock with a steel shackle and a 4-digit re-settable code

Catalog #	Description
101963	Combination Padlock

Compact Aluminum with 1 in. shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	133270	133261	133279	133288
Blue	133271	133262	133280	133289
Green	133272	133263	133281	133290
Yellow	133273	133264	133282	133291
Orange	133274	133265	133283	133292
Black	133275	133266	133284	133293
Brown	133276	133267	133285	133294
Purple	133277	133268	133286	133295
Silver	133278	133269	133287	133296

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.



Aluminum Padlocks with 1.25 in. shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	99615	51370	105902	105882
Blue	99616	51371	105903	105883
Green	99617	51376	105881	105885
Yellow	99618	51377	105904	105884
Orange	99619	51378	123432	123437
Black	99620	50274	123433	123438
Brown	104578	104579	123434	123439
Purple	104576	104577	123435	123440
Silver	123321	123323	123436	123441

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.

Aluminum Padlocks with 1 in. shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack
Red	99608	51360
Blue	99609	51361
Green	99610	51362
Yellow	99611	51363
Orange	99612	51368
Black	99613	51369
Brown	104574	104575
Purple	104572	104573
Silver	123320	123322



Aluminum Padlocks with 3 in. shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	123293	123284	123302	123311
Blue	123294	123285	123303	123312
Green	123295	123286	123304	123313
Yellow	123296	123287	123305	123314
Orange	123297	123288	123306	123315
Black	123298	123289	123307	123316
Brown	123299	123290	123308	123317
Purple	123300	123291	123309	123318
Silver	123301	123292	123310	123319

Padlock Labels

Padlock Labels

Padlock labels are a great way to quickly identify padlocks. They help send a clear message to workers when a machine is down for service or maintenance.




Labels for Steel Padlocks

- Durable vinyl labels include overlaminates strips
- Labels accept pencil, pen or marker
- Designed to fit Steel Padlocks

Catalog #	Description	Size	Qty.
50280	English	0.75 in. x 4.5 in.	6
50281	Spanish	0.75 in. x 4.5 in.	6
50283	French	0.75 in. x 4.5 in.	6

Padlocks



Labels for Steel Padlocks

- Durable vinyl labels accept pencil, pen or marker
- Designed to fit Steel Padlocks

Catalog #	Size	Qty.
121448	0.75 in. x 5 in.	40

Self-Laminating Labels for Steel Padlocks

- Durable vinyl labels accept pencil, pen or marker
- Designed to fit Steel Padlocks

Catalog #	Size	Qty.
121449	0.625 in. x 4 in.	5

Wrap-Around Lockout Labels for Steel Padlocks

- Labels accept pencil, pen or marker
- Designed to fit Steel Padlocks

Catalog #	Size	Qty.
LID-3	0.75 in. x 4.5 in.	25



Labels for Nylon Padlocks

- Durable vinyl labels accept pencil, pen or marker
- Designed to fit Nylon Lockout Padlocks
- Labels supplied with multiple languages

Catalog #	Description	Qty.
51379	English/Spanish/French	6 of each language



Labels for Aluminum Locks

- Durable vinyl labels accept pencil, pen or marker
- Designed to fit Aluminum Lockout Padlocks

Catalog #	Description	Size	Qty.
50289	English	0.8 in. x 1.1 in.	6
50292	Spanish	0.8 in. x 1.1 in.	6
50293	French	0.8 in. x 1.1 in.	6



Lock Label Overlaminates

- Clear overlaminates protect existing lock label from dirt and grease
- Lock label sold separately

Catalog #	Description	Qty.
65508	1 in. x 6 in. overlaminates	40



Steel Group Lockout Hasps

- Constructed of vinyl-coated high tensile steel w/ rust resistant plating
- Lock holes: 0.375 in. dia.

Catalog #	Description	Qty.
133161	1 in. diameter jaws	1
65375	1 in. diameter jaws	12
133162	1.5 in. diameter jaws	1
65376	1.5 in. diameter jaws	12



Steel Group Lockout Hasps with Tabs

- Tamperproof interlocking tabs prevent unauthorized opening
- Case-hardened steel with rust proof plating
- Lock holes: 0.375 in. dia.

Catalog #	Description	Qty.
105718	1 in. diameter jaws	1
105719	1.5 in. diameter jaws	1



Corrosion-Resistant Group Lockout Hasps

- 12 gauge epoxy coated steel provides superior rust resistance and added dielectric strength
- Lock holes: 0.313 in. dia.


Catalog #	Description	Qty.
T218	1 in. diameter jaws	1
T220	1.25 in. diameter	1



Aluminum Economy Group Lockout Hasps

- Non-sparking, aluminum small hasps are a great addition to your tool box
- Lightweight: Only 1.25 oz
- Lock holes: 0.375 in.

Catalog #	Description	Qty.
105720	1 in. diameter jaws	1
105721	1.5 in. diameter jaws	1



Non-Conductive Group Lockout Hasps

- Strong, rigid plastic resin
- Excellent electrical insulating
- Performs at low temps, excellent heat resistance

Catalog #	Description	Qty.
LH220A-RD	Lockout hasp	1



Heavy-Duty Lockout Hasp

- Hasp allows multiple workers to lockout at each isolation point
- Stainless steel construction
- Accommodates 0.33 in. dia. padlock shackles

Catalog #	Description	Qty.
871239	Heavy-Duty Hasp	24



Dual Jaw Hasp

- Dual construction allows for increased versatility in a single product
- Larger jaw measures 1.25 in. x 1.75 in.
- Smaller jaw measures 0.75 in. dia.

Catalog #	Description	Qty.
236919	Dual Jaw Hasp	1



Non-Conductive Nylon Group Lockout Hasp

- Accommodate up to 6 locks
- Withstands up to 1,000 lbs despite weighing only 1 oz.
- Dimensions: 7 in. x 1.75 in. Lock holes: 0.375 in. dia.

Catalog #	Description	Qty.
99668	Nylon Lockout Hasp	1



Labeled Group Lockout Hasps

- Tough 5052 anodized aluminum alloy hasps include tamperproof locking tabs
- Write-on label accepts pencil, pen or marker. Pen and pencil markings are easily erased for repeated use
- Size: 7 in. x 3 in. x 0.187 in. Lock holes: 0.313 in. dia.



Legend option 1

Catalog #	Color	Qty.
65960	Red	5
65961	Silver	5
65962	Blue	5
65963	Green	5
65964	Gold	5
65967	Combo*	5



Legend option 2

Catalog #	Color	Qty.
65970	Red	5
65971	Silver	5
65972	Blue	5
65973	Green	5
65974	Gold	5
65975	Combo*	5

*Combo includes 1 each of the five colors listed above.



Legend option 3

Catalog #	Color	Qty.
39480	Red	5



Legend option 4

Catalog #	Color	Qty.
39481	Red	5

Group Lock Boxes

Group Lock Boxes

For group lockout situations involving a large number of workers and equipment, lock boxes can offer a number of advantages including fewer padlocks and hasps needed.

How group lockout boxes work:

- Supervisor uses a single job lock on each energy control point to lock out equipment. Keys for that lock are placed in the lock box
- Each worker applies his own lock to the lock box. As long as any one worker's lock remains on the lockout box, the keys to the job locks cannot be accessed, and the energy isolating devices cannot be operated. Each employee retains exclusive control, as required by OSHA.



Padlocks



SlimView™ Group Lock Box

- Innovative narrow design and recessed door allow padlocks to hang straight, reducing the overall footprint by 60% compared to traditional lock boxes
- Steel body and clear polycarbonate door to see contents
- Built-in padlock and key hangers
- Storage for up to 12 padlocks
- Wall mountable
- Size: 10.125 in. x 4.0 in.

Catalog #	Description
150505	SlimView Lock Box

Padlocks sold separately.



Ultra-Compact Lock Box

- Compact size for portability in your lockout kit or toolbox
- Simple storage with wall-mount bracket when not in use
- Hinged transparent cover for easy viewing of contents
- Can accommodate up to 12 locks
- Size: 5.25 in. x 3.25 in. x 2.25 in.

Catalog #	Description
149173	Box without locks
149172	Box with 6 Yellow Keyed-Alike Locks
149176	Box with 6 Yellow Keyed-Different Locks
149174	Box with 6 Red Keyed-Alike Locks
149175	Box with 6 Red Keyed-Different Locks



Portable Metal Group Lockout Boxes

- Made of heavy-duty steel, powder-coated for extra rust resistance
- Features lockable clasp and 12 holes along lid
- Standard: 6 in. x 9 in. x 3.25 in.
Compartment holds up to 40 padlocks
- Extra large: 6 in. x 7.375 in. x 9.25 in.
Compartment holds up to 75 padlocks

Catalog #	Description	Size	Color
45190	Standard-English	6 in. x 9 in. x 3.25 in.	Blue
65699	Standard-English	6 in. x 9 in. x 3.25 in.	Red
65040	Standard-Spanish	6 in. x 9 in. x 3.25 in.	Red
51171	XLarge-English	6 in. x 7.375 in. x 9.25 in.	Red

Padlocks sold separately.



SAFETY REDBOX™ Group Lockout Box

- Use as a portable or a wall-mounted lockbox
- Quick release internal slide button allows lockbox to be carried to the point of need
- Can accommodate up to 12 padlocks
- Size: 6 in. x 9 in. x 3.25 in.

Catalog #	Description	Color
145579	Mountable Lockbox	Red
145580	Mountable Lockbox	Yellow

Padlocks sold separately.



Portable Metal Group Lockout Boxes

- Made of heavy-duty steel, powder-coated for extra rust resistance
- Standard: 6 in. x 9 in. x 3.25 in.
- Compartment holds up to 40 padlocks

Lockable clasp only

Catalog #	Description	Size	Color
65672	Standard-English	6 in. x 9 in. x 3.25 in.	Yellow

Padlocks sold separately.



Lock Storage / Group Lockout Box

- Heavy-duty steel, powder-coated for extra rust resistance
- Features a lockable storage compartment and a group lockout compartment
- Lockout compartment has clear window with keyhole slot
- Standard Box: 12.25 in. x 7.25 in. x 6 in.
Compartment: 8.25 in. x 6 in. x 6 in.
Compartment holds approx. 50 locks.
17 lock holes along box lid
- Large box: 15 in. x 10.25 in. x 9 in.
Compartment: 10.25 in. x 9 in. x 9 in.
Compartment holds approx. 125 locks
34 lock holes along box lid

Catalog #	Description	Size	Color
105716	Standard	12.25 in. x 7.25 in. x 6 in.	Red
105717	Large	15 in. x 10.25 in. x 9 in.	Red

Padlocks sold separately.

Group Lockout Boxes

Padlocks



Metal Wall-Mounted Group Lockout Boxes

- Made of durable, powder-coated steel with key slot on top
- Clear window slides out when locks are removed
- Comes with key pegs and ID labels
- Wall-mounting holes and hardware
- Small lock box: 7 in. x 8 in. x 2.25 in. 7 key pegs that hold 5 keys each, 7 lock holes along bottom
- Large lock box: 7 in. x 16 in. x 2.25 in. 15 key pegs that hold 5 keys each, 12 lock holes along bottom

Catalog #	Description
105714	Small Metal Lock Box
105715	Large Metal Lock Box

Padlocks sold separately.



Acrylic Wall-Mounted Group Lockout Boxes

- Made of acrylic plastic with transparent front cover
- Includes pre-drilled holes for easy wall mounting
- Pre-attached plastic hooks for hanging keys, tag stubs, etc.
- Small: 3 key hooks, max 6 locks
- Medium: 8 key hooks, max 10 locks
- Large: 18 key hooks, max 14 locks

Catalog #	Description	Size
LG003E	Small	6 in. x 6 in. x 2.5 in.
LG008E	Medium	7.5 in. x 12 in. x 2.5 in.
GLOBOX	Large	7.5 in. x 15.75 in. x 2.5 in.

Padlocks sold separately.



Wall-Mounted Group Lockout Box

- Injection molded for extra durability
- Excellent chemical and heat resistance
- Slot in front allows keys to be inserted when locked
- Includes pre-drilled holes for easy wall mounting
- 6 interior hooks for hanging keys/locks
- Lock rails hold up to 8 padlocks
- Dimensions: 6.2 in. x 4 in. x 5.25 in.

Catalog #	Description
50938	Miniature Wall Lock Box
50939	Extra Key Hooks (12/Pkg)

Padlocks sold separately.



Portable / Wall-Mounted Plastic Group Lockout Box

- Durable plastic lockbox with transparent windows
- Excellent chemical and heat resistance
- Slot in front allows for keys to be inserted when box is locked
- Pre-drilled holes for wall mounting
- 12 interior hooks for keys or locks
- Lock rails hold up to 16 padlocks
- Size: 7.25 in. x 8.25 in. x 4.25 in.

Catalog #	Description
50937	Portable Plastic Lock Box
50939	Extra Key Hooks (12/pkg)

Padlocks sold separately.



Portable / Wall-Mounted Group Lockout Box

- Powder-coated steel lock box includes a removable handle for portability as well as holes for wall mounting
- Accommodates 8-10 locks
- Dimensions: 6 in. x 15 in. x 3 in.

Catalog #	Description
LG252M	Metal Wall Lock Box

Padlocks sold separately.



SHOCK-STOP™ Group Lockout Box

- Combines lock box with storage board for hasps
- Lock box accommodates up to 6 locks and provides rail for storing locks
- Includes two SHOCK-STOP™ hasps, mounting hardware and instructions
- Size: 16.25 in. x 10.25 in. x 2.25 in.

Catalog #	Description
87692	Group Lock Box (w/2 hasps)
87693	Hasp (5/pkg)

Padlocks sold separately.




Padlock and Tag Carrier

- Convenient transportation and storage of 12 locks, keys, tags and hasps all in one place
- Reduces the amount of lost or misplaced padlocks and hasps
- Offset design for flush wall mounting, equipment mounting or hanging on a belt clip
- Available with or without padlocks
- Carrier Components
 - 1 - Lock and Tag Carrier
 - 2 - Small Carabineers
 - 1 - Large Carabineer
 - 1 - Coiled Key Strap
 - 3 - Labels in English / French / Spanish
 - 3 - Write-on Lockout Procedure Tags
 - Optional: nylon padlocks and hasps



Catalog #	Description	Color	Includes
148866	Padlock and Tag Carrier	Red Carrier	-
148865	Padlock and Tag Carrier	Yellow Carrier	-
148862	Padlock and Tag Carrier	Blue Carrier	-
148861	Padlock and Tag Carrier	Green Carrier	-
148864	Padlock and Tag Carrier Kit	Red Carrier	6 Red Keyed Alike 6 Yellow Keyed Alike 2 Hasps
148869	Padlock and Tag Carrier Kit	Red Carrier	3 Red Keyed Alike 3 Yellow Keyed Alike 3 Blue Keyed Alike 3 Green Keyed Alike 2 Hasps
148867	Padlock and Tag Carrier Kit	Red Carrier	12 Red Keyed Different 2 Hasps
148863	10 Write-On Lockout Procedure Tags		



Padlock Stations

- Constructed of 14 gauge steel with red plastic coating
- Small: 2.25 in. x 3 in. x 1.25 in., holds up to 4 padlocks
- Large: 3 in. x 16 in. x 1.25 in., holds up to 24 padlocks

Catalog #	Description
LR060E	Small Padlock Station
LR360E	Large Padlock Station

Padlocks sold separately.



Enclosed Padlock Storage Modules

- Constructed of sintra with lockable, transparent acrylic doors
- Provides safe storage and controls access to padlocks
- Small: 15 in. x 15 in. x 3.5 in., holds 16 locks
- Large: 30 in. x 15 in. x 3.5 in., holds 40 locks

Catalog #	Description
65240	Small Padlock Storage Module
65241	Large Padlock Storage Module

Padlocks sold separately.



Steel Lockout Padlock Control Centers

- Constructed of red powder-coated 22 gauge steel
- Each metal hook can hold 2 locks
- Two keys supplied for cabinet lock
- Small: 10 in. x 12 in. x 2 in., holds 16 locks
- Large: 15.5 in. x 18 in. x 2 in., holds 32 locks

Catalog #	Description
LR008E	Small Padlock Control Center
LR018E	Large Padlock Control Center

Padlocks sold separately.

Lockout Tags

OSHA Lockout Tagout Regulations

The following requirements apply only to tags used as tagout devices (i.e., tags used alone without locks). Tags used in combination with locks are not required to meet the same restrictions as tagout devices.

Tagout devices must:

- Be provided by the employer
- Be standardized by size, shape or color
- Be distinguishable from tags used for other purposes
- Be understandable to all employees
- Identify the individual who applied the tag
- Withstand the usage environment to which they are exposed for the maximum period of time that exposure is intended. Tag should not deteriorate or the message become illegible when exposed to weather, wet or damp conditions, chemical or corrosive environments
- Employ a means of attachment that is substantial enough to prevent accidental removal. The means of attachment must be of a non-reusable type, attachable by hand, self-locking and non-releasable with a minimum unlocking strength of no less than 50 pounds
- Warn against hazardous conditions if the machine or equipment is energized
- Tag shall also include a legend such as the following: Do Not Operate, Do Not Start, Do Not Open, Do Not Close, etc.

Standard Lockout Tags

Communicate safety and lockout information at the point of need with the wide selection of OSHA-compliant lockout tagout tags from Brady. Tags come in a variety of materials and legends to suit your application needs.

How to order tags

1. Select from the materials below based on your application
2. Choose the tag legend for your tag
3. Order by part number for desired reverse side legend



Materials Options:



Heavy-Duty Polyester (B-837)

- Durable polyester laminate completely encapsulates and protects graphics
- Designed to withstand moisture, grease, chemicals and extreme temperatures
- Accepts pencil, pen and marker. Pen and marker can be completely erased using isopropyl alcohol
- Exceeds OSHA pull requirement withstanding up to 80 lbs. of pull force
- Tag size 5.75 in. x 3 in.
- 0.375 in. dia. heavy-duty brass grommet
- Includes OSHA-compliant nylon fasteners
- 2-year outdoor fade resistance




Economy Polyester (B-851)

- Rigid polyester surface is easy to write on and stays legible longer than cardstock
- Exceeds OSHA 50 lb. pull requirement for tagout devices
- Tag size 5.75 in. x 3 in.
- 0.375 in. dia. rolled brass eyelet accepts most padlock shackles
- Includes OSHA-compliant nylon fasteners
- Provides good outdoor UV resistance
- 3- to 5-year outdoor fade resistance



Cardstock (B-853)

- Cost-effective tags designed for one-time use
- Does NOT meet OSHA 50 lb. pull test for tagout devices, but can be used in conjunction with locks (see OSHA tag requirements above)
- Tag size 5.75 in. x 3 in.
- 0.375 in. dia. rolled brass eyelet accepts most padlock shackles
- Includes attachment strings



Catalog #	Reverse Legend	Qty.
Heavy-Duty Polyester		
65502	Side B	25
65535	Side F	25
65670	Side G	25
Economy Polyester		
66050	Side B	25
66051	Side F	25
66052	Side G	25
Cardstock		
65407	Side B	25
65408	Side F	25
65440	Side G	25

Catalog #	Reverse Legend	Qty.
Heavy-Duty Polyester		
65520	Side B	25
65525	Side F	25
65671	Side G	25
Economy Polyester		
66063	Side B	25
66064	Side F	25
66065	Side G	25
Cardstock		
65451	Side B	25
65452	Side F	25
65453	Side G	25

Catalog #	Reverse Legend	Qty.
Heavy-Duty Polyester		
65515	Side B	25
65524	Side F	25
133489	Side G	25
Economy Polyester		
66061	Side B	25
66062	Side F	25
133490	Side G	25
Cardstock		
133491	Side B	25
65450	Side F	25
133492	Side G	25

Catalog #	Reverse Legend	Qty.
Heavy-Duty Polyester		
65526	Side B	25
65527	Side F	25
133493	Side G	25
Economy Polyester		
66066	Side B	25
66067	Side F	25
133494	Side G	25
Cardstock		
65454	Side B	25
65455	Side F	25
133495	Side G	25

Catalog #	Reverse Legend	Qty.
Heavy-Duty Polyester		
65505	Side B	25
65523	Side F	25
133496	Side G	25
Economy Polyester		
133497	Side B	25
133498	Side F	25
133499	Side G	25
Cardstock		
65445	Side B	25
65446	Side F	25
133544	Side G	25



Catalog #	Reverse Legend	Qty.
Heavy-Duty Polyester		
65503	Side B	25
65521	Side F	25
133545	Side G	25
Economy Polyester		
66053	Side B	25
66054	Side F	25
133546	Side G	25
Cardstock		
65441	Side B	25
65442	Side F	25
133547	Side G	25

Catalog #	Reverse Legend	Qty.
Heavy-Duty Polyester		
65504	Side B	25
65522	Side F	25
133548	Side G	25
Economy Polyester		
66055	Side B	25
66056	Side F	25
133549	Side G	25
Cardstock		
65443	Side B	25
65444	Side F	25
133550	Side G	25

Catalog #	Reverse Legend	Qty.
Heavy-Duty Polyester		
133551	Side B	25
133552	Side F	25
133553	Side G	25
Economy Polyester		
50198	Side B	25
50199	Side F	25
133554	Side G	25
Cardstock		
133555	Side B	25
50250	Side F	25
133556	Side G	25

Catalog #	Reverse Legend	Qty.
Heavy-Duty Polyester		
65506	Side B	25
65534	Side F	25
133557	Side G	25
Economy Polyester		
133558	Side B	25
66060	Side F	25
133559	Side G	25
Cardstock		
65447	Side B	25
65448	Side F	25
133560	Side G	25


Catalog #	Reverse Legend	Qty.
Heavy-Duty Polyester		
133561	Side B	25
50258	Side F	25
133562	Side G	25
Economy Polyester		
133563	Side B	25
133564	Side F	25
133565	Side G	25
Cardstock		
50261	Side B	25
133566	Side F	25
133567	Side G	25

Tags


Can't find what you're looking for?

Call your Brady Representative to find out more about custom solutions.

Reverse Legend Options



Reverse Side B



Reverse Side F



Reverse Side G

Lockout Tags

new



RipTag™ Safety Tag Rolls

- Complete and convenient take-it-with-you system for tagging
- Includes a bulk roll of tags that easily tear off and cable ties for quick attachment
- B-851 polyester tags comply with OSHA's 50 lb. pull force regulation for lockout tagout



150502 5.75 in x 3 in 250/roll
150501 5.75 in x 3 in 100/roll



150504 5.75 in x 3 in 250/roll
150503 5.75 in x 3 in 100/roll

Tags



ToughWash® Metal-Detectable Tags

- ToughWash B-869 polypropylene tags feature in-molded, protected graphics for use in harsh washdown environments
- With metal and X-ray detectable properties, these tags won't compromise your food safety
- Durable plastic-encapsulated material withstands harsh washdown environments with temperatures up to 175° F (80° C) and pressure up to 1500 PSI
- Includes 10 metal-detectable cable ties



145766 5 in. x 3 in. 10 pk



145767 5 in. x 3 in. 10 pk



145768 5 in. x 3 in. 10 pk



145769 5 in. x 3 in. 10 pk



Extra Metal Detectable Ties

145588 7 in. ToughWash Ties 10 pk
145589 7 in. ToughWash Ties 100 pk

Spanish Lockout Tags

- **B-837 Heavy-Duty Laminated Polyester Tags** meet OSHA's 50 lb. pull force requirement and have superior chemical resistance and 2 year outdoor fade resistance. Nylon ties included.
- **B-851 Economy Polyester Tags** meet OSHA's 50 lb. pull force requirement, have moderate chemical resistance and 3-5 year outdoor fade resistance. Nylon ties included.
- **B-853 Cardstock Tags** are an economical, yet durable material option. Attachment strings included.



98219 5.75 in. x 3 in. B-837 25/pk



121514 5.75 in. x 3 in. B-851 25/pk

Includes self-laminate flap to protect face of tag and photo.



121515 5.75 in. x 3 in. B-837 25/pk

121516 5.75 in. x 3 in. B-851 25/pk
121517 5.75 in. x 3 in. B-853 25/pk



121518 5.75 in. x 3 in. B-837 25/pk

121519 5.75 in. x 3 in. B-851 25/pk
121520 5.75 in. x 3 in. B-853 25/pk



Mini Safety Lockout Tags

- Heavy-duty plastic tag includes metal grommet for added durability
- Small size makes them ideal for use within electrical panels
- Fasteners sold separately

Catalog #	Description	Size	Qty.
148824	Mini Tag	2.5 in. x 2 in.	25
81762	Nylon Fasteners	7 in.	100



Self-Laminating Photo Tags

- Include employee photos for easy identification and greater impact
- Constructed of durable B-851 polyester
- Available with or without 1 mil polyester overlay on front
- Includes nylon fasteners



Catalog #	Description	Size	Qty.
65500	Unlaminated Photo Tag	5.75 in. x 3 in.	25
65501	Photo Tag w/ Laminate	5.75 in. x 3 in.	10
96222	Photo Tag w/ Laminate	7 in. x 4 in.	10



Detachable Key Stub Tags

- Perforated heavy cardstock tag with detachable key stub
- Matching identification numbers printed on each part
- Includes tie strings and rings for attaching stubs to keys

Catalog #	Legend	Size	Qty.
WKT2	Equipment Locked Out	5.75 in. x 3 in.	25
WKT3	Do Not Operate	5.75 in. x 3 in.	25



Padlock Tags

- 0.375 in. metal grommet that fits over most lock shackles
- Dimensions: 3 in. x 2 in. (grommet adds 1 in. to height)

Catalog #	Legend	Size	Qty.
105722	Equipment Locked Out	3 in. x 2 in. plus grommet	1
105723	Do Not Operate	3 in. x 2 in. plus grommet	1
105724	Do Not Operate English/Spanish	3 in. x 2 in. plus grommet	1

Two-Part Perforated Tags

- Remove stub when tag is installed. Only the employee in possession of the stub has the authority to remove. After job is completed, return stub to management for verification and monitoring of tagout activity
- Matching identification numbers printed on each part of tag

Catalog #	Legend	B-#	Size	Qty.
PLLT2	Locked Out	B-851 polyester	7.5 in. x 4 in.	25
CLT2	Locked Out	B-853 cardstock	7.5 in. x 4 in.	25
PLLT4	Do Not Operate	B-851 polyester	7.5 in. x 4 in.	25
CLT4	Do Not Operate	B-853 cardstock	7.5 in. x 4 in.	25



Energy Source Tags

Energy Source Tags

Energy source tags can be used to mark your facility's points of control for energy sources. These tags help make the lockout process quicker, safer and easier.

These energy source tags are made of plastic and available with color coded and alpha numeric options. A variety of pre-printed energy source tags are available or they can be customized to meet your specific application.

- 1.5 in. x 3 in. tags are constructed with B-401 rigid plastic
- Rounded corners and one hole included
- Choice of number legends supports machines with multiple energy points



Tags

Catalog #	Legend	Color	Qty.
Control Panel			
105634	CP-1	Orange on White	5
105674	CP-1	Orange on White	25
105635	CP-2	Orange on White	5
105675	CP-2	Orange on White	25
105636	CP-3	Orange on White	5
105676	CP-3	Orange on White	25
105637	CP-4	Orange on White	5
105677	CP-4	Orange on White	25
105638	CP-5	Orange on White	5
105673	CP-5	Orange on White	25



Control Panel tags supplied with an adhesive back.

Catalog #	Legend	Color	Qty.
Electrical			
105639	E-1	Red on White	5
105679	E-1	Red on White	25
105640	E-2	Red on White	5
105680	E-2	Red on White	25
105641	E-3	Red on White	5
105681	E-3	Red on White	25
105642	E-4	Red on White	5
105682	E-4	Red on White	25
105643	E-5	Red on White	5
105683	E-5	Red on White	25



Electrical tags supplied with an adhesive back.

Catalog #	Legend	Color	Qty.
Gas			
105669	G-1	Purple on White	5
105709	G-1	Purple on White	25
105670	G-2	Purple on White	5
105710	G-2	Purple on White	25
105671	G-3	Purple on White	5
105711	G-3	Purple on White	25
105672	G-4	Purple on White	5
105712	G-4	Purple on White	25
105673	G-5	Purple on White	5
105713	G-5	Purple on White	25



Catalog #	Legend	Color	Qty.
Pneumatic / Air			
105654	P-1	White on Blue	5
105694	P-1	White on Blue	25
105655	P-2	White on Blue	5
105695	P-2	White on Blue	25
105656	P-3	White on Blue	5
105696	P-3	White on Blue	25
105657	P-4	White on Blue	5
105697	P-4	White on Blue	25
105658	P-5	White on Blue	5
105698	P-5	White on Blue	25



Catalog #	Legend	Color	Qty.
Steam Red			
105649	S-1	White on Red	5
105689	S-1	White on Red	25
105650	S-2	White on Red	5
105690	S-2	White on Red	25
105651	S-3	White on Red	5
105691	S-3	White on Red	25
105652	S-4	White on Red	5
105692	S-4	White on Red	25
105653	S-5	White on Red	5
105693	S-5	White on Red	25



Catalog #	Legend	Color	Qty.
Steam Orange			
105659	S-1	Black on Orange	5
105699	S-1	Black on Orange	25
105660	S-2	Black on Orange	5
105700	S-2	Black on Orange	25
105661	S-3	Black on Orange	5
105701	S-3	Black on Orange	25
105662	S-4	Black on Orange	5
105702	S-4	Black on Orange	25
105663	S-5	Black on Orange	5
105703	S-5	Black on Orange	25



Catalog #	Legend	Color	Qty.
Valve			
105664	V-1	Black on White	5
105704	V-1	Black on White	25
105665	V-2	Black on White	5
105705	V-2	Black on White	25
105666	V-3	Black on White	5
105706	V-3	Black on White	25
105667	V-4	Black on White	5
105707	V-4	Black on White	25
105668	V-5	Black on White	5
105708	V-5	Black on White	25



Catalog #	Legend	Color	Qty.
Water			
105644	W-1	White on Green	5
105684	W-1	White on Green	25
105645	W-2	White on Green	5
105685	W-2	White on Green	25
105646	W-3	White on Green	5
105686	W-3	White on Green	25
105647	W-4	White on Green	5
105687	W-4	White on Green	25
105648	W-5	White on Green	5
105688	W-5	White on Green	25





1-Pocket Tag Holder

- Clear plastic holder is designed to hold 50 tags, ties and a marking pen (Tags and pen not included)
- Comes with adhesive strips, magnetic strips and screws for mounting
- Dimensions: 7.5 in. x 4.5 in. x 1.5 in.

Catalog #	Description
TH2	1-Pocket Economy Tag Holder



Pocket Premium Tag Center

- Acrylic center features 8 pockets for displaying and dispensing tags
- Each pocket holds up to 30 tags
- Four pre-drilled holes for wall mounting
- Board: 15.75 in. x 23.5 in. x 2 in.
- Pockets: 4.5 in. x 3.5 in.


Catalog #	Description
TC8	8-Pocket Premium Tag Center



10-Pocket Tag Safety Station

- Made of rugged polycarbonate
- Four pre-drilled holes for wall mounting
- Dimensions: 22 in. x 16.5 in. x 2.25 in.
- Tags not included

Catalog #	Description
81773	10-Pocket Tag Safety Station



Tag Fasteners

- Three fastener styles available to meet every application
- Nylon fasteners meet OSHA requirements for attaching to devices

Catalog #	Description	Qty.
81760	12 in. 26 Gauge Wire	100
81761	8 in. Reusable Beaded Ties	100
81762	7 in. Nylon Fasteners	100



Magnetic-Backed Protective Envelopes

- Transparent, durable vinyl construction makes it ideal for indoor or outdoor use
- Protects tags and data cards on machinery, valves, switches and more

Catalog #	Size	Qty.
81769	4.5 in. x 6.5 in.	10
81770	5.5 in. x 8.5 in.	10



Zip-Lock Protective Envelopes

- Transparent, durable vinyl construction makes it ideal for indoor or outdoor use
- Protects tags and data cards on machinery, valves, switches and more

Catalog #	Size	Qty.
81765	4.5 in. x 6.5 in. (w/o grommet)	10
81766	4.5 in. x 6.5 in. (w/grommet)	10
81767	5.5 in. x 8.5 in. (w/o grommet)	10
81768	5.5 in. x 8.5 in. (w/grommet)	10


Visit BradyID.com for safety, facility and inspections tags



Cable Lockouts

Cable Lockouts

Cable lockouts provide a number of advantages. Because of their construction, cable lockouts can be used in a variety of applications locking out multiple disconnects and valves. They are also a great option for lockout of unusual energy isolating devices that cannot be effectively locked out by a traditional device. This versatility, combined with ultimate portability, makes cable lockout devices a great addition to any lockout tagout program.



Compact Cable Padlocks

- Compact 1.31 in. x 1.25 in. nylon body with either 7.87 in. or 15.75 in. elongated, flexible cable as the shackle
- Allows you to secure breaker and still close the panel door
- Flexible cable means you can angle and twist padlock or lockout multiple energy isolation points with one lock

Color	Cable Length	1 Pack Keyed Different	6 Pack Keyed Alike
Red	7.87 in. cable	146120	146128
Red	15.75 in. cable	146124	146132
Yellow	7.87 in. cable	146121	146129
Yellow	15.75 in. cable	146125	146133
Blue	7.87 in. cable	146122	146130
Blue	15.75 in. cable	146126	146134
Green	7.87 in. cable	146123	146131
Green	15.75 in. cable	146127	146135


SAFELEX™ Universal Cable Lockout

- Integrated hasp and cable provides simple way to lockout multiple energy isolation points
- Ability to tighten the cable after the body is locked
- Available with steel or non-conductive nylon cable

Catalog #	Description	Qty
145554	Lockout w/ 3 ft. steel cable	1
145553	Lockout w/ 6 ft. steel cable	1
145552	Lockout w/ 10 ft. steel cable	1
145551	Lockout w/ 15 ft. steel cable	1
145550	Lockout w/ 6 ft. non-conductive nylon cable	1
145549	Lockout w/ 10 ft. non-conductive nylon cable	1

Padlocks sold separately.

Devices



Cable Lockout

- Device constructed of impact modified nylon
- Includes 6 ft. galvanized steel cable (0.125 in. outside dia.)

Catalog #	Description	Color	Qty
65318	Cable Lockout Device w/ 6 ft. cable	Red	1
45191	Cable Lockout Device w/ 6 ft. cable	Blue	1
45192	Cable Lockout Device w/ 6 ft. cable	Yellow	1
65319	8 ft. steel cable only	-	1
65320	10 ft. steel cable only	-	1


*Other cable lengths available upon request. Padlocks sold separately.

Mini Cable Lockout

- Compact and portable with internally stored cable
- Push-button self-winding mechanism automatically cinches cable tight
- Superior chemical, corrosion and temperature resistance
- 6 lock holes fit most padlock shackles and hasps
- Body dimensions: 4 in. dia. x 1.75 in. deep
Cable dimensions: 0.06 in. outside dia. x 8 ft. length

Catalog #	Description	Qty
50940	Mini Cable Lockout w/ 8 ft. steel cable	1
51442	Mini Cable Lockout w/ 8 ft. nylon cable	1

Padlocks sold separately.




ProLock Cable Lockout

- Economical, highly visible cable lockout device
- Features flexible 0.125 in. diameter cables
- Double Hex ProLock offers versatile security as it can be operated by a standard wrench or ProLock Operating Tool
- Extra Secure ProLock device provides enhanced security as it requires the use of the ProLock Operating Tool

Description	Red	Yellow	Green
Extra Secure ProLock System* w/ 59 in. Cable and ProLock Operating Tool	122250	-	122252
Extra Secure ProLock w/ 59 in. Cable*	122241	122242	122243
Extra Secure ProLock w/o Cable*	122244	122245	122246
Double Hex ProLock w/ 59 in. Cable	122253	122254	122255
Double Hex ProLock w/o Cable	122247	122248	122249
4.92 ft Cable Spool	122260	122261	122262
164 ft Cable Spool	122263	122264	122265
ProLock Operating Tool	122256	-	122258

* Extra Secure ProLock requires the use of the ProLock Operating Tool. Padlocks sold separately.



All-Purpose Cable Lockout

- Superior chemical, corrosion and temperature resistance
- Available with interchangeable cables
- Service temps of cables:
Non-conductive nylon: -40° to 200° F
Sheathed metal: -30° to 180° F

Catalog #	Description
50943	Lockout w/ 8 ft. sheathed metal cable
50941	Lockout w/ 8 ft. non-conductive nylon cable
50944	Lockout without cable
50947	8 ft. Sheathed metal cable only
50950	12 ft. Sheathed metal cable only
50953	16 ft. Sheathed metal cable only
50956	20 ft. Sheathed metal cable only
50945	8 ft. Non-conductive nylon cable only
50948	12 ft. Non-conductive nylon cable only
50951	16 ft. Non-conductive nylon cable only
50954	20 ft. Non-conductive nylon cable only



Double-Looped Cables

- Light weight and easier to spot; perfect for situations requiring a flexible lockout device and a visual deterrent
- 0.187 in. diameter cables

Catalog #	Length	Color
131063	2 ft. Double Looped Cable	Red
131064	4 ft. Double Looped Cable	Red
131065	6 ft. Double Looped Cable	Red
131066	8 ft. Double Looped Cable	Red



Economy Cable Lockout

- Device accepts up to six padlocks with 0.28 in. dia.
- Includes 6 ft. or 10 ft. plastic-coated steel cable
- Cable diameter: 0.187 in.

Catalog #	Description	Qty.
CABLO	Cable Lockout w/ 6 ft. cable	1
CABLO-10	Cable Lockout w/ 10 ft. cable	1
CABLE	6 ft. cable only	1
CABLE-10FT	10 ft. cable only	1

Valve Lockouts

From universal valve lockouts to pipe blind flange lockouts, Brady offers a full line of devices to lock out a wide variety of valve types and sizes. Our small lockout devices will lock pipes with diameters measuring from 0.5 in. to 3 in., while our large ball valve lockout devices can lock out pipes up to 8 in. diameter.

Butterfly Valve Lockout

- Innovative design to lock out butterfly valves with a lever handle in the OFF position
- Accommodates handle thicknesses of:
Small - 0.125 in. to 2.25 in.
Large - 2 in. to 4 in.

Catalog #	Description
121504	Butterfly Valve Lockout - Small
121505	Butterfly Valve Lockout - Large




Pipe Blind Flange Lockout Device

- Adjustable locking arm accommodates both standard and recessed bolt positions
- Secures 1 or 2 bolts for extra security
- Versatile to accept up to 4 padlocks
- Heavy-duty construction withstands harsh environments
- UL approved for use in explosive atmospheres

Catalog #	Description	Fits	Qty
149228	Small Blind Flange Lockout	0.5 in. to 3 in. diameter pipes	1
149229	Medium Blind Flange Lockout	3 in. to 14 in. diameter pipes	1
149230	Large Blind Flange Lockout	14 in. to 48 in. diameter pipes	1





Gate Valve Lockouts

- Unique knockout center fits OS&Y or rising stem valves
- Made of rugged injection-molded polypropylene
- Service temps from -25° F to 200° F
- Accepts shackles up to 0.375 in. diameter
- Supplied with English, Spanish and French danger labels

Fits Valve Handles Dia.	Red	Yellow	Green	Blue
1 in. to 2.5 in.	65560	65590	65595	65585
2.5 in. to 5 in.	65561	65591	65596	65586
5 in. to 6.5 in.	65562	65592	65597	65587
6.5 in. to 10 in.	65563	65593	65598	65588
10 in. to 13 in.	65564	65594	65599	65589



Transparent Gate Valve Lockout

- Visually confirms the appropriate position, identifies valve leaks and helps ensure safety
- Constructed of a rugged injection-molded polypropylene
- Service temps from -40° F to 302° F
- Accept shackles up to 0.375 in. diameter

Catalog #	Description	Fits Valve Handles	Qty
145581	Transparent Valve Gate Lockout	1 in. to 2.5 in. dia.	1
145582	Transparent Valve Gate Lockout	2.5 in. to 5 in. dia.	1
145583	Transparent Valve Gate Lockout	5 in. to 6.5 in. dia.	1
145584	Transparent Valve Gate Lockout	6.5 in. to 10 in. dia.	1
145585	Transparent Valve Gate Lockout	10 in. to 13 in. dia.	1



Adjustable Gate Valve Lockout

- Versatile lockout adjusts to fit 1 in. to 6.5 in. valve handles, replacing 3 conventional gate valve lockouts
- Constructed of rugged injection-molded polypropylene
- Service temps from -13° F to 194° F
- Supplied with English, Spanish and French danger labels

Catalog #	Description	Qty
64057	Adjustable Gate Valve Lockout	1



Collapsible Gate Valve Lockout

- Folds into smaller sizes for easy storage
- Cover rotates into fully engaged position
- Rugged injection-molded styrene construction
- 3 device sizes to secure valves up to 18 in. handle diameter

Catalog #	Description	Fits Handles	Qty
148648	Collapsible Gate Valve Lockout	3 in. to 7 in. dia.	1
148647	Collapsible Gate Valve Lockout	7 in. to 13 in. dia.	1
148646	Collapsible Gate Valve Lockout	13 in. to 18 in. dia.	1

Valve Lockouts



Perma-Mount™ Ball Valve Lockout

- Retrofit devices are meant to stay permanently in place at the point of need
- One-time installation is easy to complete in just a few minutes
- Available in 2 sizes to fit a full range of 0.5 in. to 4 in. diameter ball valves

Catalog #	Size	Ball Valve Dia.	Qty
121540	Small Perma-Mount Ball Valve Lockout	0.5 in. to 2 in.	1
121541	Large Perma-Mount Ball Valve Lockout	2 in. to 4 in.	1



Plug Valve Lockout

- Ideal for difficult-to-secure plug valves in compliance with OSHA standards
- Various sizes to fit most 1 in. to 8 in. diameter manually-actuated plug valves
- Durable and tamper-resistant with service temperatures from -25° F to 200° F
- Compact in size and easy to use

Catalog #	Description	Valve Stem Dia.	Qty
113231	Plug Valve Lockout	Up to 0.875 in. stem dia.	1
113232	Plug Valve Lockout	0.94 in. to 1.375 in. stem dia.	1
113233	Plug Valve Lockout	1.75 in. to 2.125 in. stem dia.	1
113234	Plug Valve Lockout	2.188 in. to 2.5 in. stem dia.	1

Devices



4-Legged Ball Valve Lockout

- Made from ultra-tough polypropylene
- Small size locks out pipes 0.5 in. to 2.5 in. diameter and can also lock valves OPEN on pipes from 0.5 in. to 1.25 in.
- Large size locks out pipes 2 in. to 8 in. diameter

Small	Size	Valve Size	Color	Qty.
BS07A-RD	Small	0.5 in. to 2.5 in. dia.	Red	1
BS07A-YW	Small	0.5 in. to 2.5 in. dia.	Yellow	1
BS07A-BU	Small	0.5 in. to 2.5 in. dia.	Blue	1
BS07A-GN	Small	0.5 in. to 2.5 in. dia.	Green	1
BS08A-RD	Large	2 in. to 8 in. dia.	Red	1
BS08A-YW	Large	2 in. to 8 in. dia.	Yellow	1
BS08A-BU	Large	2 in. to 8 in. dia.	Blue	1
BS08A-GN	Large	2 in. to 8 in. dia.	Green	1



Standard Ball Valve Lockout

- Easy to use, single-piece design locks quarter-turn ball valves in OFF position
- Two sizes fit most valves up to 3 in.
- Made of either super-tough nylon (service temp -40° to 248° F) or powder-coated steel

Catalog #	Material	Max Shackle Dia.	Valve Size / Pipe Dia.	Max Handle Width	Max Handle Thickness
65666	Nylon	0.28 in.	0.25 in. to 1 in.	1.5 in.	0.75 in.
65692	Steel	0.375 in.	0.25 in. to 1 in.	1.5 in.	0.75 in.
65669	Steel	0.28 in.	1.25 in. to 3 in.	2.1 in.	1.25 in.
65693	Steel	0.375 in.	1.25 in. to 3 in.	1.9 in.	1.25 in.

Universal Valve Lockout (UVLO)

Lock out all types of valves with a single device

- Made of rugged industrial-grade steel and nylon for extra impact and chemical resistance
- Versatile open-ended clamp fits over most closed rings, wide handles
- Can also lock out large levers, T-handles and other hard-to-secure mechanical devices
- Cable attachment offers choice of 0.125 in. non-conductive nylon or rustproof sheathed metal cable
- Small lockout for handle widths up to 1 in. (max handle thickness 0.6 in.)
- Large lockout for handle widths up to 1.6 in. (max handle thickness 1.1 in.)



Full Solution

Catalog #	Description	For Handle Width
51394	Small Device, 8 ft. Sheathed Cable, Blocking Arm	Up to 1 in. (max thickness 0.6 in.)
51390	Small Device, 8 ft. Nylon Cable, Blocking Arm	Up to 1 in. (max thickness 0.6 in.)
51392	Large Device, 8 ft. Sheathed Cable, Blocking Arm	Up to 1.6 in. (max thickness 1.1 in.)
51388	Large Device, 8 ft. Nylon Cable, Blocking Arm	Up to 1.6 in. (max thickness 1.1 in.)

Individual Components

Catalog #	Description	For Handle Width
50924	Small UVLO Base Clamping Unit	Up to 1 in. (max thickness 0.6 in.)
50899	Large UVLO Base Clamping Unit	Up to 1.6 in. (max thickness 1.1 in.)
65402	Small Blocking Arm	
65403	Large Blocking Arm	
51395	Cable Attachment with 8 ft. Sheathed Cable	
50932	Cable Attachment with 8 ft. Nylon Cable	
50947	8 ft. Sheathed Metal Cable	
50950	12 ft. Sheathed Metal Cable	
50953	16 ft. Sheathed Metal Cable	
50956	20 ft. Sheathed Metal Cable	
50945	8 ft. Nonconductive Nylon Cable	
50948	12 ft. Nonconductive Nylon Cable	
50951	16 ft. Nonconductive Nylon Cable	
50954	20 ft. Nonconductive Nylon Cable	

Devices




Use blocking arm to lock out quarter-turn ball valves



Attach to butterfly handles to prevent trigger handle from being squeezed.



Use cable attachment to lock out gate valves



Use two blocking arms to lock out 3-, 4- or 5-way valves, or to lock in the ON, OFF, or throttled position

Circuit Breaker Lockouts



Circuit Breaker Lockout Compatibility Guide

Brady offers a wide variety of lockouts to isolate and secure most circuit breaker switches. From standard snap-on and clamp-on models to oversized, multi-pole and miniature options, Brady is sure to have what you need.

Use the guide below to find the correct lockout device for your circuit breakers.

Brand	Model No.	Poles	Compatible Part #
ABB	E221	1	90844
ABB	E222	2	90844
ABB	E241	1	90844
ABB	E242	2	90844
ABB	E243	3	90844
ABB	E244	4	90844
ABB	E271	1	90844
ABB	E272	2	90844
ABB	E273	3	90844
ABB	E274	4	90844
ABB	F202AC	2	90850
ABB	F204AC	4	90850
ABB	F362	2	90844
ABB	F364	4	90844
ABB	F374	4	90844, 149514
ABB	F672	2	90850
ABB	F674	4	90850
ABB	JS	2-3	65397*, 148701*
ABB	MS325	3	149433
ABB	S1	3	65396, 148690
ABB	S201-B	1	90844
ABB	S201-C	1	90844
ABB	S201-D	1	90844
ABB	S201-K	1	90844
ABB	S201P-K	1	90844
ABB	S201P-Z	1	90844
ABB	S201U-K	1	90844
ABB	S201U-Z	1	90844
ABB	S201UP-K	1	90844
ABB	S201UP-Z	1	90844
ABB	S202-B	2	90844
ABB	S202-C	2	90844
ABB	S202-D	2	90844
ABB	S202-K	2	90844
ABB	S202P-K	2	90844
ABB	S202P-Z	2	90844
ABB	S202U-K	2	90844
ABB	S202U-Z	2	90844
ABB	S202UP-K	2	90844
ABB	S202UP-Z	2	90844
ABB	S203-B	3	90844
ABB	S203-C	3	90844
ABB	S203-D	3	90844
ABB	S203-K	3	90844
ABB	S203P-K	3	90844
ABB	S203P-Z	3	90844
ABB	S203U-K	3	90844
ABB	S203U-Z	3	90844
ABB	S203UP-K	3	90844
ABB	S203UP-Z	3	90844
ABB	S204-B	4	90844
ABB	S204-C	4	90844
ABB	S204-K	4	90844
ABB	S204U-K	4	90844
ABB	S204U-Z	4	90844
ABB	S204UP-K	4	90844
ABB	S204UP-Z	4	90844
ABB	S221	1	90844
ABB	S222	2	90844, 149514
ABB	S222-K	4	90844
ABB	S223	3	90844
ABB	S224	4	90844
ABB	S251	1	90844, 149514
ABB	S252	2	90844

Brand	Model No.	Poles	Compatible Part #
ABB	S253	3	90844, 149514
ABB	S261	1	90844, 149514
ABB	S261-B	1	90844
ABB	S261-C	1	90844
ABB	S261-D	1	90844
ABB	S262-B	2	90844
ABB	S262-C	2	90844
ABB	S262-D	2	90844
ABB	S263	1	90844, 149514
ABB	S263-B	3	90844
ABB	S263-C	3	90844
ABB	S263-D	3	90844
ABB	S264-B	4	90844
ABB	S264-C	4	90844
ABB	S271-K	1	90844
ABB	S272	1	90844, 149514
ABB	S272-K	2	90844
ABB	S273-K	3	90844
ABB	S274-K	4	90844
ABB	S281-K	1	90844
ABB	S281-Z	1	90850
ABB	S281UC-K	1	90844
ABB	S281UC-Z	1	90850
ABB	S282-K	2	90844
ABB	S282-Z	2	90850
ABB	S282UC-K	2	90844
ABB	S282UC-Z	2	90850
ABB	S283-K	3	90844
ABB	S283-Z	3	90850
ABB	S283UC-K	3	90844
ABB	S283UC-Z	3	90850
ABB	S3	3	65397*, 148701*
ABB	S501-B	1	90850
ABB	S501-C	1	90850
ABB	S501-D	1	90850
ABB	S501-K	1	90850
ABB	S501UC-B	1	90850
ABB	S501UC-K	1	90850
ABB	S502-B	2	90850
ABB	S502-C	2	90850
ABB	S502-D	2	90850
ABB	S502-K	2	90850
ABB	S502UC-B	2	90850
ABB	S502UC-K	2	90850
ABB	S503-B	3	90850
ABB	S503-C	3	90850
ABB	S503-D	3	90850
ABB	S503-K	3	90850
ABB	S503UC-B	3	90850
ABB	S503UC-K	3	90850
ABB	S504UC-B	4	90850
ABB	S504UC-K	4	90850
AEG	E82S	2	90847
Airpax	Airpax	1	65396*, 148690*
Allen Bradley	1492-CB1DF	1	90844
Allen Bradley	1492-CB1DG	1	90844
Allen Bradley	1492-CB1DH	1	90844
Allen Bradley	1492-CB1F	1	90844
Allen Bradley	1492-CB1G	1	90844
Allen Bradley	1492-CB1H	1	90844
Allen Bradley	1492-CB2DF	2	90844
Allen Bradley	1492-CB2DG	2	90844
Allen Bradley	1492-CB2DH	2	90844
Allen Bradley	1492-CB2F	2	90844

Brand	Model No.	Poles	Compatible Part #
Allen Bradley	1492-CB2G	2	90844
Allen Bradley	1492-CB2H	2	90844
Allen Bradley	1492-CB3F	3	90844
Allen Bradley	1492-CB3G	3	90844
Allen Bradley	1492-CB3H	3	90844
Allen-Bradley	1492-CB1	1	90844
Allen-Bradley	1492-CB2	2	90844
Allen-Bradley	1492-CB3	3	90844
American Ckt. Bkr.	NEF	3	65396*, 148690*
American Ckt. Bkr.	NJ	3	65397*, 148701*, 65329, 148692
American Switch	C	1	65396*, 148690*, 51252, 148696, 51254
Bryant	BR	2-3	66321, 148702, 51254
Bryant	BR	1	65387, 148689, 65396, 148690, 51254
Buschmat	S46	1	90844
Challenger	C	2-3	66321, 148702, 51254
Challenger	C	1	65387, 148689, 65396, 148690, 51254
Challenger	CDK	2-3	65397, 148701
Challenger	LM	1	65396, 148690
Challenger	NEJ	1-2	65396*, 148690*, 51254
Clipsal	4CB	1-3	90844
Clipsal	4CB116	1	90844
Clipsal	4CB320	3	90844
Crouse-Hinds	MP	2	66321, 148702, 51254
Cutler-Hammer	BA	1	65396, 148690, 51254
Cutler-Hammer	BAB	2-3	66321, 148702
Cutler-Hammer	BAB	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	BD	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	BR	2-3	66321, 148702, 51254
Cutler-Hammer	BR	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	BRH	2-3	66321, 148702, 51254
Cutler-Hammer	BRH	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	BRHH	2	66321, 148702, 51254
Cutler-Hammer	CC	3	65397*, 148701*
Cutler-Hammer	CH	2-3	66321, 148702, 51254
Cutler-Hammer	CH	1	65387, 148689, 65396, 148690, 51252, 148696, 51254
Cutler-Hammer	CH2	4	66321, 148702, 51254
Cutler-Hammer	CHB	2-3	66321, 148702, 51254
Cutler-Hammer	CHB	1	65387, 148689, 65396, 148690, 51252, 148696, 51254
Cutler-Hammer	CHH	3	65396*, 148690*
Cutler-Hammer	CHKD	2-3	65397, 148701
Cutler-Hammer	CHLD	2-4	65329, 148692
Cutler-Hammer	CHMDL	2-3	65329, 148692
Cutler-Hammer	CHND	2-4	65397*, 148701*
Cutler-Hammer	CHP	2-3	66321, 148702, 51254
Cutler-Hammer	CHP	1	65387, 148689, 65396, 148690, 51252, 148696, 51254
Cutler-Hammer	CHQ	1	65396, 148690, 51254
Cutler-Hammer	CHQ	2	66321, 148702, 51254
Cutler-Hammer	CHSW	2-3	66321, 148702, 51254
Cutler-Hammer	CKD	2-3	65397, 148701
Cutler-Hammer	CL	1	65387, 148689, 65396, 148690, 51252, 148696, 51254
Cutler-Hammer	CL	2	66321, 148702, 51254

Devices

Circuit Breaker Lockouts

Circuit Breaker Lockout Compatibility Guide (continued)

Brand	Model No.	Poles	Compatible Part #
Cutler-Hammer	CLD	2-4	65329, 148692
Cutler-Hammer	CLDC	2-4	65329, 148692
Cutler-Hammer	CMDL	2-3	65329, 148692
Cutler-Hammer	CND	2-4	65397*, 148701*
Cutler-Hammer	CNDC	2-4	65397*, 148701*
Cutler-Hammer	CSR	1	65396, 148690, 51254
Cutler-Hammer	DK	2-3	65397, 148701
Cutler-Hammer	E125B	1-4	65396, 148690, 51254
Cutler-Hammer	E125E	1-4	65396, 148690, 51254
Cutler-Hammer	E125H	1-4	65396, 148690, 51254
Cutler-Hammer	E125S	1-4	65396, 148690, 51254
Cutler-Hammer	ED	2-4	65396, 148690, 51254
Cutler-Hammer	EDC	2-4	65396, 148690, 51254
Cutler-Hammer	EDH	2-4	65396, 148690, 51254
Cutler-Hammer	EFH	1-4	65396, 148690, 51254
Cutler-Hammer	EGB	1-4	65396, 148690, 51254
Cutler-Hammer	EGE	1-4	65396, 148690, 51254
Cutler-Hammer	EGS	1-4	65396, 148690, 51254
Cutler-Hammer	EHC	1-4	65396, 148690, 51254
Cutler-Hammer	EHD	1-4	65396, 148690, 51254
Cutler-Hammer	FB	2-3	65396, 148690, 51254
Cutler-Hammer	FC	1-4	65396, 148690, 51254
Cutler-Hammer	FD	1-4	65396, 148690, 51254
Cutler-Hammer	FDB	2-4	65396, 148690, 51254
Cutler-Hammer	FDC	2-4	65396, 148690, 51254
Cutler-Hammer	FS	2-3	65396, 148690, 51254
Cutler-Hammer	GB	1-3	65396, 148690, 51254
Cutler-Hammer	GC	1-3	65396, 148690, 51254
Cutler-Hammer	GD	1-3	65396, 148690, 51254
Cutler-Hammer	GDB	1-3	65396, 148690, 51254
Cutler-Hammer	GHB	1-3	65396, 148690, 51254
Cutler-Hammer	GHBGFEP	1	65396, 148690, 51254
Cutler-Hammer	GHC	1-3	65396, 148690, 51254
Cutler-Hammer	GHCGFEP	1	65396, 148690, 51254
Cutler-Hammer	HBAW	2-3	66321, 148702
Cutler-Hammer	HBAW	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	HBAX	2-3	66321, 148702
Cutler-Hammer	HBAX	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	HFD	1-4	65396, 148690, 51254
Cutler-Hammer	HGHB	1	65396, 148690, 51254
Cutler-Hammer	HGHC	1	65396, 148690, 51254
Cutler-Hammer	HJD	2-4	65397, 148701
Cutler-Hammer	HKD	2-4	65397, 148701
Cutler-Hammer	HLD	2-4	65329, 148692
Cutler-Hammer	HMCP	2-3	65396, 148690, 65397, 148701, 65329, 148692
Cutler-Hammer	HMDL	2-3	65329, 148692
Cutler-Hammer	HMDLB	2-3	65329, 148692
Cutler-Hammer	HMPL	3	65397*, 148701*, 65329, 148692
Cutler-Hammer	HND	2-4	65397*, 148701*
Cutler-Hammer	HQP	2	66321, 148702
Cutler-Hammer	HQP	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	JD	2-4	65397, 148701
Cutler-Hammer	JDB	2-3	65397, 148701
Cutler-Hammer	JDC	2-4	65397, 148701
Cutler-Hammer	KD	2-4	65397, 148701
Cutler-Hammer	KDB	2-4	65397, 148701
Cutler-Hammer	KDC	2-4	65397, 148701

Brand	Model No.	Poles	Compatible Part #
Cutler-Hammer	LA	2-3	65397, 148701
Cutler-Hammer	LD	2-4	65329, 148692
Cutler-Hammer	LDB	2-3	65329, 148692
Cutler-Hammer	LDC	2-4	65329, 148692
Cutler-Hammer	LH	3	65397, 148701
Cutler-Hammer	LHB	3	65397, 148701
Cutler-Hammer	LJ	3	51254
Cutler-Hammer	MA	2-3	65397*, 148701*
Cutler-Hammer	MC	2-3	65397*, 148701*
Cutler-Hammer	MD	2-3	65329, 148692
Cutler-Hammer	MDL	2-3	65329, 148692
Cutler-Hammer	MDS	2-3	65329, 148692
Cutler-Hammer	NB	2-3	65329, 148692
Cutler-Hammer	ND	2-4	65397*, 148701*
Cutler-Hammer	NDC	2-4	65397*, 148701*
Cutler-Hammer	OPTIM	3	65397*, 148701*
Cutler-Hammer	PB	2-3	65329, 148692
Cutler-Hammer	QBGF	1	65396, 148690
Cutler-Hammer	QBGF	2	51254
Cutler-Hammer	QBGFEP	1	65396, 148690
Cutler-Hammer	QBGFEP	2	51254
Cutler-Hammer	QBHGF	1	65396, 148690
Cutler-Hammer	QBHGFEP	1	65396, 148690
Cutler-Hammer	QBHW	2-3	66321, 148702
Cutler-Hammer	QBHW	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	QC	2-3	66321, 148702, 51254
Cutler-Hammer	QC	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	QCD	2-3	66321, 148702, 51254
Cutler-Hammer	QCD	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	QCGF	1	65396, 148690
Cutler-Hammer	QCGFEP	1	65396, 148690
Cutler-Hammer	QCHGF	1	65396, 148690
Cutler-Hammer	QCHGFEP	1	65396, 148690
Cutler-Hammer	QCHW	2-3	66321, 148702, 51254
Cutler-Hammer	QCHW	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	QHCW	2-3	66321, 148702, 51254
Cutler-Hammer	QHCW	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	QHCX	2-3	66321, 148702, 51254
Cutler-Hammer	QHCX	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	QHPW	2-3	66321, 148702
Cutler-Hammer	QHPW	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	QHPX	2-3	66321, 148702
Cutler-Hammer	QHPX	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	QPGF	1	65396, 148690
Cutler-Hammer	QPGF	2	51254
Cutler-Hammer	QPGFEP	1	65396, 148690
Cutler-Hammer	QPGFEP	2	51254
Cutler-Hammer	QPHGF	1	65396, 148690
Cutler-Hammer	QPHGFEP	1	65396, 148690
Cutler-Hammer	QPHW	2-3	66321, 148702
Cutler-Hammer	QPHW	1	65387, 148689, 65396, 148690, 51254
Cutler-Hammer	WME	1-3	90844
Cutler-Hammer	WMF	1-3	90844

Brand	Model No.	Poles	Compatible Part #
Cutler-Hammer	WMH	1-4	90844
Cutler-Hammer	WMM	1-4	90844
Cutler-Hammer	WMN	1-4	90844
Cutler-Hammer	WMS	1-4	90844
Eaton	<i>Please see Cutler-Hammer brand.</i>		
E-T-A	911225	1	90847
E-T-A	911220G	2	90844
FAZ	C16	1-4	90844
Fed. Pacific Elec.	2B	2	51254
Fed. Pacific Elec.	BAB	1	65396, 148690, 51254
Fed. Pacific Elec.	NA-single	3	65397*, 148701*, 51254
Fed. Pacific Elec.	NA-tie bar	2	51254
Fed. Pacific Elec.	NB	1	65397*, 148701*, 51254
Fed. Pacific Elec.	NBH GFI	1	65396, 148690, 51254
Fed. Pacific Elec.	NE/NEF	1-3	65396*, 148690*
Fed. Pacific Elec.	NEJ	1-3	65396*, 148690*
Fed. Pacific Elec.	NFJ	1-3	65396, 148690
Fed. Pacific Elec.	NJJ	1-3	65397, 148701
Fed. Pacific Elec.	NJL	1-3	65397, 148701
Fed. Pacific Elec.	NM	1-3	65397, 148701
Fed. Pacific Elec.	NP-single	1	65396, 148690, 51254
Frank Adams	P	1	65396, 148690, 51254
FUJI Electric	BU-ESA	3	65396*, 148690*
FUJI Electric	BU-ESB	3	65396*, 148690*
FUJI Electric	BU-FSB	3	65396*, 148690*
FUJI Electric	EA203B	3	65396*, 148690*
FUJI Electric	EA53B	3	65396*, 148690*
GE Vynckier	Series E	1-4	90847
GE Vynckier	Series G	1-3	90847
General Electric	EH400	3	65397, 148701
General Electric	HQC	3	65396, 148690, 51254
General Electric	SED	2-3	65396, 148690, 51254
General Electric	SEH	2-3	65396, 148690, 51254
General Electric	SEL	2-3	65396, 148690, 51254
General Electric	SEP	2-3	65396, 148690, 51254
General Electric	SFH	2-3	65396, 148690, 51254
General Electric	SFL	2-3	65396, 148690, 51254
General Electric	SFP	2-3	65396, 148690, 51254
General Electric	SGD	2-3	65396, 148690
General Electric	SGH	2-3	65396, 148690
General Electric	SGL	2-3	65396, 148690
General Electric	SGLA	2-3	65396, 148690
General Electric	SGP	2-3	65396, 148690
General Electric	SRPG	3	65396, 148690
General Electric	TB	2	65396*, 148690*, 51254
General Electric	TBC	2	65396*, 148690*, 51254
General Electric	TE	1-3	65396*, 148690*, 51254
General Electric	TEB	1-3	65396*, 148690*, 51254
General Electric	TED	1-3	65396*, 148690*, 51254
General Electric	TEF	1-3	65396*, 148690*, 51254
General Electric	TEL	3	65396*, 148690*, 51254
General Electric	TEML	3	65396*, 148690*, 51254
General Electric	TEY	1-3	65396, 148690, 51254
General Electric	TF	1-3	65396, 148690, 51254
General Electric	TFC	3	65396*, 148690*, 51254
General Electric	TFJ	2-3	65397, 148701
General Electric	TFK	2-3	65397, 148701
General Electric	TFL	3	65397, 148701
General Electric	THED	1-3	65396*, 148690*, 51254
General Electric	THEF	1-3	65396*, 148690*, 51254
General Electric	THFK	2-3	65397, 148701

Devices

Standard Circuit Breaker Lockouts



- 65387 148689**
120V
Snap-on lockout
- 65396 148690**
120 / 277V
Clamp-on lockout
- 65397 148701**
480 / 600V
Clamp-on lockout
- 65329 148692**
480 / 600V
Oversized lockout
- 66321 148702**
Universal multi-pole lockout

EZ Paneloc™ Lockouts



- 51252 148696**
Snap-on (SQD QO) lockout
- 51254**
Clamp-on (universal) lockout

Miniature Circuit Breaker Lockouts



- 90844**
Pin-out standard lockout
- 90847**
Pin-in standard lockout
- 90850**
Pin-out wide lockout
- 90853**
Tie-bar lockout
- 149433**
Rotary lockout
- 149514**
Universal lockout

*Requires use of a cleat.

Circuit Breaker Lockouts

Circuit Breaker Lockout Compatibility Guide (continued)

Brand	Model No.	Poles	Compatible Part #
General Electric	THHQB	2-3	66321, 148702, 51254
General Electric	THHQB-A	1	65387, 148689, 65396, 148690, 51254
General Electric	THHQB-S	1	65396, 148690, 51254
General Electric	THHQC	1-3	66321, 148702, 51254
General Electric	THHQC-A	1	65387, 148689, 65396, 148690, 51254
General Electric	THHQC-S	1	65396, 148690, 51254
General Electric	THHQL	2-3	66321, 148702, 51254
General Electric	THHQL-A	1	65387, 148689, 65396, 148690, 51254
General Electric	THHQL-S	1	65396, 148690, 51254
General Electric	THJK4	2-3	65397*, 148701*
General Electric	THJK6	2-3	65397*, 148701*
General Electric	THKM12	2-3	65329, 148692
General Electric	THKM8	2-3	65329, 148692
General Electric	THLC1	3	65396*, 148690*
General Electric	THQB	2-3	66321, 148702, 51254
General Electric	THQB-A	1	65387, 148689, 65396, 148690, 51254
General Electric	THQB-S	1	65396, 148690, 51254
General Electric	THQC	2-3	66321, 148702, 51254
General Electric	THQC-A	1	65387, 148689, 65396, 148690, 51254
General Electric	THQC-AL	2-3	66321, 148702, 51254
General Electric	THQC-S	1	65396, 148690, 51254
General Electric	THQD	2-3	65396*, 148690*, 51254
General Electric	THQDBL	3	51254
General Electric	THQL	2-3	66321, 148702, 51254
General Electric	THQL-A	1	65387, 148689, 65396, 148690, 51254
General Electric	THQL-S	1	65396, 148690, 51254
General Electric	TJ2	2-3	65397*, 148701*, 65329, 148692
General Electric	TJ4	3	65397, 148701
General Electric	TJC	2-3	65396*, 148690*, 51254
General Electric	TJD	2-3	65397*, 148701*
General Electric	TJJ	2-3	65397*, 148701*
General Electric	TJK	2-3	65397*, 148701*
General Electric	TJS	2-3	65397*, 148701*
General Electric	TK4V	3	65397, 148701
General Electric	TKC	3	65396*, 148690*, 51254
General Electric	TKM	2-3	65329, 148692
General Electric	TKMA8	3	65329, 148692
General Electric	TQB	2-3	66321, 148702, 51254
General Electric	TQB-A	1	65387, 148689, 65396, 148690, 51254
General Electric	TQB-S	1	65396, 148690, 51254
General Electric	TQC	2-3	66321, 148702, 51254
General Electric	TQC-A	1	65387, 148689, 65396, 148690, 51254
General Electric	TQC-S	1	65396, 148690, 51254
General Electric	TQD	2-3	65396, 148690
General Electric	TQL-A	1	65387, 148689, 65396, 148690, 51254
General Electric	TQL-S	1	65396, 148690, 51254
General Electric	V	1-3	90847
General Electric	V	1-4	90847
Hager	453717	3	90844, 149514
Hager	MW216A	2	90844, 149514
Hager	MW620A	4	90844, 149514
Heinemann	LB	1	65396*, 148690*
Heinemann	LF	1	65396*, 148690*
Heinemann	LJ	1	65396*, 148690*
Kapp	LS68	1	90844
Legrand	1908	1	90844
Legrand	1935	3	90844
Legrand	1980	3-4	90844
Legrand	4302	2	90847
Legrand	6469	3	90847
Lemag	SD62	1	65396, 148690
Merlin Gerin	B100A	2	90850, 90853
Merlin Gerin	B100A	2	90850, 90853
Merlin Gerin	C1251N	3	65329, 148692
Merlin Gerin	C32N	1-3	90844
Merlin Gerin	C45AD	3	90844

Brand	Model No.	Poles	Compatible Part #
Merlin Gerin	C60a	1-4	90844
Merlin Gerin	C60H	1-4	90844
Merlin Gerin	C60N	1-4	90844
Merlin Gerin	C801N	3	65329, 148692
Merlin Gerin	C80A	3	90850, 90853
Merlin Gerin	C80A	3	90850, 90853
Merlin Gerin	CE104N	3	65396*, 148690*
Merlin Gerin	CJ	3	65397*, 148701*
Merlin Gerin	CK1200NA	3	65329, 148692
Merlin Gerin	NC100H	1-3	90850
Merlin Gerin	NC100L	1-4	90850
Merlin Gerin	NC100L MA	3	90850
Merlin Gerin	NC100LH	1-4	90850
Merlin Gerin	NC100N	1-4	90850
Merlin Gerin	NC125H	1-3	90850
Proteus	C6	1	90844
Proteus	AC22BS5419	2	66321, 148702
Proteus	BSEN60947-3	2	66321, 148702
Proteus	C16	1	90844
Proteus	C6	1-3	90844
Siemens 17U	5SQ16	4	90853
Siemens C10	5SX1	1	90850, 149514
Siemens C32	5SX1-2	2	90853, 149514
Siemens ITE	5SN22	2	90853
Siemens ITE	5SQ11	1	90850, 149514
Siemens ITE	5SQ12	2	90853, 149514
Siemens ITE	5SQ13	3	90853, 149514
Siemens ITE	5SQ16	4	90853, 149514
Siemens ITE	5SX11	1	90850
Siemens ITE	5SX12	2	90853
Siemens ITE	5SX13	3	90853, 149514
Siemens ITE	5SX21	1	90850
Siemens ITE	BL	1	65387, 148689, 65396, 148690, 51252, 148696, 51254
Siemens ITE	BL	2-3	66321, 148702, 51254
Siemens ITE	BLF-GFI	2	66321, 148702, 51254
Siemens ITE	BLH	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	BLH	2-3	66321, 148702, 51254
Siemens ITE	BQ	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	BQ	2-3	66321, 148702, 51254
Siemens ITE	BQCH	1-3	65396, 148690, 51254
Siemens ITE	BQD	1-3	65396, 148690, 51254
Siemens ITE	BQH	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	BQH	2-3	66321, 148702, 51254
Siemens ITE	CED6	2-3	65396, 148690, 51254
Siemens ITE	CFD6	2-3	65397*, 148701*
Siemens ITE	CFD6-ETI	2-3	65397*, 148701*
Siemens ITE	CJ3	3	65397, 148701
Siemens ITE	CJD6	2-3	65397, 148701
Siemens ITE	CJD6-ETI	2-3	65397, 148701
Siemens ITE	CLF	2	65397, 148701
Siemens ITE	CMD6	3	65329, 148692
Siemens ITE	CMD6-ETI	3	65329, 148692
Siemens ITE	CND6	3	65329, 148692
Siemens ITE	CPD6	3	65329, 148692
Siemens ITE	CQD	1-3	65396*, 148690*, 51254
Siemens ITE	E2	1-3	65396, 148690, 51254
Siemens ITE	E4	1-3	65396, 148690, 51254
Siemens ITE	ED	1-3	65396, 148690, 51254
Siemens ITE	ED4	1-3	65396, 148690, 51254
Siemens ITE	ED6	1-3	65396, 148690, 51254
Siemens ITE	ED6-ETI	3	65396, 148690, 51254
Siemens ITE	EE3	3	65396*, 148690*, 51254
Siemens ITE	EH3	3	65396*, 148690*, 51254
Siemens ITE	EQP	4	66321, 148702, 51254
Siemens ITE	ET	3	65396*, 148690*, 51254
Siemens ITE	FD6A	2-3	65397*, 148701*
Siemens ITE	FJ2-B	2-3	65396*, 148690*, 65397*, 148701*
Siemens ITE	FJ3	2	65397, 148701
Siemens ITE	FJ6	2	65397*, 148701*

Brand	Model No.	Poles	Compatible Part #
Siemens ITE	FXD6-ETI	2-3	65397*, 148701*
Siemens ITE	FXD6A	2-3	65397*, 148701*
Siemens ITE	GF	1	65396, 148690, 51254
Siemens ITE	HL	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	HL	2-3	66321, 148702, 51254
Siemens ITE	HBQ	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	HBQ	2-3	66321, 148702, 51254
Siemens ITE	HE4	1-3	65396, 148690, 51254
Siemens ITE	HED4	1-3	65396, 148690, 51254
Siemens ITE	HED6	2-3	65396, 148690, 51254
Siemens ITE	HFD6	2-3	65397*, 148701*
Siemens ITE	HFXD6	2-3	65397*, 148701*
Siemens ITE	HHED6	2-3	65396, 148690, 51254
Siemens ITE	HHFD6	2-3	65397*, 148701*
Siemens ITE	HHJD6	2-3	65397, 148701
Siemens ITE	HHJXD6	2-3	65397, 148701
Siemens ITE	HJD6	2-3	65397, 148701
Siemens ITE	HJXD6	2-3	65397, 148701
Siemens ITE	HMD6	2-3	65329, 148692
Siemens ITE	HMXD6	2-3	65329, 148692
Siemens ITE	HIN3	2	65329, 148692
Siemens ITE	HND6	2-3	65329, 148692
Siemens ITE	HINXD6	2-3	65329, 148692
Siemens ITE	HPD6	3	65329, 148692
Siemens ITE	HPXD6	3	65329, 148692
Siemens ITE	HQJ2-H	3	65396, 148690, 51254
Siemens ITE	HQP	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	HQP	2-3	66321, 148702, 51254
Siemens ITE	HQPP	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	HQPP	2-3	66321, 148702, 51254
Siemens ITE	HQPPH	2	66321, 148702, 51254
Siemens ITE	HRD6	3	65329, 148692
Siemens ITE	HRXD6	3	65329, 148692
Siemens ITE	JD2	3	65329, 148692
Siemens ITE	JD6-A	2-3	65397, 148701
Siemens ITE	JJ3	3	65397, 148701
Siemens ITE	JJ6	3	65329, 148692
Siemens ITE	JL3	3	65397, 148701
Siemens ITE	JXD2-A	2-3	65397, 148701
Siemens ITE	JXD6-A	2-3	65329, 148692
Siemens ITE	KM3	3	65329, 148692
Siemens ITE	LL3	3	65397, 148701
Siemens ITE	LL6	3	65329, 148692
Siemens ITE	LXD6-ETI	3	65329, 148692
Siemens ITE	MD6	2-3	65329, 148692
Siemens ITE	MXD6	2-3	65329, 148692
Siemens ITE	MXD6-ETI	2-3	65329, 148692
Siemens ITE	ND6	2-3	65329, 148692
Siemens ITE	NXD6	2-3	65329, 148692
Siemens ITE	PD6	3	65329, 148692
Siemens ITE	PXD6	3	65329, 148692
Siemens ITE	QJ2	2-3	65396*, 148690*, 51254
Siemens ITE	QJ2-H	2-3	65396*, 148690*, 51254
Siemens ITE	QJH2	2-3	65396*, 148690*, 51254
Siemens ITE	QP	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	QP	2-3	66321, 148702, 51254
Siemens ITE	QP1	1	65396, 148690, 51254
Siemens ITE	QPH	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	QPH	2-4	66321, 148702, 51254
Siemens ITE	QPP	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	QPP	2-3	66321, 148702, 51254
Siemens ITE	QPPH	1	65387, 148689, 65396, 148690, 51254
Siemens ITE	QPPH	2-3	66321, 148702, 51254
Siemens ITE	RD6	3	65329, 148692
Siemens ITE	RXD6	3	65329, 148692
Siemens ITE	SCMD6	3	65329, 148692
Siemens ITE	SCND6	3	65329, 148692

Devices


Circuit Breaker Lockout Compatibility Guide (continued)

Brand	Model No.	Poles	Compatible Part #
Siemens ITE	SHLD6-A	3	65329, 148692
Siemens ITE	SHMD6	3	65329, 148692
Siemens ITE	SHND6	3	65329, 148692
Siemens ITE	SHPD6	3	65329, 148692
Siemens ITE	SMD6	3	65329, 148692
Siemens ITE	SND6	3	65329, 148692
Siemens ITE	SPD6	3	65329, 148692
Siemens ITE	VF3	3	65396, 148690
Siemens L20A	SSN2-2	2	90853, 149514
Square D	EDB	1-3	65396, 148690, 51254
Square D	EGB	1-3	65396, 148690, 51254
Square D	EH4	1-3	65396, 148690, 51254
Square D	EHB	1-3	65396, 148690, 51254
Square D	EHB	2-3	66321, 148702, 51254
Square D	EJB	1-3	65396, 148690, 51254
Square D	EZ	3	65329, 148692
Square D	FA	1-3	65396*, 148690*
Square D	FAL	1-3	65396*, 148690*
Square D	FC	3	65396*, 148690*
Square D	FCL	2-3	65396*, 148690*
Square D	FDA	2-3	65396, 148690, 51254
Square D	FGA	3	51254
Square D	FH	1-3	65396*, 148690*
Square D	FHL	1-3	65396*, 148690*
Square D	FHL-DC	3	65396*, 148690*
Square D	FHP	3	65396*, 148690*
Square D	FI	3	65396*, 148690*
Square D	FIL	3	65396*, 148690*
Square D	FY	1	65396*, 148690*
Square D	GJL	3	65396*, 148690*
Square D	KA	2-3	65396*, 148690*
Square D	KAL	2-3	65396*, 148690*
Square D	KAP	2-3	65397, 148701
Square D	KC	2-3	65396*, 148690*
Square D	KCL	2-3	65396*, 148690*
Square D	KH	2-3	65396*, 148690*
Square D	KHL	3	65396*, 148690*
Square D	KI	2-3	65396*, 148690*
Square D	KIL	2-3	65396*, 148690*
Square D	L2	3	65329, 148692
Square D	LA	2-3	65397*, 148701*, 65329, 148692
Square D	LAL	2-3	65397*, 148701*, 65329, 148692
Square D	LAP	3	65397*, 148701*, 65329, 148692
Square D	LC	3	65329, 148692
Square D	LCP	3	65329, 148692
Square D	LH	2-3	65397*, 148701*
Square D	LHL	3	65397*, 148701*, 65329, 148692
Square D	LHP	1-2	65397*, 148701*, 65329, 148692
Square D	LXL	3	65329, 148692
Square D	MA	3	65329, 148692
Square D	MA	2-3	65397*, 148701*
Square D	MAL	3	65329, 148692
Square D	MH	2-3	65329, 148692
Square D	MH	2-3	65397*, 148701*
Square D	MHL	2-3	65329, 148692
Square D	ML-1	3	65397*, 148701*
Square D	ML-3	3	65329, 148692
Square D	MXL	3	65329, 148692

Brand	Model No.	Poles	Compatible Part #
Square D	Q1B	2-3	65396, 148690, 51254
Square D	Q1L	2-3	65396, 148690, 51254
Square D	Q2	2-3	65396*, 148690*
Square D	Q2H	2-3	65396*, 148690*
Square D	Q2L	2-3	65396*, 148690*
Square D	Q2MT	2-3	65396*, 148690*
Square D	Q4	2-3	65397*, 148701*
Square D	Q4L	2-3	65397*, 148701*
Square D	QO	1	51252, 148696
Square D	QO	2-3	65387, 148689, 65396, 148690, 51252, 148696, 51254
Square D	QO-H	2	51252, 148696
Square D	QO-SWN	2-3	65387, 148689, 65396, 148690, 51252, 148696, 51254
Square D	QO-VH	1	51252, 148696
Square D	QO-VH	2-3	65387, 148689, 65396, 148690, 51252, 148696, 51254
Square D	QOB	1	51252, 148696
Square D	QOB	2-3	65387, 148689, 65396, 148690, 51252, 148696, 51254
Square D	QOB-H	2	51252, 148696
Square D	QOB-VH	2-3	66321, 148702
Square D	QOB-VH	1	65387, 148689, 65396, 148690, 51252, 148696, 51254
Square D	QOM1-VH	2	65396, 148690, 51254
Square D	QOM2-VH	2	65396, 148690, 51254
Square D	QOU	1	51252, 148696
Square D	QOU	2-3	65396*, 148690*, 51252, 148696, 51254
Square D	QOU w/ tie bar	2-3	66321, 148702, 51254
Square D	QYU	1	51252, 148696
Square D	Y1	1	65397, 148701
Sursum	EA53	3	90847
Sylvania GTE	QC	2	66321, 148702, 51254
Sylvania GTE	Type C	2	66321, 148702, 51254
Thomas & Betts	F Frame	1-3	65396, 148690, 51254
Toshiba	E225B	3	65396*, 148690*
Westinghouse	BA	1-3	65387, 148689, 65396, 148690, 51254
Westinghouse	BA w/ tie bar	2-3	66321, 148702
Westinghouse	BAB	1-3	65387, 148689, 65396, 148690, 51254
Westinghouse	BR	1-3	65387, 148689, 65396, 148690, 51254
Westinghouse	BR w/ tie bar	2-3	66321, 148702, 51254
Westinghouse	BRH w/ tie bar	2-3	66321, 148702
Westinghouse	CA	2	65396*, 148690*
Westinghouse	DA	2-3	65397, 148701
Westinghouse	DK	3	65397, 148701
Westinghouse	EB	1-3	65396*, 148690*, 51254
Westinghouse	ED	2-3	65396, 148690, 51254
Westinghouse	EH	1-3	65396, 148690, 51254
Westinghouse	EHB	1-3	65396*, 148690*
Westinghouse	EHD	1-3	65396, 148690, 51254
Westinghouse	FA	3	65396*, 148690*, 51254
Westinghouse	FB	2-3	65396*, 148690*, 51254
Westinghouse	FD	1-4	65396, 148690, 51254
Westinghouse	FDB	2-4	65396, 148690, 51254


Brand	Model No.	Poles	Compatible Part #
Westinghouse	FDC	2-4	65396, 148690, 51254
Westinghouse	FP	3	65397*, 148701*
Westinghouse	GB	1-3	65396, 148690, 51254
Westinghouse	GBH	1-3	65396, 148690, 51254
Westinghouse	GHB	1-3	65396, 148690, 51254
Westinghouse	GR	3	65397, 148701
Westinghouse	HBAW	1	65387, 148689, 65396, 148690, 51254
Westinghouse	HBAX	1	65387, 148689, 65396, 148690, 51254
Westinghouse	HCA	3	65396*, 148690*
Westinghouse	HFB	1-3	65396*, 148690*
Westinghouse	HFD	1-4	65396, 148690, 51254
Westinghouse	HKD	3	65397, 148701
Westinghouse	HLA	3	65397, 148701
Westinghouse	HLB	2-3	65397, 148701
Westinghouse	HMC	3	65397, 148701
Westinghouse	HMCP	3	65396*, 148690*, 51254
Westinghouse	HNC	3	65329, 148692
Westinghouse	HQNP	3	65396, 148690, 51254
Westinghouse	HQP	1	65387, 148689, 65396, 148690, 51254
Westinghouse	JA	2-3	65397, 148701
Westinghouse	JB	3	65397, 148701
Westinghouse	JDB	2-4	65397, 148701
Westinghouse	JDB	3	65397, 148701
Westinghouse	KA	3	65397*, 148701*
Westinghouse	KB	2-3	65397, 148701
Westinghouse	LA	3	65397*, 148701*
Westinghouse	LB	3	65397, 148701
Westinghouse	LBB	3	65397, 148701
Westinghouse	LH	3	65397, 148701
Westinghouse	MA	2-3	65397*, 148701*
Westinghouse	MC	2-3	65397*, 148701*
Westinghouse	MCC	2-3	65397*, 148701*
Westinghouse	MCPO	3	65396*, 148690*, 51254
Westinghouse	NB	2-3	65329, 148692
Westinghouse	P	3	65396, 148690, 51254
Westinghouse	QBHW	1	65387, 148689, 65396, 148690, 51254
Westinghouse	QC	3	66321, 148702
Westinghouse	QC	1	65387, 148689, 65396, 148690, 51254
Westinghouse	QCHQ	1	65387, 148689, 65396, 148690, 51254
Westinghouse	QHCW	1	65387, 148689, 65396, 148690, 51254
Westinghouse	QHCX	1	65387, 148689, 65396, 148690, 51254
Westinghouse	QHPW	1	65387, 148689, 65396, 148690, 51254
Westinghouse	QPHW	1	65387, 148689, 65396, 148690, 51254
Westinghouse	Quicktag P	1-3	65396, 148690, 51254
Westinghouse	RE	1-2	65396, 148690, 51254
Westinghouse	RH	3	65397, 148701
Westinghouse	WPHX	1	65387, 148689, 65396, 148690, 51254
Wylex	WRS40/2	2	90844
Zinsco	HQB	3	65396, 148690, 51254
Zinsco	QB	1	65396, 148690, 51254

Standard Circuit Breaker Lockouts




- 65387 148689**
120V Snap-on lockout
- 65396 148690**
120 / 277V Clamp-on lockout
- 65397 148701**
480 / 600V Clamp-on lockout
- 65329 148692**
480 / 600V Oversized lockout
- 66321 148702**
Universal multi-pole lockout

EZ Paneloc™ Lockouts



- 51252 148696**
Snap-on (SQD QO) lockout
- 51254**
Clamp-on (universal) lockout

Miniature Circuit Breaker Lockouts



- 90844**
Pin-out standard lockout
- 90847**
Pin-in standard lockout
- 90850**
Pin-out wide lockout
- 90853**
Tie-bar lockout
- 149433**
Rotary lockout
- 149514**
Universal lockout

*Requires use of a cleat.

Circuit Breaker Lockouts

TAGLOCK™ Circuit Breaker Securing Devices

Tagout plus physical restraint protection for multiple workers

With TAGLOCK™ circuit breaker securing devices from Brady, your maintenance team members can individually tag and secure each circuit breaker for improved safety and compliance. These devices are secured to circuit breakers with standard non-releasable 50-pound minimum strength nylon cable ties and meet OSHA requirement 1910.269(d)(3)(ii)(D) for power generation, transmission and distribution facilities.

TAGLOCK securing devices feature:

- **Easy installation** onto the breaker with nylon cable tie and the worker's ID tag
- **Multiple worker tagging capabilities** for up to 4 workers to apply a nylon cable tie and their ID tag
- **Secure restraints** that will remain securely fastened to the breaker switch until each person has removed their nylon cable tie and tag
- **Pre-loadable tags** enable users to prepare ID tags in advance and then quickly secure them to the designated energy control lockout points
- **More convenient** lockout tagout option eliminates the need to use locks
- **Cost savings** from less tag preparation and reduced equipment downtime



Devices



Securable by BOTH cable tie and safety lock at the same time



Save time by “pre-loading” your tag and cable tie before walking to the energy point




120V breaker lockout devices fit on breakers next to each other, enabling multiple tagouts at one time



Pair your TAGLOCK devices with Mini Lockout Tags

Catalog #	Description	Size	Qty.
148824	Mini Lockout Tags (Fasteners sold separately)	2.5 in. x 2 in.	25
81762	Nylon Fasteners	7 in.	100



TAGLOCK™ 120V Snap-On Breaker Lockout

- Designed for 120V breakers with holes in the switch tongue
- Quick and easy – just snap in place and apply lock
- Dual cavities accommodate different size switch tongues
- Single and 6 packs include cable ties

Catalog #	Description	Qty
148689	120V Snap-On Breaker Lockout	1
148693	120V Snap-On Breaker Lockout	6
148694	120V Snap-On Breaker Lockout (Cable ties sold separately)	50



TAGLOCK™ 120V Holed-Tongue Breaker Lockout

- Align pins with holes in breaker and snap closed
- Pins prevent switch from being thrown
- Lockout is small enough to lockout multiple breakers in a row
- Single and 6 packs include cable ties

Catalog #	Description	Qty
148696	Breaker Switches with Holes	1
148688	Breaker Switches with Holes	6
148700	Breaker Switches with Holes (Cable ties sold separately)	50



TAGLOCK™ Universal Multi-Pole Breaker Lockout

- Single device works with most major multi-pole breakers that employ a tie-bar
- Use thumbscrew to clamp lockout securely over tie bar, then insert lock to prevent clamp from being loosened
- Single and 6 packs include cable ties


Catalog #	Description	Qty
148702	Multi-pole Breaker Lockout	1
148697	Multi-pole Breaker Lockout	6
148695	Multi-pole Breaker Lockout (Cable ties sold separately)	50



TAGLOCK™ 120 / 277V Clamp-On Breaker Lockout

- Works on a wide range of single-pole and internal-trip multi-pole breakers
- Use thumbscrew to clamp lockout onto switch tongue, then pull cover over thumbscrew and lock in place
- Includes cleat to expand the range of applicable breakers
- Single and 6 packs include cable ties

Catalog #	Description	Qty
148690	120 / 277V Breaker Lockout	1
148698	120 / 277V Breaker Lockout	6
148699	120 / 277V Breaker Lockout (Cleats and cable ties sold separately)	50
65404	Extra Cleats for 120 / 277V Lockout	6



TAGLOCK™ 480 / 600V Clamp-On Breaker Lockout

- Works on a wide range of single-pole and internal-trip multi-pole breakers
- Use thumbscrew to clamp lockout onto switch tongue, then pull cover over thumbscrew and lock in place
- Includes cleat to expand the range of applicable breakers
- Single and 6 packs include cable ties

Catalog #	Description	Qty
148701	480 / 600V Breaker Lockout	1
148687	480 / 600V Breaker Lockout	6
148686	480 / 600V Breaker Lockout (Cleats and cable ties sold separately)	25
65406	Extra Cleats for 480 / 600V Lockout	6



TAGLOCK™ Oversized Clamp-On Breaker Lockout

- Oversized 480 / 600V frame lockout fits breaker switches up to 2.25 in. wide and 0.875 in. thick
- Made of durable polypropylene and glass filled-impact-modified nylon
- Single and 6 packs include cable ties

Catalog #	Description	Qty
148692	Oversized Breaker Lockout	1
148691	Oversized Breaker Lockout	6
148685	Oversized Breaker Lockout (Cable ties sold separately)	25

Circuit Breaker Lockouts

EZ Paneloc™ System

- Works on wide range of breakers, including single- and multi-pole configurations
- Can be used with most padlocks by making use of unique lock rail system
- Allows panel door to be closed even when lockouts are in place
- Accommodates multiple locks, facilitating group lockout activity without hasps
- Keeps weight off the breakers, protecting delicate electrical components
- Positions locks and tags outside the panel, making sure lockout activity is clearly visible to anyone in the area

(Not recommended for use with multi-lock hasps)



Snap-On Lockout

- For use on Square D NQO and other breakers with a hole in the switch tongue
- Align pins with holes in breaker and snap closed
- Pins prevent switch from being thrown
- Size: 0.90 in. x 1.88 in. x 0.74 in.
- Rails sold separately

Clamp-On Lockout

- For use on breakers that do not have a hole in the switch tongue
- Turn thumbscrew to clamp lockout securely onto switch, then snap the cover closed to prevent thumbwheel from being loosened
- Size: 0.95 in. x 2.56 in. x 0.74 in.
- Rails sold separately

Spacing Gasket and Lock Rails

- For low profile panels
- Self-adhesive gasket pushes out low profile panel frame adding an additional 0.375 in. of clearance between the panel and the door
- Lock rails made of durable isoplast polymers with acrylic adhesive backing

Devices

Catalog #	Description	Qty.
51252	Snap-On Lockout w/ 2 in. Cable	1
65815	Snap-On Lockout w/ 2 in. Cable	6

Catalog #	Description	Qty.
51254	Clamp-On Lockout w/ 2 in. Cable	1
65810	Clamp-On Lockout w/ 2 in. Cable	6

Catalog #	Description	Qty.
51256	4 in. Lock Rail (7 loops)	1
65814	4 in. Lock Rail (7 loops)	6
51258	8 in. Lock Rail (15 loops)	1
51260	8 in. Lock Rail (15 loops)	6
89256	Spacing Gasket 0.375 in. x 1 in. x 15 ft.	1

EZ Paneloc System In Action



1. Expose the super-bond adhesive on back of rail. Permanently affix to any location on the panel.




2. Attach the lockout device to the breaker and snap into locked position.



3. Pass plastic key through lock rail and attach lock, preventing key from sliding down cable to device.



4. After procedure is finished, unlock device by inserting and turning the black plastic key.



480-600V Breaker Blocker

- For oversized and irregularly shaped switches
- Self-adhesive backed rails are permanently installed onto panel
- Blocking bars are 7.6 in. long
- Red blocking bar indicates locked off, green bar indicates locked on

Catalog #	Description	Qty.
90891	Breaker Block Kit*	1
90892	7.6 in. Red Blocking Bar	5
90893	7.6 in. Green Blocking Bar	5
51264	4 in. Yellow Mounting Rails	2
51265	Blocking Bar Holder	5


*Kit includes 2 yellow mounting rails, 1 red blocking bar, 1 green blocking bar and 3 alcohol wipes.



Universal Multi-Pole Breaker Lockout

- Single device works with most major multi-pole breakers that employ a tie-bar
- Made of durable impact-modified nylon
- Use thumbscrew to clamp lockout securely over tie bar, then insert lock to prevent clamp from being loosened

Catalog #	Description	Qty.
66321	Universal Multi-Pole Breaker Lockout	1
66320	Universal Multi-Pole Breaker Lockouts	6



120V Snap-On Breaker Lockout

- Designed for 120V breakers with holes in the switch tongue
- Quick and easy – just snap in place and apply lock
- Dual cavities accommodate different size switch tongues
- Accepts shackles up to 0.28 in. dia.
- Dimensions: 0.83 in. x 0.35 in. x 2.15 in.

Catalog #	Description	Qty.
65387	120V Snap-On Breaker Lockout	1
65688	120V Snap-On Breaker Lockouts	6



120 / 277V and 480 / 600V Clamp-On Breaker Lockout

- Works on a wide range of single-pole and internal-trip multi-pole breakers
- Use thumbscrew to clamp lockout onto switch tongue, then pull cover over thumbscrew and lock in place
- Accepts lock shackles up to 0.28 in.
- Detachable cleats expand the range of applicable breakers

Catalog #	Description	Qty.
65396	120 / 277V Clamp-On w/ Cleat	1
65965	120 / 277V Clamp-On w/ Cleat	6
65397	480 / 600V Clamp-On w/ Cleat	1
65966	480 / 600V Clamp-On w/ Cleat	6



Oversized 480 / 600V Clamp-On Breaker Lockout

- Oversized 480 / 600V frame lockout fits breaker switches up to 2.25 in. wide and 0.875 in. thick
- Made of durable polypropylene and glass-filled, impact-modified nylon

Catalog #	Description	Qty.
65329	Oversized Breaker Lockout	1
65321	Oversized Breaker Lockouts	6



Extra Cleats for Clamp-On Breaker Lockout

- Use in conjunction with clamp-on breaker lockouts (sold separately) to expand the range of applicable breakers that can be locked out
- Easily clips onto the bottom of the lockout body
- Assures positive restraint for breakers with long, sliding switch throws

Catalog #	Description	Qty.
65404	Extra Cleats For 120 / 277V Lockout	6
65406	Extra Cleats For 480 / 600V Lockout	6

Circuit Breaker Lockouts

Miniature circuit breaker lockouts for single- and multi-pole breakers

The Miniature Circuit Breaker Lockout Devices from Brady are designed with specific circuit breakers in mind so that lockout can be completed safely and effectively without any tools. These lockouts feature quick and easy installation. Color tips to easily differentiate between devices.



Universal Fit

- One lockout device fits numerous ABB, Hager, Siemens and Schneider mini-circuit breakers
- Low-profile design allows for panel door closure
- Accept locks with shackle diameter up to 0.28 in.
- Quick and easy installation with no tools required
- Works on both single- and multi-pole breakers
- Made from durable, fiberglass reinforced nylon

Catalog #	Type	Qty.
149514	Miniature circuit breaker lockout - Universal Fit (UF)	1
149515	Miniature circuit breaker lockout - Universal Fit (UF)	6



ABB MS325

- Specifically designed to lockout ABB MS325 series breakers
- Easy one-handed push button installation
- Complete lockout with full size padlock
- Extra-wide tip for added lockout security
- Made from durable, fiberglass reinforced nylon

Catalog #	Type	Qty.
149433	Miniature circuit breaker lockout - ABB MS325 (MS)	1
149434	Miniature circuit breaker lockout - ABB MS325 (MS)	6

Devices



Pin-Out Standard (POS)

- Easily installed with a push button; no tools required
- Accept locks with shackle diameter up to 0.28 in.
- Works on both single- and multi-pole breakers
- Made from durable, fiberglass reinforced nylon

Catalog #	Type	Qty.
90844	Miniature circuit breaker lockout - Pin-Out Standard (POS)	1
90845	Miniature circuit breaker lockout - Pin-Out Standard (POS)	6



Pin-In Standard (PIS)

- Easily installed with a push button; no tools required
- Accept locks with shackle diameter up to 0.28 in.
- Works on both single- and multi-pole breakers
- Made from durable, fiberglass reinforced nylon

Catalog #	Type	Qty.
90847	Miniature circuit breaker lockout - Pin-In Standard (POS)	1
90848	Miniature circuit breaker lockout - Pin-In Standard (POS)	6

Miniature circuit breaker compatibility chart

Brand	Poles	Model No.	Type	Catalog # (1/pkg)
ABB	1	S222	POS, UF	90844, 149514
ABB	1	F374	POS, UF	90844, 149514
ABB	1	S251, S261, S263	POS, UF	90844, 149514
ABB	1	S272, S253	POS, UF	90844, 149514
ABB	3	S253	POS, UF	90844, 149514
ABB	3	MS325	MS, UF	149433, 149514
AEG	2	E82S	PIS	90847
Allen-Bradley	1,2,3	1492-CB1, 2, 3	POS	90844
Buschmat	1	S46	POS	90844
Clipsal	1	4CB116	POS	90844
Clipsal	3	4CB320	POS	90844
E-TA	1	911225	PIS	90847
E-TA	2	911220G	POS	90844
FAZ	4	C16	POS	90844
FAZ	1	C16	POS	90844
GE Vynckier	3	Series E	PIS	90847
GE Vynckier	3	Series G	PIS	90847
GE Vynckier	4	Series E	PIS	90847
GE Vynckier	1	Series G	PIS	90847
GE Vynckier 16A	2	Series E	PIS	90847
GE Vynckier C16, 16A	1	Series E	PIS	90847
Hager	3	453717	POS, UF	90844, 149514
Hager	2	MW216A	POS, UF	90844, 149514
Hager	4	MW620A	POS, UF	90844, 149514
Kapp	1	LS68	PIS	90844
Legrand	2	1935	TBLO	90844

Brand	Poles	Model No.	Type	Catalog # (1/pkg)
Legrand	3	1980	TBLO	90844
Legrand	4	1980	TBLO	90844
Legrand	2	4302	PIS	90847
Legrand	3	6469	PIS	90847
Legrand	1	1908	PO	90844
Merlin Gerin	3	C80A	TBLO, POW	90850, 90853
Merlin Gerin	2	B100A	TBLO, POW	90850, 90853
Merlin Gerin	1	C60N	POS	90844
Merlin Gerin	1	C32N	POS	90844
Merlin Gerin	2	C60N	POS	90844
Merlin Gerin	4	C60N	POS	90844
Merlin Gerin	3	C32N	POS	90844
Merlin Gerin	3	C45AD	POS	90844
Proteus	1	C16	POS	90844
Proteus	1	C6	POS	90844
Proteus	3	C6	POS	90844
Siemens 17U	2	5SQ12	TBLO, UF	90853, 149514
Siemens 17U	3	5SQ13	TBLO, UF	90853, 149514
Siemens 17U	4	5SQ16	TBLO, UF	90853, 149514
Siemens 17U	1	5SQ11	POW, UF	90850, 149514
Siemens C10	1	5SX1	POW, UF	90850, 149514
Siemens C32	2	5SX1-2	TBLO, UF	90853, 149514
Siemens C70	3	5SX13	TBLO, UF	90853, 149514
Siemens L20A	2	5SN2-2	TBLO, UF	90853, 149514
Sursum	3	EA53	PIS	90847
Wylex	2	WRS40/2	POS	90844



Pin-Out Wide (POW)

- Easily installed with a push button; no tools required
- Accept locks with shackle diameter up to 0.28 in.
- Works on both single- and multi-pole breakers
- Made from durable, fiberglass reinforced nylon

Catalog #	Type	Qty.
90850	Miniature circuit breaker lockout - Pin-Out Wide (POW)	1
90851	Miniature circuit breaker lockout - Pin-Out Wide (POW)	6

Tie-Bar Lockout (TBLO)

- Thumb wheel for quick application, no tools required
- Accept locks with shackle diameter up to 0.28 in.
- Works on both single- and multi-pole breakers
- Made from durable, fiberglass reinforced nylon

Catalog #	Type	Qty.
90853	Miniature circuit breaker lockout - Tie-Bar Lockout (TBLO)	1
90854	Miniature circuit breaker lockout - Tie-Bar Lockout (TBLO)	6

Fuse and Terminal Block Lockouts

new



Fuse and Terminal Block Lockouts

- Designed for quick and easy installation with no tools needed
- Durable and non-conductive
- Made from fiberglass reinforced nylon
- Accepts 0.25 in. shackle safety padlocks, compact safety padlocks, cable padlocks and nylon ties



0.56 in. Block Fuse Lockout

Catalog #	Fits	Qty.
149280	0.56 in. Fuse Blocks	2
149281	0.56 in. Fuse Blocks	50

USSC2 Modular Fuse Lockout

Catalog #	Fits	Qty.
149282	USSC2 Modular Blocks	2
149283	USSC2 Modular Blocks	50

GE NEC Fuse Lockout

Catalog #	Fits	Qty.
149284	GE, NEC Fuse Blocks	2
149285	GE, NEC Fuse Blocks	50

Terminal Block Lockout

Catalog #	Fits	Qty.
149278	Multiple Terminal Blocks	2
149279	Multiple Terminal Blocks	50


Devices



Universal Fuse Lockout

- Designed to prevent the unintended re-energization of an energy source through a fuse
- Easy to use device fits most fuse holders between 20 and 400 amps
- Dimensions: 1.38 in. x 0.59 in. x 2.36 in.


Catalog #	Description	Qty.
873367	Universal Fuse Lockout - Red	1



Fuse Lockout Device

- Unique locking mechanism prevents device from being accidentally removed from fuse block
- Available in two sizes for most commonly used fuses

Catalog #	Description	Qty.
65750	Fuse Lockout size 13/32 in.	6
65751	Fuse Lockout size 9/16 in.	6



Fuse Blockout Device

- Small blockout device fits fuses 0.25, 0.28, 0.41 and 0.56 in. sizes
- Large blockout to fits 0.68 in., 0.81 in. and blade type fuses

Catalog #	Description	Qty.
65690	Small Fuse Blockout	6
65691	Large Fuse Blockout	6



Safe-T-Grip® Fuse Pullers

- Provides maximum convenience when removing or replacing cartridge fuses
- Notched handles for non-slip grip
- Clearly marked amperage ranges
- Exceeds MIL specifications

Catalog #	Description	Application
65279	5 in. Fuse Puller	For 9/32 in. to 1/2 in. dia. fuses
65280	7.5 in. Fuse Puller	For 0-100A, 250V and 600V



Pneumatic Quick-Disconnect Lockout

- Isolates pneumatic energy without the expense and inconvenience of installing in-line lockout valves
- Device is applied to the male fitting, isolating equipment from all compressed air sources
- Accommodates the majority of 0.25 in., 0.375 in., 0.5 in. male fittings
- Hole in center of device allows for permanent storage on an air hose and a loop on the side can be used to hang the hose and lockout device
- Accepts up to 0.25 in. shackle

Catalog #	Description	Qty.
64221	Pneumatic Lockout	1
65645	Pneumatic Lockout	6



SMC Air Line Regulator Lockout

- Enables regulator to be locked in the on, off or throttled position
- Easy installation: remove snap cap, install lockout on regulator rod, snap replacement cap on regulator
- Comes with lockout, cap and allen wrench. Padlock not included.

Catalog #	Description
64539	Lockout for Miniature SMC Models AR2000 / NAR2000
64540	Lockout for Intermediate SMC Models AR3000 / NAR3000



Cylinder Tank Lockout

- Used to lockout cylinder tanks, including propane tanks on fork trucks and stand alone propane tanks
- Apply with ease to prevent access to the valve handle
- Designed to fit in tight spaces
- Valve stem hole is 1.25 in. diameter
- Made of rugged polystyrene plastic

Catalog #	Description
SD02M	Cylinder Tank Lockout



Gas Cylinder Lockout

- Prevents access to main cylinder valve
- No need to match your lockout device to varying diameters and threads of cylinder caps
- Accommodates neck rings up to 3.5 in. diameter
- Easy and efficient installation

Catalog #	Description
LM023E	Gas Cylinder Lockout



Snap Cap™ Gas Cylinder Lockout

- Designed to fit most North American pressure gas cylinders
- Meets DOT standards Denies access to the main cylinder control and regulator attachment
- Powder-coated welded steel construction is extremely durable

Catalog #	Size	Thread Type
90496	6.5 in. x 3.125 in. x 11 UN	High Pressure Fine Thread
95137	6.5 in. x 3.5 in. x 11 UN	Low Pressure Fine Thread
95138	6.5 in. x 3.125 in. x 11 UN	High Pressure Coarse Thread
95139	6.5 in. x 3.5 in. x 11 UN	Low Pressure Coarse Thread

Safety Covers

new



Pendant Control Safety Cover

- Innovatively designed device controls access to your pendant controls
- Rigid sides prevent access on all four sides to prevent access to buttons
- Expandable for use on multiple-sized pendants up to 18 inches
- Collapsible design for easy transport and storage – simply flatten, store or take wherever need
- Room for up to four padlocks

Catalog #	Description		Qty.
150587	Pendant Control Safety Cover	5.25 in W x 11 in L (Expands to fit 18 in pendant)	1



Devices



Push Button and E-Stop Safety Covers

- Temporarily prevent access to the ON / OFF and emergency stop buttons
- Universal fit for IEC and NEMA buttons
- Features one-time installation of low profile base and removable, transparent cover which allows view of button position while cover is installed
- Hinged eyelet accepts safety locks
- Each base supplied with 1 yellow label, 1 red label and adhesive backing



Each base supplied with 1 yellow label, 1 red label and adhesive backing

Catalog #	Description	Button	Color	Qty.
134018	Small Base with Short Cover	16mm	Red Cover	1
130819	Small Base with Tall Cover	16mm	Red Cover	1
130820	Medium Base with Medium Cover	22mm	Red Cover	1
130821	Large Base with Medium Cover	30mm	Red Cover	1
139793	Small Base with Short Cover	16mm	Clear Cover	1
139794	Small Base with Tall Cover	16mm	Clear Cover	1
139795	Medium Base with Medium Cover	22mm	Clear Cover	1
139796	Large Base with Medium Cover	30mm	Clear Cover	1
130822	Extra Bases - Small	16mm	Clear	5
130823	Extra Bases - Medium	22mm	Clear	5
130824	Extra Bases - Large	30mm	Clear	5



Wall Switch Lockouts

- Use with most wall-mounted switches
- Easy to install using existing screws
- Come in a high visibility red color and can lock switch in ON or OFF position

Catalog #	Description	Qty.
65392	Red Wall Switch Lockout	1
65696	Red Wall Switch Lockout	6



Wall Switch Lockouts

- Use with most wall-mounted switches
- Easy to install using existing screws
- Features a patented non-hinge design and is made of strong, clear polycarbonate

Catalog #	Description	Qty.
WSLO	Clear Wall Switch Lockout	1

*Padlock not included



Push Button Cover NEMA 30.5 mm (PBL6)



Push Button Cover IEC 22.5mm (PBL8)

Push Button Safety Covers

- 104602: Clear hinged cover completely covers button, and prevents access. White legend plate included
- 104603: Clear and metal hinged cover completely covers button preventing access

Catalog #	Type	Qty
PBL6	Push Button Safety Cover - NEMA 30.5 mm	1
PBL8	Push Button Safety Cover - IEC 22.5 mm	1



Emergency Stop Cover NEMA 30.5mm (PBL2)



Emergency Stop Cover IEC 22.5mm (PBL4)

Emergency Stop Safety Covers

- Permanently install over push / pull or twist-release emergency stops
- Durable metal bar locks button in the depressed OFF position when lock shackle is inserted

Catalog #	Type	Qty
PBL2	Emergency Stop Cover - NEMA 30.5 mm	1
PBL4	Emergency Stop Cover - IEC 22.5 mm	1

Plug Lockouts

new



BatteryBlock™ Battery Cable Lockout for Commercial Vehicles

- Innovatively designed device keeps battery cables locked out throughout vehicle maintenance
- Non-conductive post and cover prevent the cable from slipping or being pulled out of the device
- Low-profile design for tight working areas
- Space for up to two padlocks so your device stays secured throughout maintenance
- Large size fits terminal end and inline connectors



Large size fits terminal end and inline connectors



Internal post prevents cable from slipping or being pulled out

Catalog #	Type	Qty
150820	BatteryBlock Cable Lockout - Small	1
150822	BatteryBlock Cable Lockout - Small	24
150821	BatteryBlock Cable Lockout - Large	1
150823	BatteryBlock Cable Lockout - Large	24

Devices



3-In-1 Electrical Plug Lockout

- Accommodates high and low-voltage plugs up to 3 in. diameter and 5.5 in. long
- 2 sliding top lids can be used individually or together to accommodate small, medium and large-diameter cords up to 1.25 in.
- Constructed of yellow thermoplastic
- Supplied with bilingual label

Catalog #	Type	Qty
PLO23	3-in-1 Plug Lockout	1




Electrical Plug Lockouts

- Prevent electrical plugs from being inserted into a wall outlet. Use when plug will not remain under the exclusive control of the person performing service
- Constructed of rugged polypropylene
- Small 110V lockout: 2 in. x 2 in. x 3.5 in. with 0.5 in. dia. hole for cable
- Large 220 / 500V lockout: 3.25 in. x 3.25 in. x 7 in. with 1 in. dia. hole for cable

Catalog #	Type	Qty
65674	Small 110V Plugout	1
65675	Large 220 / 500V Plugout	1





Electrical / Pneumatic Plug Lockout

- Accommodates a large variety of electrical plugs up to 3.5 in. diameter and 5 in. long as well as male air hose connectors
- Holes accommodate electrical cord or necked down pneumatic male fittings commonly attached to compressed air hose
- Works on 110V, 220V and 550V plugs
- Constructed of durable polystyrene

Catalog #	Type	Qty
PLO27E	Electrical / Pneumatic Plug Lockout	1



Hubbell Plugout™ Lockout

- Two sizes available to fit most heavy industrial plug applications
- Small dimensions: 4.25 in. x 7.31 in. maximum cord dia. 1.2 in. max plug size 2.75 in x 4.75 in
- Large dimensions: 6.31 in. x 12.47 in. maximum cord dia. 1.46 in. max plug size 4.5 in x 10.3 in

Catalog #	Type	Qty
65695	Small Hubbell Plugout Lockout	1
65968	Large Hubbell Plugout Lockout	1



Stoppower® Plug Lockouts

- Ideal for office equipment and other frequently locked out cords
- For use on 2 or 3 pronged polarized plugs
- Cord cannot be plugged in with Stoppower in place
- Device cannot be removed without key

Catalog #	Type	Qty.
65673	Red Stoppower Plug (keyed different)	1
QB0033	Red Stoppower Plug (keyed alike)	1



Detachable IEC Plug Lockout

- Block to prevent power going to the socket
- Durable, vibrant-orange nylon material
- Lightweight, compact size
- Simply plug into socket and twist

Catalog #	Type	Qty.
148081	Detachable IEC Lockout	1

*Padlock not included



AC Sensor

- Selected by OSHA Electrical Technical Equipment Committee as the only instrument of its type for use by OSHA compliance officers to identify and cite electrical hazards of 50-1000 volts AC
- CAT IV rated and UL Listed

Catalog #	Description	Qty.
65269	AC Sensor	1

Combination Lockout Kits

Electrical / Valve Combination Lockout Kits

These combination lockout kits can be purchased with or without padlocks and tags. Padlocks included in these kits are keyed differently (each lock has its own unique key). For kits keyed alike, see the Personal Lockout Kits.



Combination Lockout Satchel

- Everything you need to lock out the most common mechanical and electrical control points, with extra valve lockout devices
- Components:
 - 1 - Large Univ. Valve Lockout w/ Blocking Arm (50899 and 65403)
 - 1 - All-Purpose Cable Lockout w/ 8 ft. Sheathed Cable (50943)
 - 1 - 0.25 in. to 1 in. Ball Valve Lockout (65666)
 - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
 - 1 - 2.5 in. to 5 in. Gate Valve Lockout (65561)
 - 1 - 5 in. to 6.5 in. Gate Valve Lockout (65562)
 - 1 - 120V Snap-On Breaker Lockout (65387)
 - 1 - 120 / 277V Clamp-On Breaker Lockout w/ Cleat (65396)
 - 1 - 480 / 600V Clamp-On Breaker Lockout w/ Cleat (65397)
 - 1 - Universal Multi-pole Breaker Lockout (66321)
 - 1 - 110V Electrical Plug Lockout (65674)
 - 1 - Wall Switch Lockout (65392)
 - 1 - Lockout Satchel (51173)
 - Optional:
 - 2 - Keyed-different Padlocks
 - 2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Combination Lockout Toolbox

- Contains all of the basic tools needed to lock out gate and ball valves, circuit breakers, switches and plugs
- Components:
 - 1 - 1 in. to 6.5 in. Adjustable Gate Valve Lockout (64057)
 - 1 - 0.25 in. to 1 in. Ball Valve Lockout (65666)
 - 1 - 1.25 in. to 3 in. Ball Valve Lockout (65669)
 - 1 - 120V Snap-On Breaker Lockout (65387)
 - 1 - 120 / 277V Clamp-On Breaker Lockout w/ Cleat (65396)
 - 1 - 480 / 600V Clamp-On Breaker Lockout w/ Cleat (65397)
 - 1 - Universal Multi-pole Breaker Lockout (66321)
 - 1 - 110V Electrical Plug Lockout (65674)
 - 1 - Wall Switch Lockout (65392)
 - 1 - Lockout Belt Pouch (51172)
 - 1 - Extra-Large Lockout Toolbox (LKP-TKLBOX)
 - Optional:
 - 2 - Keyed-different Padlocks
 - 2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

SafeKey Padlocks

Maintenance Lockout Kit

- Lockout kit specifically designed for use by internal maintenance crews
- Components:
 - 1 - 0.5 in. to 2.5 in. Small Ball Valve Lockout (BS07A)
 - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
 - 1 - 2.5 in. to 5 in. Gate Valve Lockout (65561)
 - 1 - All-Purpose Cable Lockout (50943)
 - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
 - 1 - Wall Switch Lockout (65392)
 - 2 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
 - 2 - Universal Multi-pole Breaker Lockouts (66321)
 - 1 - 110V Electrical Plug Lockout (65674)
 - 1 - AC Sensor (65269)
 - 10 - Lockout Danger Tags (LT10)
 - 1 - 1 in. Steel Lockout Hasp (T218)
 - 1 - 1.5 in. Steel Lockout Hasp (T220)
 - 1 - Sheet of Lock Labels (LID-2)
 - 1 - Lockout Safety Training Booklet (2112X)
 - 1 - Plastic Utility Box (LKP-TKLBOX)
 - 3 - Keyed-different Padlocks

Lockout Kits

Catalog #	Description
99686	Combination Lockout Satchel Kit
99687	Kit w/ 2 Nylon Padlocks and 2 Tags
99688	Kit w/ 2 Steel Padlocks and 2 Tags

Catalog #	Description
99682	Combination Lockout Toolbox Kit
99684	Kit w/ 2 Nylon Padlocks and 2 Tags
99685	Kit w/ 2 Steel Padlocks and 2 Tags

Catalog #	Description
150952	Kit w/ 3 SafeKey Nylon Padlocks w/ Steel Shackles
150951	Kit w/ 3 SafeKey Aluminum Padlocks
134032	Kit w/ 3 Key-Retaining Steel Padlocks

View individual devices

- Padlocks..... page 10
- Mini Cable Lockouts..... page 30
- Cable Lockouts page 30
- Ball Valve Lockouts page 34
- Gate Valve Lockouts..... page 33
- Plug Valve Lockouts page 34
- Breaker Lockouts page 40
- Fuse Lockouts page 46



Combination Lockout Kits



SafeKey Padlocks

Premium Lockout Kit

- Premium portable lockout kit that contains a large variety of electrical and mechanical lockout devices, tags, and labels
- Components:
 - 2 - Multi-pole Breaker Lockouts (BL07)
 - 3 - Single Pole Breaker Lockouts (BL01)
 - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
 - 1 - 2.5 in. to 5 in. Gate Valve Lockout (65561)
 - 1 - Cable Lockout Device (CABLO)
 - 1 - Wall Switch Lockout (WSLO)
 - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
 - 1 - 120-600 AC Voltage Sensor (ESAC600)
 - 3 - 1.5 in. Steel Lockout Hasps (T220)
 - 5 - Lockout Labels "Lock Out Before Servicing" (LOS15)
 - 5 - Lockout Labels "Lock Out Here" (LOS14)
 - 5 - Lockout Labels "Caution This Machine Must Be Locked Out" (LOS2)
 - 20 - Lockout Tags (LT10)
 - 14 - Padlock Labels (LID-2)
 - 1 - Lockout Safety Training Booklet (2112X)
 - 1 - Extra-Large Lockout Toolbox (LKP-TKLBOX)
 - 3 - Keyed-different Padlocks

Catalog #	Description
LKP-SK-NS	Kit w/ 3 SafeKey Nylon Padlocks w/ Steel Shackles
LKP-SK-AL	Kit w/ 3 SafeKey Aluminum Padlocks
LKP	Kit w/ 3 Key-Retaining Steel Padlocks



Ultimate Lockout Kit

- Ultimate portable lockout kit contains a variety of lockout devices for electrical and mechanical applications
- Components:
 - 1 - Safetee™ Donut 1 in. to 2.5 in. (SD02)
 - 1 - Safetee™ Donut 5 in. to 6.5 in. (SD06)
 - 1 - Ball Valve Lockout (BS07A)
 - 1 - Ball Valve Lockout (BS08A)
 - 1 - Electrical Plug / Pneumatic Lockout (PL027E)
 - 1 - Cable Lockout Device (CABLO)
 - 2 - No-hole Breaker Lockout (BL04)
 - 2 - Triple-pole Breaker Lockout (BL03)
 - 1 - Multi-pole Breaker Lockout (BL07)
 - 2 - 1.5 in. Steel Lockout Haspa (T220)
 - 1 - Wall Switch Lockout (WSLO)
 - 10 - "Danger Do Not Operate" Lockout Tags (LT10)
 - 1 - Lockout Safety Training Booklet (2112X)
 - 1 - 120-600 AC Voltage Sensor (ESAC600)
 - 3 - 0.75 in. Steel Padlocks, blue (LC041-BU)
 - 1 - Duffel Style Lockout Bag (LX980E)

Catalog #	Description
LK981E	Ultimate Lockout Kit
LK980E	Lockout Bag Only



SafeKey Padlocks

Combination Lockout Duffel

- Everything you need to lock out the most common mechanical and electrical control points, with extra electrical lockout devices
- Components:
 - 1 - Mini Cable Lockout (50940)
 - 1 - 120V Snap-On Breaker Lockout (65387)
 - 1 - 120 / 277V Clamp-On Breaker Lockout (65396)
 - 1 - 480 / 600V Clamp-On Breaker Lockout (65397)
 - 1 - Universal Multi-pole Breaker Lockout (66321)
 - 1 - Oversized Breaker Lockout (65329)
 - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
 - 1 - Wall Switch Lockout (65392)
 - 1 - Small Plug Valve (113231)
 - 1 - Large Plug Valve (113232)
 - 1 - 1 in. to 6.5 in. Adj. Gate Valve Lockout (64057)
 - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
 - 1 - 0.25 in. to 1 in. Ball Valve Lockout (65666)
 - 1 - Large Univ. Valve Lockout w/ Blocking Arm (50899 and 65403)
 - 1 - Lockout Belt Pouch (51172)
 - 1 - Lockout Duffel Bag (99162)
 - Optional:
 - 2 - Keyed-different Padlocks
 - 2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
150990	Kit w/ 2 SafeKey Nylon Padlocks w/ Steel Shackles and 2 Tags
150989	Kit w/ 2 SafeKey Aluminum Padlocks and 2 Tags
99690	Kit w/ 2 Nylon Padlocks and 2 Tags
99691	Kit w/ 2 Steel Padlocks and 2 Tags
99689	Kit without padlocks or tags



Lockout Kit - Spanish


- Everything you need to lockout electrical and mechanical isolation points. All contents come with Spanish legends.
- Components:
 - 2 - 1.25 in. to 3 in. Steel Ball Valve Lockout (65669)
 - 2 - 0.25 in. to 1 in. Nylon Ball Valve Lockout (65666)
 - 2 - 1 in. to 2.5 in. Gate Valve Lockouts (65560)
 - 2 - 2.5 in. to 5 in. Gate Valve Lockouts (65561)
 - 1 - 110V Electrical Plug Lockout (65674)
 - 1 - 220 / 550V Electrical Plug Lockout (65675)
 - 6 - Wall Switch Lockouts (65392)
 - 6 - 120V Snap-On Breaker Lockouts (65387)
 - 6 - 120 / 277V Clamp-On Breaker Lockouts (65396)
 - 6 - Universal Multi-pole Breaker Lockouts (66321)
 - 5 - Spanish Aluminum Labeled Lockout Hasps
 - 25 - Spanish Lockout Danger Tags w/ Cable Ties
 - 6 - 0.75 in. Keyed-different Steel Padlocks (99504)
 - 6 - 2 in. Keyed-different Steel Padlocks (99528)
 - 2 - Lockout Canvas Security Bags (65780)

Catalog #	Description
65043	Lockout Kit - Spanish

Electrical Lockout Kits

Electrical Lockout Kits

Standard electrical lockout kits can be purchased with or without padlocks and tags. The padlocks included in these kits are keyed differently (each lock has its own unique key). For keyed alike kits, see the Personal Lockout Kits.



SafeKey Padlocks

Portable Padlock Pouch

- Portable kit includes selection of padlocks, tags and hasps
- Components:
 - 2 - Keyed-different Padlocks
 - 2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
 - 1 - 1 in. Group Lockout Hasp (65375)
 - 1 - 1.5 in. Group Lockout Hasp (65376)
 - 1 - Lockout Belt Pouch (51172)

Catalog #	Description
150967	Kit w/ 2 SafeKey Nylon Padlocks w/ Steel Shackles
150949	Kit w/ 2 SafeKey Aluminum Padlocks
99290	Kit w/ 2 Nylon Padlocks
99292	Kit w/ 2 Steel Padlocks



Electrical Power Pouch Kit

- Versatile lockout pouch contains useful electrical lockout devices and padlocks
- Components:
 - 2 - Lockout Tags
 - 1 - StoPower™ Electrical Plug Lockout (65673)
 - 1 - Wall Switch Lockout (65392)
 - 1 - 110V Electrical Plug Lockout (65674)
 - 1 - 1 in. Steel Lockout Hasp (65375)
 - 1 - Lockout Pouch (87943)

Catalog #	Description
95548	Electrical Power Pouch Kit
95550	Kit w/ 1 Red Steel Padlock



Breaker Lockout Pouch

- Versatile lockout pouch contains the most commonly used electrical lockout devices
- Components:
 - 1 - Universal Multi-pole Breaker Lockout (66321)
 - 1 - 120 / 277V Clamp-On Breaker Lockout (65396)
 - 1 - 480 / 600V Clamp-On Breaker Lockout (65397)
 - 1 - 110V Electrical Plug Lockout (65674)
 - 1 - 1 in. Steel Safety Lockout Hasp (65375)
 - 1 - Lockout Pouch (87943)

Catalog #	Description
95553	Breaker Lockout Pouch

Lockout Kits



Breaker Lockout Pouch Kit

- Contains our most popular circuit breaker lockouts
- Components:
 - 1 - Universal Multi-pole Breaker Lockout (66321)
 - 1 - 120 / 277V Clamp-On Breaker Lockout w/ Cleat (65396)
 - 1 - 480 / 600V Clamp-On Breaker Lockout w/ Cleat (65397)
 - 1 - 120V Snap-On Breaker Lockout (65387)
 - 2 - Lockout Tags
 - 1 - Red Nylon Padlock (99552)
 - 1 - Lockout Pouch (87943)

Catalog #	Description
95538	Breaker Lockout Pouch Kit



120 / 277V Breaker Lockout Pouch

- All the devices you need to lockout most 120 / 277V circuit breakers
- Components:
 - 2 - 120V Snap-On Breaker Lockouts (65387)
 - 2 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
 - 2 - Universal Multi-pole Breaker Lockouts w/ Cleats (66321)
 - 1 - Lockout Belt Pouch (51172)
 - Optional:
 - 2 - Keyed-different Padlocks
 - 2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
99300	120 / 277V Breaker Lockout Pouch Kit
99302	Kit w/ 2 Nylon Padlocks and 2 Tags
99303	Kit w/ 2 Steel Padlocks and 2 Tags



SafeKey Padlocks

Breaker Lockout Sampler Pouch

- One each of our most popular circuit breaker lockouts
- Components:
 - 1 - 120V Snap-On Breaker Lockout (65387)
 - 1 - 120 / 277V Clamp-On Breaker Lockout w/ Cleat (65396)
 - 1 - 480 / 600V Clamp-On Breaker Lockout w/ Cleat (65397)
 - 1 - Universal Multi-pole Breaker Lockout (66321)
 - 1 - Oversized Breaker Lockout (65329)
 - 1 - Lockout Belt Pouch (51172)
 - Optional:
 - 2 - Keyed-different Padlocks
 - 2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
150969	Kit w/ 2 SafeKey Nylon Padlocks w/ Steel Shackles
150970	Kit w/ 2 SafeKey Compact Nylon Padlocks w/ Nylon Shackles
99296	Kit w/ 2 Nylon Padlocks and 2 Tags
99297	Kit w/ 2 Steel Padlocks and 2 Tags
99293	Kit without padlocks and tags



Electrical Lockout Pouch

- Lightweight, portable pouch contains lockout devices to secure electrical equipment. Convenient metal loops on pouch allow pouch to hang on belt.
- Components:
 - 1 - 120 / 277V Clamp-On Breaker Lockout (65396)
 - 1 - Universal Multi-pole Breaker Lockout (66321)
 - 1 - 110V Electrical Plug Lockout (65674)
 - 2 - Lockout Danger Tags
 - 1 - Aluminum Labeled Lockout Hasp
 - 1 - 2 in. Steel Padlock, Blue (99528)
 - 1 - Lockout Pouch (65292)

Catalog #	Description
65291	Electrical Lockout Pouch



Comprehensive Breaker Lockout Pouch

- Lightweight, portable pouch contains lockout devices to secure electrical equipment. Convenient metal loops on pouch allow pouch to hang on belt.
- Components:
 - 1 - 110V Electrical Plug Lockout (65674)
 - 3 - Wall Switch Lockouts (65392)
 - 3 - Universal Multi-pole Breaker Lockouts (66321)
 - 3 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
 - 2 - 480 / 600V Clamp-On Breaker Lockouts w/ Cleats (65397)
 - 1 - 120 / 277V Additional Cleat (102721)
 - 1 - 480 / 600V Additional Cleat (102722)
 - 1 - Lockout Pouch (65292)

Catalog #	Description
65405	Comprehensive Breaker Lockout Pouch



Electrical Lockout Pouch Kit

- Compact and easy to use lockout pouch with the most common electrical devices
- Components:
 - 1 - 120 / 277V Clamp-On Breaker Lockout w/ Cleat (65396)
 - 1 - 120V Snap-On Breaker Lockout (65387)
 - 1 - 110V Electrical Plug Lockout (65674)
 - 1 - Universal Multi-pole Breaker Lockout (66321)
 - 1 - Wall Switch Lockout (65392)
 - 10 - Lockout Danger Tags (LT10)
 - 1 - 1.5 in. Steel Lockout Hasp (T220)
 - 1 - 0.75 in. Key-retaining Steel Padlock, Blue (143130)
 - 1 - Large Lockout Pouch

Catalog #	Description
134031	Brady Electrical Lockout Pouch Kit



Breaker Lockout Pouch Kit

- Compact and easy to use lockout pouch with the most common circuit breaker lockout devices
- Components:
 - 2 - 120V Snap-On Circuit Breaker Lockouts (65387)
 - 2 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
 - 2 - Universal Multi-pole Breaker Lockouts (66321)
 - 1 - Oversized Breaker Lockout (65329)
 - 10 - Lockout Danger Tags (LT10)
 - 1 - 1.5 in. Steel Lockout Hasp (T220)
 - 1 - 0.75 in. Key-retaining Steel Padlock, Blue (143130)
 - 1 - Large Lockout Pouch

Catalog #	Description
134034	Brady Breaker Lockout Pouch Kit

Electrical Lockout Kits



Lockout Kit With Large Box

- Versatile lockout kit with essential lockout tagout components
- Components:
 - 3 - 120V Snap-On Breaker Lockouts (65387)
 - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
 - 2 - Universal Multi-pole Breaker Lockouts (66321)
 - 1 - Sheet of Lock Labels (LID-2)
 - 10 - Lockout Danger Tags (LT10)
 - 3 - 1.5 in. Steel Lockout Hasps (T220)
 - 3 - 0.75 in. Key-retaining Steel Padlocks, Blue (143130)
 - 1 - Lockout Safety Training Booklet (2112X)
 - 1 - Plastic Utility Box

Catalog #	Description
134035	Brady Lockout Kit With Large Box



Electrical Lockout Starter Kit

- Contains everything you need to mark and secure a variety of electrical components to protect employees
- Components:
 - 1 - 110V Electrical Plug Lockout (65674)
 - 1 - 220/500V Electrical Plug Lockout (65675)
 - 6 - Wall Switch Lockouts (65392)
 - 6 - 120V Snap-On Breaker Lockouts (65387)
 - 6 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
 - 6 - Universal Multi-pole Breaker Lockouts (66321)
 - 3 - Labeled Group Lockout Hasps (65960 English / 39480 Spanish)
 - 10 - Lockout Tags with Cable Ties
 - 2 - 0.75 in. Steel Padlocks, Blue (99504)
 - 2 - 2 in. Steel Padlocks, Blue (99528)
 - 1 - Canvas Lockout Bag (65780)

Catalog #	Description
65777	English Electrical Lockout Starter Kit (Danger Tags)
121510	Spanish Electrical Lockout Starter Kit (Precaucion Tags)
121513	Spanish Electrical Lockout Starter Kit (Peligro Tags)

Lockout Kits



SafeKey Padlocks

Basic Electrical Lockout Toolbox

- A handy lockout toolbox kit that includes your most commonly used electrical lockout devices
- Components:
 - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
 - 1 - 0.25 in. to 1 in. Ball Valve Lockout (65666)
 - 1 - 110V Electrical Plug Lockout (65674)
 - 1 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
 - 1 - 480 / 600V Clamp-On Breaker Lockouts w/ Cleats (65397)
 - 1 - Wall Switch Lockout (65392)
 - 1 - Universal Multi-pole Breaker Lockout (66321)
 - 1 - Labeled Group Lockout Hasp (65960)
 - 5 - Lockout Tags (65525)
 - 2 - Padlocks
 - 1 - Lockout Toolbox (65290)

Catalog #	Description
150981	Kit w/ 2 SafeKey Nylon Padlocks (1.5 in. and 3 in. steel shackles)
150982	Kit w/ 2 SafeKey Aluminum Padlocks (1.5 in. and 3 in. shackles)
65289	Kit w/ 2 Steel Padlocks (0.75 in. and 2 in. shackles)

View individual devices

- Padlocks..... page 10
- Mini Cable Lockouts..... page 30
- Cable Lockouts page 30
- Ball Valve Lockouts page 34
- Gate Valve Lockouts..... page 33
- Plug Valve Lockouts page 34
- Breaker Lockouts page 40
- Fuse Lockouts page 46





Lockout Toolbox with Components

- Economical lockout toolbox with the most common electrical circuit breaker lockouts
- Components:
 - 1 - 220 / 550V Electrical Plug Lockout (65675)
 - 1 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
 - 1 - 480 / 600V Clamp-On Breaker Lockouts w/ Cleats (65397)
 - 1 - Universal Multi-pole Breaker Lockout (66321)
 - 2 - Lockout Tags
 - 1 - Nylon Padlock, Red (99552)
 - 1 - Lockout Toolbox (65290)

Catalog #	Description
95540	Lockout Toolbox with Components



Breaker Lockout Toolbox

- Everything you need to lockout most circuit breakers
- Components:
 - 1 - Mini Cable Lockout (50940)
 - 2 - 120V Snap-On Breaker Lockout (65387)
 - 2 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
 - 2 - 480 / 600V Clamp-On Breaker Lockouts w/ Cleats (65397)
 - 1 - Universal Multi-pole Breaker Lockout (66321)
 - 1 - Oversized Breaker Lockout (65329)
 - 1 - Lockout Toolbox (65290)
 - Optional: Optional:
 - 2 - Keyed-different Padlocks
 - 2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
99305	Breaker Lockout Toolbox Kit
99307	Kit w/ 2 Nylon Padlocks and 2 Tags
99308	Kit w/ 2 Steel Padlocks and 2 Tags



Optional Sign and Rack

SafeKey Padlocks

Economy Lockout Kit with Toolbox

- Ensure equipment is de-energized or locked out in accordance with OSHA regulations
- Sign and Rack also available to conveniently hold the kit
- Components:
 - 3 - 1.5 in. Steel Lockout Hasps (T220)
 - 14 - Padlock Identifier Labels (LID-2)
 - 1 - pkg. (10) - Lockout Tags with Ties (LT10)
 - 3 - Single Pole Breaker Lockouts (BLO1)
 - 2 - Multi-pole Breaker Lockouts (BLO3)
 - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
 - 1 - Lockout Training Booklet (2112X)
 - 1 - Toolbox (7 in. x 12 in. x 5 in.)
 - 3 - Keyed-different Padlocks
 - Optional: 1 Sign and Storage Rack

Catalog #	Description
LKX-SK-NS	Kit w/ 3 SafeKey Nylon Padlocks w/ Steel Shackles
LKX-SK-AL	Kit w/ 3 SafeKey Aluminum Padlocks
LKX	Kit w/ 3 Steel Padlocks
LKXSET	Kit w/ 3 Steel Padlocks, Sign and Storage Rack
LKX-Rack	Sign and Store Rack only



SafeKey Padlocks

Electrical Lockout Toolbox

- Contains all of the basic devices needed to lock out circuit breakers, electrical plugs, wall switches and fuses
- Components:
 - 1 - Mini Cable Lockout (50940)
 - 2 - 120V Snap-On Breaker Lockouts (65387)
 - 2 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
 - 2 - 480 / 600V Clamp-On Breaker Lockouts w/ Cleats (65397)
 - 2 - Universal Multi-pole Breaker Lockouts (66321)
 - 2 - Cleats for 120 / 277V Clamp-On Lockouts (65404)
 - 2 - Cleats for 480 / 600V Clamp-On Lockouts (65406)
 - 1 - Oversized Breaker Lockout (65329)
 - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
 - 1 - Wall Switch Lockout (65392)
 - 1 - Small Fuse Blockout (65690)
 - 1 - Large Fuse Blockout (65691)
 - 1 - Extra-Large Lockout Toolbox (LKP-TKLBOX)
 - 1 - Red Belt Pouch (51172)
 - Optional: 2 - Keyed-different Padlocks, 2 Heavy-duty Tags w/ Cable Ties

Catalog #	Description
150972	Kit w/ 2 SafeKey Nylon Padlocks w/ Steel Shackles and 2 Tags
150971	Kit w/ 2 SafeKey Compact Nylon Padlocks w/ Nylon Shackles and 2 Tags
99312	Kit w/ 2 Nylon Padlocks and 2 Tags
99313	Kit w/ 2 Steel Padlocks and 2 Tags
99310	Kit without padlocks or tags

Valve Lockout Kits

Valve Lockout Kits

The valve lockout kits can be purchased with or without padlocks and tags. The padlocks included in these kits are keyed differently (each lock has its own unique key). For kits keyed alike, see the Personal Lockout Kits.



Valve Lockout Pouch

- Components:
 - 1 - 1 in. to 6.5 in. Adjustable Gate Valve Lockout (64057)
 - 2 - 0.5 in. to 2.5 in. Small Ball Valve Lockout (BS07A)
 - 1 - Plug Valve Lockout for stem dia. up to 0.875 in. (113231)
 - 1 - Plug Valve Lockout for stem dia. 20.28 in. to 1.375 in. (113232)
 - 1 - Large Lockout Pouch (50979)
 - Optional:
 - 2 - Keyed-different Padlocks
 - 2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
99679	Valve Lockout Pouch Kit
99680	Kit w/ 2 Nylon Padlocks and 2 Tags
99681	Kit w/ 2 Steel Padlocks and 2 Tags



Gate Valve Lockout Pouch

- Components:
 - 1 - 1 in. to 6.5 in. Adjustable Gate Valve Lockout (64057)
 - 1 - All-Purpose Cable Lockout w/ 8 ft. Sheathed cable (50943)
 - 1 - Nylon Carrying Case (50979)
 - Optional:
 - 2 - Keyed-different Padlocks
 - 2 - Heavy-duty Lockout Tags w/ Cable Ties

Catalog #	Description
101416	Gate Valve Lockout Pouch Kit
102692	Kit w/ 2 Nylon Padlocks and 2 Tags
102693	Kit w/ 2 Steel Padlocks and 2 Tags

Lockout Kits



Gate Valve Lockout Satchel

- Components:
 - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
 - 1 - 2.5 in. to 5 in. Gate Valve Lockout (65561)
 - 1 - 5 in. to 6.5 in. Gate Valve Lockout (65562)
 - 1 - 6.5 in. to 10 in. Gate Valve Lockout (65563)
 - 1 - 10 in. to 13 in. Gate Valve Lockout (65564)
 - 1 - Lockout Satchel (51173)
 - Optional:
 - 2 - Keyed-different Padlocks
 - 2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
99676	Gate Valve Lockout Satchel Kit
99677	Kit w/ 2 Nylon Padlocks and 2 Tags
99678	Kit w/ 2 Steel Padlocks and 2 Tags

Keyed-alike Padlocks

See the Personal Lockout Kits section for kits with keyed-alike padlocks.





Valve Lockout Kit

- The essential lockout devices needed for the most common valves in your facility
- Components:
 - 1 - 2.3 in. to 5 in. Gate Valve Lockout (65561)
 - 10 - 7 in. Red Cable Ties (FT100X-RED)
 - 1 - All-Purpose Cable Lockout (50943)
 - 2 - 0.5 in. to 2.5 in. Small Ball Valve Lockout (BS07A)
 - 10 - Bilingual Lockout Tags (TG400B-ONE)
 - 2 - 1.5 in. Steel Lockout Hasp (T220)
 - 2 - 0.75 in. Key-retaining Steel Padlocks, Blue (143130)
 - 1 - Plastic Utility Box (LKP-TKLBOX)

Catalog #	Description
134033	Valve Lockout Kit



Valve Lockout Toolbox

- Everything you need to lock out gate, ball and butterfly valves
- Components:
 - 1 - Small Universal Valve Lockout w/ Blocking Arm (50924 and 65402)
 - 1 - All-Purpose Cable Lockout w/ 8 ft. Sheathed Cable (50943)
 - 1 - 1 in. to 6.5 in. Adjustable Gate Valve Lockout (64057)
 - 1 - 0.25 in. to 1 in. Ball Valve Lockout (65666)
 - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
 - 1 - Extra-Large Lockout Toolbox (LKP-TKLBOX)
 - Optional:
 - 2 - Keyed-different Padlocks
 - 2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
99320	Gate Valve Lockout Toolbox Kit
99321	Kit w/ 2 Nylon Padlocks and 2 Tags
99324	Kit w/ 2 Steel Padlocks and 2 Tags

Lockout Tagout Technical Data Sheets

Download technical sheets for over 350 lockout SKUs including lockout devices and padlocks.

These sheets offer lots of information, including:

- Basic product description and photos
- Material information and temperature resistance
- Chemical resistance
- Detailed dimensional data
- SDS information on the materials

To view all technical data sheets visit:

BradyID.com/techdata



Personal Lockout Kits

Personal Lockout Kits

Personal lockout kits come equipped with keyed-alike padlocks, allowing all the locks in a kit to be opened with a single key. This simplifies key management and ensures that employees can quickly and easily find the right key. For kits containing padlocks that are keyed different (each padlock has its own unique key), see the standard lockout kits on previous pages. Or select a personal lockout kit without padlocks, and purchase the padlocks separately.



Personal Padlock Pouch

- Components:
 - 2 - 1 in. Group Lockout Hasps (65375)
 - 2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
 - 2 - Keyed-different Padlocks
 - 1 - Lockout Belt Pouch (51172)

Catalog #	Description
105969	Kit w/ Keyed-alike Nylon Padlocks
105970	Kit w/ Keyed-alike Steel Padlocks



Operator Lockout Tagout Kit

- Components:
 - 1 - Lockout Safety Card
 - 1 - Lockout Danger Tag
 - 1 - 1.5 in. Steel Lockout Hasp (T220)
 - 1 - 120 / 277V Clamp-On Breaker Lockout w/ Cleat (65396)
 - 1 - Nylon Padlock, Black (99580)
 - 1 - Plastic Box

Catalog #	Description
134030	Brady Operator Lockout Tagout Kit



SafeKey Padlocks

Standard Lockout Belt Pack

- Components:
 - 1 - Lockout Safety Card
 - 2 - Lockout Danger Tags
 - 1 - Lockout Keychain
 - 2 - 7 in. Red Cable Ties (FT100X-RED)
 - 1 - 1.5 in. Steel Lockout Hasp (T220)
 - 1 - Lockout Pouch (LKPOUCH)
 - 1 - Padlock

Catalog #	Description
LK627E-SK-NS	Kit w/ SafeKey Nylon Padlock w/ Steel Shackle
LK627E-SK-AL	Kit w/ SafeKey Aluminum Padlock
LK627E	Kit w/ Aluminum Padlock

Lockout Kits



Personal Breaker Pouch

- Covers 120 / 277V and 480 / 600V single- and multi-pole breakers.
- Components:
 - 1 - 120 / 277V Clamp-On Breaker Lockout w/ Cleat (65396)
 - 1 - 480 / 600V Clamp-On Breaker Lockout w/ Cleat (65397)
 - 1 - Universal Multi-pole Breaker Lockout (66321)
 - 2 - 1 in. Group Lockout Hasps (65375)
 - 2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
 - 1 - Lockout Belt Pouch (51172)
 - Optional: 2 - Keyed-different Padlocks

Catalog #	Description
105966	Personal Breaker Lockout Pouch Kit
105967	Kit w/ 2 Keyed-alike Nylon Padlocks
105968	Kit w/ 2 Keyed-alike Steel Padlocks



Cable Lockout Kit

- Components:
 - 2 - Cable Lockout Devices (CABLO)
 - 2 - Laminated Steel Padlocks (LC041-BU)
 - 1 - 1 in. Steel Lockout Hasp (T218)
 - 2 - English and Spanish Tags w/ Ties
 - 1 - Polyethylene Carrying Case (7 in. x 12 in. x 5 in.)

Catalog #	Description
LK520B	Cable Lockout Kit



Chain Lockout Kit

- Components:
 - 3 - 1.5 in. Steel Lockout Hasp (T220)
 - 3 - Aluminum Padlocks (LCO44-RD)
 - 3 - Lockout Tags w/ Ties
 - 1 - 48 in. Chain
 - 1 - Carrying Case (7 in. x 12 in. x 5 in.)

Catalog #	Description
LK041R	Lockout Kit w/ 1 Chain
LK042R	Lockout Kit w/ 2 Chains



Personal Basic Lockout Kit

- Contains the basic devices needed to lockout common circuit breakers, valves and plugs
- Components:
 - 1 - 0.5 in. to 2.5 in. Small Ball Valve Lockout (BS07A)
 - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
 - 1 - 120 / 277V Clamp-On Breaker Lockout w/ Cleat (65396)
 - 1 - Universal Multi-pole Breaker Lockout (66321)
 - 1 - Small 110V Electrical Plug Lockout (65674)
 - 2 - 1 in. Lockout Hasps (65375)
 - 2 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
 - 1 - Small Lockout Toolbox (105905)
 - Optional: 2 - Keyed-alike Padlocks

Catalog #	Description
104794	Personal Basic Lockout Kit
104795	Kit w/ 2 Keyed-alike Nylon Padlocks
104796	Kit w/ 2 Keyed-alike Steel Padlocks



SafeKey Padlocks

Personal Breaker Lockout Kit

- Tool box with 2 each of our most popular circuit breaker lockouts
- Covers 120 / 277V and 480 / 600V circuit breakers in single- and multi- pole configurations
- Components:
 - 2 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
 - 2 - 480 / 600V Clamp-On Breaker Lockouts w/ Cleats (65397)
 - 2 - Universal Multi-pole Breaker Lockouts (66321)
 - 3 - 1 in. Red Lockout Hasps (65375)
 - 3 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
 - 1 - Small Lockout Toolbox (105905)
 - Optional: 3 - Keyed-alike Padlocks

Catalog #	Description
150980	Kit w/ 3 Keyed-alike SafeKey Nylon Padlocks w/ Steel Shackles
150979	Kit w/ 3 Keyed-alike SafeKey Compact Nylon Padlocks w/ Nylon Shackles
105964	Kit w/ 3 Keyed-alike Nylon Padlocks
105965	Kit w/ 3 Keyed-alike Steel Padlocks
105963	Kit without padlocks



Basic Lockout Kit with Metal Toolbox

- Rugged lockout toolbox kit with all of the basic components to get your lockout program started
- Components:
 - 5 - 7 in. Red Cable Ties (FT100X-RED)
 - 5 - Lockout Danger Tags
 - 3 - 1.5 in. Steel Lockout Hasps (T220)
 - 1 - Lockout Keychain
 - 2 - 4 in. x 6 in. Magnetic Danger Sign
 - 1 - Lockout Mini Poster (PS811B)
 - 1 - OSHA Lockout Summary Sheet
 - 1 - Number Sheets
 - 1 - Pad of Lockout Tagout Checklists (119076)
 - 1 - Red Metal Toolbox
 - Optional: 3 - 1.5 in. Keyed-alike Aluminum Padlocks, Red

Catalog #	Description
LK330E	Basic Lockout Kit
LK907E	Kit w/ 3 Keyed-alike Aluminum Padlocks



Lockout Kit with Metal Toolbox

- Rugged lockout toolbox kit with all of the basic components to get your lockout program started
- Components:
 - 5 - 7 in. Red Cable Ties (FT100X-RED)
 - 5 - Lockout Danger Tags
 - 3 - 1.5 in. Steel Lockout Hasps (T220)
 - 1 - Lockout Keychain
 - 2 - 4 in. x 6 in. Magnetic Danger Sign
 - 1 - Lockout Mini Poster (PS811B)
 - 1 - OSHA Lockout Summary Sheet
 - 1 - Number Sheets
 - 1 - AC Sensor (65269)
 - 3 - 1.5 in. Keyed-alike Aluminum Padlocks, Red
 - 1 - Red Metal Toolbox

Catalog #	Description
LK331E	Lockout Kit

Personal Lockout Kits



SafeKey Padlocks

Personal Electrical Lockout Kit

- Contains lockouts for use on most circuit breakers, electrical plugs and disconnect switches.
- Components:
 - 1 - Mini Cable Lockout (50940)
 - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
 - 2 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
 - 1 - 480 / 600V Clamp-On Breaker Lockout w/ Cleat (65397)
 - 2 - Universal Multi-pole Breaker Lockout (66321)
 - 1 - Oversized Breaker Lockout (65329)
 - 3 - 1 in. Group Lockout Hasps (65375)
 - 3 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
 - 1 - Medium Lockout Toolbox (105906)
 - Optional: 3 - Keyed-alike Padlocks

Catalog #	Description
150978	Kit w/ 3 Keyed-alike SafeKey Nylon Padlocks w/ Steel Shackles
150977	Kit w/ 3 Keyed-alike SafeKey Compact Nylon Padlocks w/ Nylon Shackles
105961	Kit w/ 3 Keyed-alike Nylon Padlocks
105962	Kit w/ 3 Keyed-alike Steel Padlocks
105960	Kit without padlocks



Personal Valve Lockout Kit

- Contains lockouts for use on a wide range of gate and ball valves
- Components:
 - 1 - 1 in. to 6.5 in. Adjustable Gate Valve Lockout (64057)
 - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
 - 1 - 0.5 in. to 2.5 in. Small Ball Valve Lockout (BS07A)
 - 1 - All-Purpose Cable Lockout (50943)
 - 3 - 1 in. Group Lockout Hasps (65375)
 - 3 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
 - 1 - Medium Lockout Toolbox (105906)
 - Optional: 3 - Keyed-alike Padlocks

Catalog #	Description
105957	Personal Valve Lockout Kit
105958	Kit w/ 3 Keyed-alike Nylon Padlocks
105959	Kit w/ 3 Keyed-alike Steel Padlocks

Lockout Kits



SafeKey Padlocks

Personal Valve and Electrical Lockout Kit

- Provides everything you need to lockout circuit breakers, plugs and valves of various types and sizes
- Components:
 - 1 - All-Purpose Cable Lockout (50943)
 - 1 - 1 in. to 6.5 in. Adjustable Gate Valve Lockout (64057)
 - 1 - Plug Valve Lockout for stem dia. up to 0.875 in. (113231)
 - 1 - Plug Valve Lockout for stem dia. 0.28 in. to 1.375 in. (113232)
 - 1 - 0.5 in. to 2.5 in. Small Ball Valve Lockout (BS07A)
 - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
 - 2 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
 - 1 - 480 / 600V Clamp-On Breaker Lockout w/ Cleat (65397)
 - 2 - Universal Multi-pole Breaker Lockouts (66321)
 - 3 - 1 in. Group Lockout Hasps (65375)
 - 3 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
 - 1 - Medium Lockout Toolbox (105906)
 - Optional: 3 - Keyed-alike Padlocks

Catalog #	Description
150987	Kit w/ 3 Keyed-alike SafeKey Nylon Padlocks w/ Steel Shackles
150988	Kit w/ 3 Keyed-alike SafeKey Aluminum Padlocks
105955	Kit w/ 3 Keyed-alike Nylon Padlocks
105956	Kit w/ 3 Keyed-alike Steel Padlocks
105954	Kit without padlocks

View individual devices

- Padlocks..... page 10
- Mini Cable Lockouts..... page 30
- Cable Lockouts page 30
- Ball Valve Lockouts page 34
- Gate Valve Lockouts..... page 33
- Plug Valve Lockouts page 34
- Breaker Lockouts page 40
- Fuse Lockouts page 46



Custom Lockout Storage

Create your custom lockout kits by picking one of the storage / carrying cases below and filling it with the lockout devices you need.



Lockout Belt Pouch

- Made of heavy duty nylon with loops for hanging on a belt
- Dimensions: 4.75 in. x 7.5 in.

Catalog #	Description
51172	Lockout Belt Pouch



Large Lockout Pouch

- Nylon pouch with attachment loop on the back
- Dimensions: 8 in. x 7 in. x 3 in.

Catalog #	Description
50979	Large Lockout Pouch w/ Plastic Zipper
121502	Large Lockout Pouch w/ Metal Zipper



Lockout Security Bag

- Made of rugged canvas with drawstring
- Capable of being locked closed
- Dimensions: 9.75 in. x 18 in.

Catalog #	Description
65780	Lockout Security Bag



Lockout Satchel

- Nylon satchel with 39 in. shoulder strap
- Includes latchable front pocket and two side mesh holders
- Dimensions: 14 in. x 4 in. x 15 in.

Catalog #	Description
51173	Lockout Satchel



Extra-Large Lockout Toolbox

- Made of rugged polyethylene and includes a removable organizer tray
- Capable of being locked closed
- Dimensions: 5 in. x 12 in. x 7 in.

Catalog #	Description
LKX-TKLBOX	Lockout Toolbox



Lockout Duffel Bag

- Polyester duffel bag with 8 inside pockets and 39 in. removable shoulder strap
- Dimensions: 10 in. x 16.5 in. x 8.5 in.

Catalog #	Description
99162	Lockout Duffel Bag



Lockout Toolboxes

- Rugged polypropylene with nickel-plated steel clasps and removable tray
- Two handy storage pockets built into lid
- Small: 7.1 in. x 14 in. x 5.5 in.
- Medium: 7.8 in. x 16.2 in. x 7.3 in.

Catalog #	Description
105905	Small Toolbox
105906	Medium Toolbox



Large Metal Lockout Cabinet

- All metal, yellow powder-coated cabinet comes with one adjustable shelf
- Capable of being locked closed
- Can also be easily wall mounted using pre-drilled holes in back
- Safety tips printed on inside door
- Dimensions: 16 in. x 14 in. x 6 in.

Catalog #	Description
LC252M	Metal Lockout Cabinet
LC254M	Extra Shelf



Ready Access Lockout Station

- Made of polypropylene
- Semi-transparent hinged cover with locking mechanism
- Four small detachable hanging hooks
- Dimensions: 17 in. x 17 in. x 6.75 in.

Catalog #	Description
105942	Ready Access Lockout Station (empty)

Lockout Stations



Lockout Tagout Stations

Lockout Tagout Stations ensure that lockout devices are properly stored and always accessible when needed. They are a great place to centralize lockout activity needs by organizing the tools, padlocks and padlock keys in one location. Available in portable and wall-mounted styles, these stations are designed with the durability required for an industrial workplace, and can be locked to prevent theft and unauthorized usage.



Combined Lockout / Group Lockout Box Station

- Lockable all metal, yellow powder-coated cabinet comes with one adjustable shelf (extra shelves available)
- Included lock box attaches to bottom of cabinet (holds 8-10 locks)
- Cabinet dimensions: 16 in. x 14 in. x 6 in. Lock box: 6 in. x 15 in. x 3 in.
- Components:
 - 1 - 120V Snap-On Breaker Lockouts (65387)
 - 1 - 120 / 277V Clamp-On Breaker Lockout w/ Cleats (65396)
 - 1 - 480 / 600V Clamp-On Breaker Lockout w/ Cleats (65397)
 - 1 - Universal Multi-pole Breaker Lockout (66321)
 - 1 - Oversized Breaker Lockout (65329)
 - 1 - Wall Switch Lockout (65392)
 - 1 - 110V Electrical Plug Lockout (65674)
 - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
 - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
 - 1 - 1 in. to 6.5 in. Adjustable Gate Valve Lockout (64057)
 - 6 - Keyed-different Padlocks
 - 6 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Industrial Strength Lockout Station

- All metal, yellow powder-coated cabinet comes with one adjustable shelf (extra shelves available)
- Lockout safety tips on inside door
- Wall mounted or easily transported
- Cabinet dimensions: 16 in. x 14 in. x 6 in.
- Components:
 - 3 - Red Nylon Padlocks (99552)
 - 3 - Yellow Nylon Padlocks (99570)
 - 1 - 2.5 in. to 5 in. Safetee™ Donut (SDO4)
 - 1 - 1 in. to 2.5 in. Safetee™ Donut (SD02)
 - 1 - Single-Pole Breaker Lockout (BLO1)
 - 10 - Lockout Tags with Ties (LT10)
 - 2 - Multi-pole Breaker Lockout (BLO3)
 - 1 - 1 in. Multiple Lockout Device (T218)
 - 1 - Single-Pole Breaker Lockout (BLO4)
 - 1 - 1.5 in. Multiple Lockout Device (T220)
 - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
 - 1 - Small Plug Lockout (PLO21)

Lockout Kits

Catalog #	Description
99709	Station w/ Components and 6 Nylon Padlocks, 12 Tags
99710	Station w/ Components and 6 Steel Padlocks, 12 Tags
LC252M	Metal Lockout Cabinet (empty)
LG252M	Metal Wall Lock Box Only
LC254M	Extra Shelf

Catalog #	Description
LC251M	Industrial Strength Lockout Station
LC252M	Metal Lockout Cabinet (empty)
LC254M	Extra Shelf



Pictured: Ready Access Valve and Electrical Lockout Station

Ready Access Lockout Station

- Made of thermoformed polypropylene for rugged durability
- Semi-transparent hinged cover with locking mechanism
- Slots in back for wall mounting as well as attachable carrying handle for portability
- 4 detachable hanging hooks inside compartment
- Storage compartment: 4.25 in. x 16 in. x 5.12 in.
Cabinet dimensions: 17 in. x 17 in. x 6.75 in.

Ready Access Valve Lockout Station

- 1 - Ready Access Lockout Station (105942)
- 2 - Adjustable Gate Valve Lockouts (64057)
- 1 - All-Purpose Cable Lockout (50943)
- 2 - Ball Valve Lockouts (BS07A)
- 2 - 1 in. Group Lockout Hasps (65375)
- 1 - 1.5 in. Group Lockout Hasp (65376)
- Optional:
 - 6 - Keyed-different Padlocks
 - 6 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
105936	Valve Lockout Station Kit
105937	Kit w/ 6 Nylon Padlocks and Tags
105938	Kit w/ 6 Steel Padlocks and Tags
105942	Ready Access Lockout Station (empty)

SafeKey Padlocks

Ready Access Electrical Lockout Station

- 1 - Ready Access Lockout Station (105942)
- 2 - 3-in-1 Electrical Plug Lockouts (PLO23)
- 1 - Mini Cable Lockout (50940)
- 2 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
- 2 - 480 / 600V Clamp-On Breaker Lockouts w/ Cleats (65397)
- 2 - Universal Multi-pole Breaker Lockouts (66321)
- 1 - Oversized Breaker Lockout (65329)
- 2 - 1 in. Group Lockout Hasps (65375)
- 1 - 1.5 in. Group Lockout Hasp (65376)
- Optional:
 - 6 - Keyed-different Padlocks
 - 6 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
150986	Kit w/ 6 SafeKey Nylon Padlocks and Tags
150985	Kit w/ 6 SafeKey Aluminum Padlocks and Tags
105940	Kit w/ 6 Nylon Padlocks and Tags
105941	Kit w/ 6 Steel Padlocks and Tags
105939	Kit without Padlocks or Tags
105942	Ready Access Lockout Station (empty)

Ready Access Valve and Electrical Lockout Station

- 1 - Ready Access Lockout Station (105942)
- 1 - Adjustable Gate Valve Lockout (64057)
- 1 - All-Purpose Cable Lockout (50943)
- 1 - Ball Valve Lockout (BS07A)
- 1 - 3-in-1 Electrical Plug Lockout (PLO23)
- 2 - 120 / 277V Clamp-On Breaker Lockouts w/ cleats (65396)
- 1 - 480 / 600V Clamp-On Breaker Lockout w/ cleat (65397)
- 2 - Universal Multi-pole Breaker Lockouts (66321)
- 2 - 1 in. Group Lockout Hasps (65375)
- 1 - 1.5 in. Group Lockout Hasp (65376)
- Optional:
 - 6 - Keyed-different Nylon Padlocks (99552) or steel padlocks (99500)
 - 6 - Heavy-duty Lockout Tags w/ Cable Ties (65520)

Catalog #	Description
105933	Valve and Electrical Station Kit
105934	Kit w/ 6 Nylon Padlocks and Tags
105935	Kit w/ 6 Steel Padlocks and Tags
105942	Ready Access Lockout Station (empty)



Pictured: Ready Access Station with 10 Padlocks

Ready Access Padlock Station

- Holds up to 10 padlocks, 6 hasps and 10 tags
- Made of polypropylene for rugged durability
- Semi-transparent hinged cover with locking mechanism
- Slots in back for wall mounting as well as attachable carrying handle for portability
- Space-saving design delivers footprint half the size of competitors
- Dimensions: 17 in. x 13.25 in. x 2.5 in.

SafeKey Padlocks

Padlock Station w/ 5 Padlocks:

- 1 - Ready Access Padlock Station (105932)
- 5 - Keyed-different Padlocks
- 5 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
- 2 - 1 in. Group Lockout Hasps (65375)
- 2 - 1.5 in. Group Lockout Hasps (65376)

Catalog #	Description
105928	Station w/ 5 Nylon Padlocks
105929	Station w/ 5 Steel Padlocks
105932	Ready Access Padlock Station (empty)

Padlock Station w/ 10 Padlocks:

- 1 - Ready Access Padlock Station (105932)
- 10 - Keyed-different Padlocks
- 10 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
- 3 - 1 in. Group Lockout Hasps (65375)
- 3 - 1.5 in. Group Lockout Hasps (65376)

Catalog #	Description
150984	Station w/ 10 SafeKey Nylon Padlocks
150955	Station w/ 10 SafeKey Aluminum Padlocks
105930	Station w/ 10 Nylon Padlocks
105931	Station w/ 10 Steel Padlocks
105932	Ready Access Padlock Station (empty)

Lockout Stations



Shown without optional lockable clear acrylic door



Shown without optional lockable clear acrylic door



SafeKey Padlocks

Extra-Large Lockout Station

- Polystyrene station with pre-drilled holes for easy wall mounting
- Pegboard-style holes for hooks drilled into back and sides (includes 8 hooks)
- Built-in lock rail holds 20–25 locks
- Dimensions: 30 in. x 25 in. x 5.25 in. Available with or without lockable door
- Components:
 - 1 - All-Purpose Cable Lockout w/ 8 ft. Sheathed Cable (50943)
 - 1 - Large Univ. Valve Lockout w/ Blocking Arm (50899 and 65403)
 - 2 - 120V Snap-On Breaker Lockouts (65387)
 - 2 - 120 / 277V Clamp-On Breaker Lockouts (65396)
 - 2 - 480 / 600V Clamp-On Breaker Lockouts (65397)
 - 2 - Universal Multi-pole Breaker Lockouts (66321)
 - 1 - Oversized Breaker Lockout (65329)
 - 2 - Cleats for 120 / 277V Clamp-On Lockouts (65404)
 - 2 - Cleats for 480 / 600V Clamp-On Lockouts (65406)
 - 1 - Wall Switch Lockout (65392)
 - 1 - 110V Electrical Plug Lockout (65674)
 - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
 - 1 - 0.25 in. to 1 in. Ball Valve Lockout (65666)
 - 1 - 1.25 in. to 3 in. Ball Valve Lockout (65669)
 - 2 - 1 in. to 2.5 in. Gate Valve Lockouts (65560)
 - 1 - 1 in. to 6.5 in. Adj. Gate Valve Lockout (64057)
 - 2 - Labeled Lockout Hasps (65960)
 - 12 - Keyed-different Padlocks
 - 25 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
 - 1 Station with "Lockout Station" legend

Catalog #	Description
Open Style Without Door	
150974	Open Station w/ Components, 18 SafeKey Nylon Padlocks and 25 Tags
150964	Open Station w/ Components, 18 SafeKey Aluminum Padlocks and 25 Tags
99693	Open Station w/ Components, 18 Nylon Padlocks and 25 Tags
99694	Open Station w/ Components, 18 Steel Padlocks and 25 Tags
50993	Open Lockout Station (empty)
Enclosed Style With Lockable Door	
150975	Enclosed Station w/ Components, 18 SafeKey Nylon Padlocks and 25 Tags
150973	Enclosed Station w/ Components, 18 SafeKey Aluminum Padlocks and 25 Tags
99696	Enclosed Station w/ Components, 18 Nylon Padlocks and 25 Tags
99700	Enclosed Station w/ Components, 18 Steel Padlocks and 25 Tags
50995	Enclosed Lockout Station (empty)

Large Lockout Station

- Constructed of sturdy polystyrene with pre-drilled holes for easy wall mounting
- Pegboard-style holes for hooks drilled into back (includes 6 hooks)
- Built-in lock rail holds 15–20 locks
- Dimensions: 26 in. x 19.5 in. x 5 in. Available with or without lockable door
- Components:
 - 1 - All-Purpose Cable Lockout w/ 8 ft. Sheathed Cable (50943)
 - 1 - Large Univ. Valve Lockout w/ Blocking Arm (50899 and 65403)
 - 1 - 110V Electrical Plug Lockout (65674)
 - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
 - 1 - 0.25 in. to 1 in. Ball Valve Lockout (65666)
 - 1 - 1 in. to 2.5 in. Gate Valve Lockout (65560)
 - 1 - 1 in. to 6.5 in. Adjustable Gate Valve Lockout (64057)
 - 2 - Labeled Lockout Hasps (65960)
 - 12 - Keyed-different Padlocks
 - 25 - Heavy-duty Lockout Tags w/ Cable Ties
 - 1 Station with "Lockout Station" or "Estacion de Bloqueo" legend

Catalog #	Description
Open Style Without Door	
99699	English Station w/ Components, 12 Nylon Padlocks and 25 "Danger Do Not Operate" Tags
121508	Spanish Station w/ Components, 12 Nylon Padlocks and 25 "Precaucion No Hacer Funcionar" Tags
121512	Spanish Station w/ Components, 12 Nylon Padlocks and 25 "Peligro No Operar" Tags
99697	English Station w/ Components, 12 Steel Padlocks and 25 "Danger Do Not Operate" Tags
50994	English Open Style Station (empty)
121509	Spanish Open Style Station (empty)
Enclosed Style With Lockable Door	
99703	English Enclosed Station w/ Components, 12 Nylon Padlocks and 25 "Danger Do Not Operate" Tags
99704	English Enclosed Station w/ Components, 12 Steel Padlocks and 25 "Danger Do Not Operate" Tags
50996	English Enclosed Station (empty)

Small Lockout Station

- Constructed of sturdy polystyrene with pre-drilled holes for easy wall mounting
- Pegboard-style holes for hooks drilled into back (includes 4 hooks)
- Built-in lock rail holds 10–15 locks
- Dimensions: 18 in. x 12 in. x 4 in.
- Components:
 - 1 - Mini Cable Lockout (50940)
 - 2 - 120V Snap-On Breaker Lockouts (65387)
 - 2 - 120 / 277V Clamp-On Breaker Lockouts w/ Cleats (65396)
 - 2 - 480 / 600V Clamp-On Breaker Lockouts w/ Cleats (65397)
 - 2 - Universal Multi-pole Breaker Lockouts (66321)
 - 1 - Oversized Breaker Lockout (65329)
 - 1 - Wall Switch Lockout (65392)
 - 1 - 110V Electrical Plug Lockout (65674)
 - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
 - 1 - Small Fuse Blockout (65690)
 - 1 - Large Fuse Blockout (65691)
 - 2 - Labeled Lockout Hasps (65960)
 - 6 - Keyed-different Padlocks
 - 12 - Heavy-duty Lockout Tags w/ Cable Ties (65520)
 - 1 Station with "Lockout Station" legend

Catalog #	Description
99706	Station w/ Components, 6 Nylon Padlocks and 12 Tags
99707	Station w/ Components, 6 Steel Padlocks and 12 Tags
50997	Small Lockout Station (empty)



SafeKey Padlocks

Starter Lockout Station

- Heavy-duty lockout cabinet with the essential items needed to keep your facility safe and locked out
- Components:
 - 1 - Ball Valve Lockout (BS07A)
 - 2 - 2.5 in. to 5 in. Gate Valve Lockout (65561)
 - 2 - 3-in-1 Electrical Plug Lockout (PLO23)
 - 6 - 1.5 in. Steel Lockout Hasp (T220)
 - 50 - 7 in. Red Cable Ties (FT100X-RED)
 - 25 - Lockout Tags (TG027E)
 - 6 - Key-different Padlocks
 - 1 - Lockout Tagout Cabinet Station (LC977A)

Catalog #	Description
LC517E-SK-NS	Station w/ 3 Red and 3 Yellow SafeKey Nylon Padlocks
LC517E-SK-AL	Station w/ 3 Red and 3 Yellow SafeKey Aluminum Padlocks
LC517E	Station w/ 3 Red and 3 Yellow Nylon Padlocks



Valve and Electrical Station

- Heavy-duty lockout cabinet contains many common valve and electrical lockout devices needed in a facility
- Components:
 - 1 - Ball Valve Lockout (BS07A)
 - 3 - No-Hole Breaker Lockout (BL04)
 - 3 - Multi-pole Breaker Lockout (BL07)
 - 6 - 1.5 in. Steel Lockout Hasp (T220)
 - 2 - 3-in-1 Electrical Plug Lockout (PLO23)
 - 3 - Wall Switch Lockout (WSLO)
 - 2 - 2.5 in. to 5 in. Gate Valve Lockout (65561)
 - 50 - 7 in. Red Cable Ties (FT100X-RED)
 - 1 - OSHA Lockout Summary Sheet
 - 1 - Lockout Mini Poster (PS811B)
 - 25 - Lockout Tags (TG027E)
 - 1 - Lockout Tagout Cabinet Station (LC977A)

Catalog #	Description
LC518E	Valve and Electrical Lockout Station



SafeKey Padlocks

Lockout Tagout Station

- Fully equipped lockout tagout station to store all of your devices
- Components:
 - 1 - 0.5 in. to 2.5 in. Ball Valve Lockout (BS07A)
 - 2 - 2.3 in. to 5 in. Gate Valve Lockouts (65561)
 - 2 - 120 / 277V Clamp-On Breaker Lockout w/ Cleats (65396)
 - 3 - Universal Multi-pole Breaker Lockouts (66321)
 - 2 - 3-in-1 Electrical Plug Lockouts (PLO23)
 - 2 - Wall Switch Lockouts (65392)
 - 6 - 1.5 in. Steel Lockout Hasps (T220)
 - 1 - OSHA Lockout Tagout Summary Sheet
 - 100 - Red Cable Ties (FT100)
 - 25 - Lockout Danger Tags (TG027E)
 - 6 - Keyed-different Padlocks
 - 1 - Lockout Cabinet (LC584E)

Catalog #	Description
150953	Station w/ 3 Red and 3 Yellow SafeKey Nylon Padlocks
150976	Station w/ 3 Red and 3 Yellow SafeKey Aluminum Padlocks
134036	Station w/ 3 Red and 3 Yellow Nylon Padlocks



Safety Lockout Center

- Provides ready access to locks, tags, lockout devices and information
- Made of tough acrylic plastic
- Station size: 30 in. x 24 in. x 4.5 in.
- Components:
 - 6 - Multi-Color Steel Padlocks
 - 2 - 10 pack English Lockout Tags with Ties (LT10)
 - 5 - 1.5 in. Lockout Hasps (T220)
 - 25 - English Lockout Safety Booklets (2112X)

Catalog #	Description
3001	Safety Lockout Center
3012	Board Only



Bilingual Safety Lockout Center

- Provides ready access to locks, tags, lockout devices and information
- Made of tough acrylic plastic
- Station size: 30 in. x 24 in. x 4.5 in.
- Components:
 - 6 - Multi-color padlocks
 - 2 - 10 pack Bilingual Tags with Ties (TG400B-10)
 - 5 - 1.5 in. Lockout Hasps (T220)
 - 15 - English Lockout Safety Booklets (2112X)
 - 10 - Spanish Lockout Safety Booklets (2112SPX)

Catalog #	Description
3002	Bilingual Safety Lockout Center
3013	Bilingual Board Only

May we also suggest:



Lockout Station V-Sign

- Enhance the visibility of your Lockout Station with this V-shaped polyethylene sign
- Sign size: 5.5 in. x 10 in.

Catalog #	Description
45367	Lockout Center V-Sign

Lockout Stations



Wall-Mount Lockout Center

- Large, easily identifiable lockout station holds all of the necessary lockout items
- Components:
 - 2 - 1.5 in. Steel Lockout Hasp (T220)
 - 1 - 2.5 in. to 5 in. Gate Valve Lockout (65561)
 - 1 - 3-in-1 Electrical Plug Lockout (PLO23)
 - 1 - Small Plug Lockout (PLO21)
 - 1 - 0.5 to 2.5 in. Small Ball Valve Lockout (BS07A)
 - 2 - 4 in. x 6 in. Magnetic Danger Sign
 - 1 - Pad of Lockout Tagout Checklists (119076)
 - 1 - Lockout Mini Poster (PS811B)
 - 10 - Lockout Danger Tags
 - 2 - 1.5 in. Red Alum. Lock, Keyed Different (99615)
 - 2 - 1.5 in. Blue Alum. Lock, Keyed Different (99616)
 - 2 - 1.5 in. Yellow Alum. Lock, Keyed Different (99618)
 - 2 - 1.5 in. Green Alum. Lock, Keyed Different (99617)
 - 1 - Large Yellow Lockout Board (LC501E)

Catalog #	Description
LC502E	Lockout Center
LC501E	Lockout Board Only (empty)



Micro Lockout Station

- Compact and convenient mini-lockout station for essential items
- Components:
 - 5 - 7 in. Red Cable Ties (FT100X-RED)
 - 1 - 1.5 in. Steel Lockout Hasp (T220)
 - 2 - Lockout Tags (LT1)
 - 1 - 0.75 in. Red Key-retaining Steel Padlock (143126)
 - 1 - Micro Lockout Board (LC226A)

Catalog #	Description
KT226A	Micro Lockout Station
LC226A	Board Only (empty)



Small Wall-Mount Lockout Center

- Unfilled, wall-mounted lockout center holds many of your most common devices needed around the facility for easy access and storage

Catalog #	Description
LC744E	Lockout Center (empty)

Lockout Kits



4-Lock Board

- Dimensions: 9 in. x 12 in.
- Components:
 - 10 - Lockout Tags (LT10)
 - 1 - 1.5 in. Lockout Hasp (T220)
 - 4 - 0.75 in. Key-retaining Steel Locks (143130)
 - 1 - Lockout Tagout Center (LC202G)

Catalog #	Description
LC203G	Lockout Station
LC202G	Lockout Board Only (empty)



SafeKey Padlocks

5-Lock Board

- Dimensions: 11.5 in. x 15.5 in.
- Components:
 - 5 - Keyed-different Padlocks
 - 1 - 1 in. Metal Hasp (65375)
 - 1 - 1.5 in. Metal Hasp (65376)
 - 12 - Heavy-duty Tags (65520)

Catalog #	Description
150960	Board w/ 5 SafeKey Aluminum Padlocks
150959	Board w/ 5 SafeKey Nylon Padlocks
51181	Board w/ 5 Nylon Padlocks
51186	Board w/ 5 Steel Padlocks
50989	Board Only (empty)



6-Lock Board

- Dimensions: 14 in. x 14 in.
- Components:
 - 10 - Lockout Tags (LT10)
 - 4 - 1.5 in. Lockout Hasps
 - 24 - Heavy-duty Tags
 - 6 - 0.75 in. Key-retaining Steel Locks (green, yellow, black, white, blue, red)
 - 1 - Lockout Tagout Center (3004Y)

Catalog #	Description
3003Y	Economy Lockout Center
3004Y	Lockout Board Only (empty)

Custom boards available
Contact Customer Service to order.



6-Lock Bilingual Board

- Dimensions: 14 in. x 14 in.
- Components:
 - 10 - Bilingual Lockout Tags (TG400B-ONE)
 - 1 - 1 in. Lockout Hasp (T218)
 - 1 - 1.5 in. Lockout Hasp (T220)
 - 6 - 0.75 in. Key-retaining Steel Locks (green, yellow, black, white, blue, red)
 - 1 - Bilingual Lockout Tagout Center (LC210G)

Catalog #	Description
LC211G	Bilingual Lockout Center
LC210G	Bilingual Lockout Board Only (empty)



SafeKey Padlocks

10-Lock Board

- Dimensions: 13.5 in. x 13.5 in.
- Components:
 - 10 - Keyed-different Padlocks
 - 2 - 1 in. Hasps (65375)
 - 2 - 1.5 in. Hasps (65376)
 - 12 - Heavy-duty Tags (65520)

Catalog #	Description
150962	Board and 10 SafeKey Aluminum Padlocks
150961	Board and 10 SafeKey Nylon Padlocks
51187	Board and 10 Nylon Padlocks
51188	Board and 10 Steel Padlocks
50990	Board Only (empty)



Did you know?

Lock boards contribute to a successful lockout program by providing storage at the point of need for all of your devices

- Boards are made of thick, bright yellow acrylic with acrylic lock rails
- Tag pockets are made of clear polycarbonate and will hold tags up to 3 in. wide



SafeKey Padlocks

20-Lock Board

- Dimensions: 23.5 in. x 11.5 in.
- Components:
 - 20 - Keyed-different Padlocks
 - 2 - 1 in. Hasps (65375)
 - 2 - 1.5 in. Hasps (65376)
 - 24 - Heavy-duty Tags

Catalog #	Description
150963	Lockout Station Board, Danger Do Not Operate Tags and 20 SafeKey Nylon Padlocks
150983	Lockout Station Board, Danger Do Not Operate Tags and 20 SafeKey Aluminum Padlocks
51189	Lockout Station Board, Danger Do Not Operate Tags and 20 Nylon Padlocks
51194	Lockout Station Board, Danger Do Not Operate Tags and 20 Steel Padlocks
121507	Estacion de Bloqueo Board, Precaucion No Hacer Funcionar Tags and 20 Nylon Padlocks
121511	Estacion de Bloqueo Board, Peligro No Operar Tags and 20 Nylon Padlocks
50991	Lockout Station Board Only
121506	Estacion de Bloqueo Board Only




SafeKey Padlocks

36-Lock Board

- Dimensions: 21.5 in. x 23.5 in.
- Components:
 - 36 - Keyed-different Padlocks
 - 3 - 1 in. Hasps (65375)
 - 3 - 1.5 in. Hasps (65376)
 - 36 - Heavy-duty Tags (65520)

Catalog #	Description
150965	Board and 36 SafeKey Nylon Padlocks
150966	Board and 36 SafeKey Aluminum Padlocks
51195	Board and 36 Nylon Padlocks
51196	Board and 36 Steel Padlocks
50992	Board Only (empty)



Looking for a portable solution?

Ready Access Padlock Station

- Polypropylene cabinet with semi-transparent lockable door can be carried or wall mounted
- Holds up to 10 padlocks, 6 hasps and 10 tags

See page 65 for more information.

B

Battery Cable Lockout.....	50
Blind Flange Lockout.....	32
Butterfly Valve Lockouts	32

C

Cable Lockout Kit.....	60
Cable Lockouts	30
Cable Padlocks	30
Chain Lockout Kit.....	60
Circuit Breaker Lockout Guide	36
Circuit Breaker Lockouts	42
Collapsible Gate Valve	33

E

Electrical Lockout Tagout Kits	54
Electrical Lockouts	41
Energy Source Tags	28

F

Fuse Lockouts	46
---------------------	----

G

Gas and Air Lockouts.....	47
Group Lock Boxes.....	20

H

Hasp.....	19
-----------	----

L

Lock and Tag Carrier.....	23
Lock Boards	68
Lock Boxes.....	21
Lockout Hasps	19
Lockout Procedures	4
Lockout Stations	64
Lockout Tagout Kits.....	52
Lockout Tagout Training	7
Lockout Tags	25

M

Miniature Circuit Breaker Lockout	44
---	----

P

Padlock Storage.....	23
Padlock Labels.....	18
Padlocks.....	8
Padlocks - Aluminum.....	17
Padlocks - Nylon	14
Padlocks - Nylon Lock Tag Kit.....	15
Padlocks - SafeKey	12
Padlocks - SafeKey Lock Tag Kit	13
Padlocks - Steel.....	16
Pendant Control Safety Cover	48
Plug Lockouts.....	50
Procedure Accessories	6
Procedures	4
ProLock Cable Lockout.....	31
Push Button Covers.....	48

R

RipTag Rolls.....	26
-------------------	----

S

SafeKey Lockout Boards.....	68
SafeKey Lockout Kits	52
SafeKey Lockout Padlocks.....	10
SafeKey Lockout Stations.....	65
SlimView Group Lock Box	20

T

Tag Accessories	29
Tag Storage Center	29
Taglock Lockouts.....	41
Tags.....	24
Terminal Block Lockout	46
ToughWash Tags	26
Transparent Gate Valve	33

U

Ultra Compact Lock Box	20
------------------------------	----

V

Valve Lockout Tagout Kits	58
Valve Lockouts	32

W

Wall Switch Lockout	49
---------------------------	----

There's more online at

BradyID.com

Design-Your-Own Padlock Online **new**

Create a custom SafeKey padlock with the options you need, including engraving, in one easy-to-use online tool.

Free download: *Expanded Guide to Lockout Tagout*

Download this guidebook to learn more about the six essential elements of lockout tagout.



We identify and protect premises, products and people.

For more information or to learn more about our innovative products, visit BradyID.com or call 1-888-272-3946.



Y4020910 MS4020910

USA
Customer Service: 1-888-272-3946
Inside Sales: 1-888-311-0775
BradyID.com

Canada
Customer Service: 1-800-263-6179
BradyCanada.ca

Mexico
Customer Service: 1-800-262-7777
Inside Sales: 1-800-262-7777 ext 177
BradyLatinAmerica.com

